

Age-standardized (world) incidence rates (per 100,000)

Percentage distribution of the number of cases

Colon (C18) - Male

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9		
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa																			
*Algeria, Sétif	0.1	(1.6)	0.3	(9.6)	-	-	-	-	-	-	-	-	-	-	-	0.3	(7.2)	4.1	(81.6)
Egypt, Gharbiah	0.7	(18.3)	0.0	(0.7)	0.3	(8.6)	0.2	(6.6)	0.1	(5.2)	0.2	(5.5)	0.3	(9.3)	0.8	(20.0)	1.0	(25.9)	
*Libya, Benghazi	0.4	(4.5)	0.1	(0.9)	-	-	-	-	-	-	-	-	0.1	(1.8)	0.4	(3.6)	7.8	(89.2)	
*Malawi, Blantyre	-	-	0.0	(8.3)	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	(91.7)
*South Africa, PROMEC	0.1	(15.4)	-	-	-	-	-	-	-	-	-	-	0.1	(7.7)	0.1	(15.4)	0.6	(61.5)	
*Tunisia, North	0.4	(6.0)	0.1	(1.8)	1.1	(17.1)	0.1	(1.2)	0.4	(6.2)	0.1	(1.8)	0.9	(14.8)	1.7	(27.3)	1.5	(23.8)	
*Uganda, Kyadondo County	0.3	(12.0)	-	-	0.1	(2.0)	-	-	-	-	0.0	(2.0)	-	-	0.2	(6.0)	3.4	(78.0)	
*Zimbabwe, Harare: African	1.1	(14.5)	-	-	0.3	(5.3)	-	-	0.1	(1.3)	-	-	-	-	0.8	(9.2)	5.6	(69.7)	
America, Central and South																			
Argentina, Bahía Blanca	0.3	(1.2)	0.6	(1.7)	3.1	(11.6)	-	-	0.8	(3.3)	0.1	(0.4)	2.6	(10.3)	3.0	(10.3)	15.8	(61.2)	
Argentina, Córdoba	0.4	(2.2)	0.1	(0.7)	0.9	(4.0)	0.0	(0.2)	0.2	(1.1)	0.2	(0.9)	0.6	(2.7)	2.5	(12.0)	14.9	(76.1)	
Argentina, Mendoza	0.8	(4.5)	0.1	(0.4)	2.2	(11.5)	0.1	(0.5)	0.7	(3.6)	0.3	(1.4)	1.1	(5.8)	3.0	(16.3)	9.6	(56.1)	
*Argentina, Tierra del Fuego	-	-	-	-	-	-	-	-	0.8	(6.2)	-	-	0.8	(3.1)	6.7	(40.6)	7.5	(50.0)	
Brazil, Aracaju	0.9	(9.3)	-	-	1.4	(14.8)	0.1	(1.9)	0.6	(5.6)	-	-	0.8	(7.4)	1.8	(18.5)	3.8	(42.6)	
Brazil, Belo Horizonte	0.7	(5.0)	0.2	(1.5)	1.8	(13.7)	0.3	(2.0)	0.6	(4.4)	0.2	(2.0)	1.0	(7.9)	2.3	(17.0)	6.3	(46.5)	
Brazil, Cuiabá	0.5	(5.3)	0.3	(4.3)	1.0	(8.5)	0.1	(1.1)	0.4	(4.3)	-	-	0.1	(1.1)	2.8	(25.5)	5.2	(50.0)	
Brazil, Fortaleza	0.2	(3.6)	0.0	(0.5)	0.2	(3.1)	0.2	(3.6)	0.4	(6.2)	0.0	(0.5)	0.3	(4.6)	1.8	(25.8)	3.5	(52.1)	
Brazil, Goiânia	0.8	(4.1)	0.1	(0.5)	1.7	(9.2)	0.1	(0.8)	1.0	(5.6)	-	-	1.1	(5.4)	4.0	(20.2)	10.2	(54.3)	
*Brazil, São Paulo	1.1	(5.5)	0.2	(1.0)	1.5	(7.2)	0.1	(0.7)	0.9	(4.3)	0.2	(0.9)	1.0	(4.3)	4.2	(19.5)	12.1	(56.6)	
Chile, Region of Antofagasta	0.5	(5.1)	-	-	-	-	-	-	0.2	(2.0)	-	-	0.1	(1.0)	1.2	(14.1)	7.0	(77.8)	
Chile, Bío Bío Province	0.6	(9.1)	-	-	0.7	(10.6)	0.1	(1.5)	0.5	(9.1)	0.2	(3.0)	-	-	1.5	(22.7)	3.0	(43.9)	
Chile, Valdivia	1.0	(11.1)	-	-	1.0	(11.1)	0.2	(2.2)	0.9	(10.0)	0.1	(1.1)	0.4	(4.4)	1.0	(12.2)	4.2	(47.8)	
Colombia, Bucaramanga	0.8	(9.9)	0.2	(2.9)	0.7	(8.1)	0.1	(0.6)	0.3	(3.5)	0.0	(0.6)	0.3	(4.1)	1.6	(19.8)	4.2	(50.6)	
Colombia, Cali	0.6	(6.8)	0.1	(1.5)	1.3	(14.1)	0.1	(1.0)	0.4	(3.6)	0.1	(1.2)	0.7	(7.5)	2.0	(21.1)	4.1	(43.2)	
Colombia, Manizales	0.3	(3.6)	0.9	(9.6)	0.6	(7.2)	0.1	(1.2)	-	-	-	-	0.8	(9.6)	1.3	(14.5)	4.9	(54.2)	
Colombia, Pasto	0.3	(6.5)	-	-	0.1	(3.2)	-	-	0.1	(3.2)	-	-	-	-	0.6	(12.9)	3.0	(74.2)	
Costa Rica	0.8	(8.4)	0.1	(1.3)	1.5	(15.3)	0.1	(0.7)	0.5	(5.5)	0.1	(1.3)	0.9	(9.6)	2.3	(24.6)	3.1	(33.3)	
Cuba, Villa Clara	0.3	(2.7)	0.2	(1.4)	0.6	(5.4)	0.0	(0.3)	0.6	(4.7)	0.0	(0.3)	0.6	(5.1)	1.4	(12.9)	6.9	(67.1)	
Ecuador, Cuenca	0.1	(3.2)	0.2	(3.2)	0.8	(16.1)	-	-	0.2	(6.5)	-	-	0.5	(12.9)	0.4	(16.1)	1.4	(41.9)	
Ecuador, Quito	0.4	(4.9)	0.0	(0.4)	0.9	(13.9)	0.1	(1.8)	0.4	(5.8)	-	-	0.9	(12.1)	1.5	(20.2)	2.9	(40.8)	
*France, Martinique	1.4	(10.5)	0.1	(0.5)	1.9	(13.6)	0.6	(5.2)	1.2	(8.9)	0.9	(7.3)	1.1	(8.9)	4.0	(33.5)	1.5	(11.5)	
*Jamaica, Kingston and St Andrew	0.5	(4.2)	-	-	0.2	(1.8)	0.1	(0.6)	0.3	(2.4)	0.1	(0.6)	1.1	(0.6)	1.8	(14.4)	8.9	(75.4)	
USA, Puerto Rico	2.4	(11.1)	0.2	(0.8)	4.2	(19.2)	0.8	(3.8)	1.5	(6.3)	0.8	(3.1)	2.4	(10.2)	6.9	(29.8)	3.4	(15.6)	
Uruguay	0.6	(2.6)	0.3	(0.9)	1.7	(7.6)	0.1	(0.6)	0.6	(2.6)	0.2	(0.8)	0.8	(3.1)	4.3	(17.8)	14.2	(63.9)	
America, North																			
Canada	4.8	(18.9)	0.4	(1.2)	3.8	(15.3)	1.1	(4.3)	1.8	(6.9)	0.9	(3.5)	1.5	(5.6)	8.4	(31.6)	3.2	(12.6)	
Canada, Alberta	5.0	(22.7)	0.3	(1.3)	3.0	(13.9)	1.3	(5.5)	2.0	(8.7)	0.9	(3.7)	1.2	(5.2)	8.0	(34.9)	0.9	(4.1)	
Canada, British Columbia	4.1	(19.8)	0.3	(1.2)	2.8	(13.6)	0.9	(4.5)	1.5	(6.9)	0.8	(3.6)	1.1	(5.0)	8.9	(39.0)	1.3	(6.5)	
Canada, Manitoba	5.8	(21.8)	0.2	(0.7)	4.4	(17.7)	1.0	(3.7)	1.9	(6.9)	1.1	(3.9)	1.4	(5.0)	10.2	(36.9)	0.9	(3.4)	
Canada, New Brunswick	7.1	(30.1)	0.4	(1.4)	4.0	(17.3)	0.7	(2.9)	1.3	(5.6)	0.8	(3.4)	1.5	(6.1)	7.7	(31.5)	0.4	(1.7)	
Canada, Newfoundland and Labrador	7.2	(20.8)	0.5	(1.1)	4.8	(13.3)	1.4	(3.9)	3.1	(8.4)	1.4	(3.5)	1.9	(5.2)	12.4	(33.5)	3.8	(10.3)	
*Canada, Northwest Territories	4.9	(11.8)	1.2	(2.9)	1.8	(5.9)	6.4	(11.8)	3.5	(8.8)	2.6	(5.9)	-	-	19.1	(47.1)	1.7	(5.9)	
Canada, Nova Scotia	6.7	(22.9)	0.3	(0.8)	4.4	(14.8)	1.4	(5.1)	2.7	(8.8)	0.9	(2.8)	2.1	(6.3)	10.6	(33.9)	1.2	(4.7)	
Canada, Ontario	4.4	(17.0)	0.4	(1.2)	4.0	(15.3)	0.8	(2.9)	1.4	(5.3)	0.7	(2.6)	1.5	(5.4)	8.3	(30.4)	5.2	(19.9)	
Canada, Prince Edward Island	6.9	(26.1)	0.5	(1.3)	2.9	(13.4)	1.1	(5.1)	3.1	(11.5)	1.1	(3.8)	1.9	(7.0)	7.6	(28.0)	0.8	(3.8)	
*Canada, Quebec	4.6	(17.3)	0.4	(1.3)	4.3	(16.5)	1.6	(6.1)	2.3	(8.6)	1.2	(4.6)	1.7	(6.3)	7.4	(27.3)	3.2	(12.1)	
Canada, Saskatchewan	5.8	(23.8)	0.3	(0.9)	3.4	(13.9)	1.3	(4.8)	1.6	(6.9)	1.1	(3.9)	1.5	(5.8)	9.6	(34.7)	1.3	(5.2)	
*Canada, Yukon	3.6	(10.0)	1.0	(3.3)	2.4	(6.7)	1.3	(3.3)	3.9	(10.0)	5.1	(16.7)	1.0	(3.3)	11.4	(40.0)	2.3	(6.7)	
USA, NPCR (42 states)	4.5	(19.5)	0.5	(1.8)	4.0	(17.4)	1.2	(5.1)	2.0	(8.3)	0.8	(3.5)	1.5	(6.1)	7.4	(29.9)	1.9	(8.3)	
USA, NPCR (42 states): American Indian	2.9	(18.8)	0.2	(1.6)	2.0	(12.6)	0.7	(4.5)	1.1	(7.2)	0.4	(2.9)	0.7	(4.1)	5.4	(34.2)	2.3	(14.1)	
USA, NPCR (42 states): Asian and Pacific Islander	1.7	(11.7)	0.2	(1.3)	2.0	(14.0)	0.8	(5.3)	1.2	(8.1)	0.5	(3.7)	1.2	(8.4)	6.0	(41.0)	0.9	(6.5)	
USA, NPCR (42 states): Black	6.1	(19.7)	0.5	(1.5)	5.5	(17.7)	1.5	(4.8)	2.6	(8.3)	1.5	(4.6)	2.4	(7.6)	7.9	(25.2)	3.3	(10.5)	
USA, NPCR (42 states): White	4.4	(19.8)	0.5	(1.9)	3.9	(17.5)	1.1	(5.1)	1.9	(8.4)	0.8	(3.4)	1.4	(5.9)	7.2	(30.1)	1.8	(8.0)	
USA, SEER (9 registries)	4.5	(21.0)	0.5	(1.8)	3.7	(17.0)	1.2	(5.3)	1.9	(8.7)	0.8	(3.5)	1.5	(6.3)	7.2	(30.9)	1.1	(5.3)	
*USA, SEER (9 registries): Black	7.0	(23.4)	0.3	(1.1)	5.3	(17.6)	1.4	(4.7)	3.0	(9.7)	1.4	(4.7)	2.3	(7.5)	7.8	(25.9)	1.7	(5.5)	
*USA, SEER (9 registries): White	4.6	(21.6)	0.5	(1.9)	3.6	(17.3)	1.2	(5.5)	1.9	(8.6)	0.7	(3.3)	1.3	(5.9)	7.0	(30.5)	1.1	(5.4)	
USA, SEER (18 registries)	4.5	(20.1)	0.4	(1.7)	3.8	(17.0)	1.2	(5.2)	2.0	(8.7)	0.9	(3.8)	1.5	(6.5)	7.4	(31.1)	1.3	(5.8)	
*USA, SEER (18 registries): Asian and Pacific Islander	2.0	(12.0)	0.2	(1.4)	2.3	(13.5)	0.9	(5.1)	1.5	(9.0)	0.7	(4.0)	1.6	(9.1)	7.4	(41.8)	0.7	(4.1)	
*USA, SEER (18 registries): Black	6.8	(21.5)	0.4	(1.5)	5.3	(16.8)	1.5	(4.8)	3.1	(9.6)	1.6	(5.1)	2.6	(8.2)	8.2	(25.7)	2.1	(6.8)	
*USA, SEER (18 registries): Hispanic White	3.5	(18.3)	0.3	(2.0)	3.1	(16.3)	0.9	(5.0)	1.5	(8.1)	0.7	(3.7)	1.2	(6.4)	6.4	(33.9)	1.2	(6.2)	
*USA, SEER (18 registries): Non-Hispanic White	4.6	(20.9)	0.5	(1.7)	3.9	(17.5)	1.2	(5.3)	2.0	(8.7)	0.8	(3.6)	1.4	(6.0)	7.4	(30.6)	1.3	(5.7)	
*USA, SEER (18 registries): White	4.5	(20.6)	0.4	(1.8)	3.8	(17.4)	1.2	(5.3)	1.9	(8.6)	0.8	(3.6)	1.4	(6.0)	7.3	(30.9)	1.2	(5.8)	
USA, Alabama	4.9	(18.2)	0.5	(1.6)	4.5	(16.6)	1.3	(4.8)	2.2	(7.9)	0.9	(3.4)	1.8	(6.5)	8.6	(30.4)	2.9	(10.6)	
USA, Alabama: Black	5.9	(17.2)	0.3	(0.9)	5.6	(16.6)	1.7	(5.1)	2.8	(8.2)	1.7	(4.7)	2.8	(8.2)	8.8	(25.5)	4.7	(13.6)	
USA, Alabama: White	4.7	(18.6)	0.5	(1.8)	4.2	(16.6)	1.2	(4.7)	2.0	(7.9)	0.8	(3.1)	1.6	(6.0)	8.5	(31.8)	2.5	(9.7)	
USA, Alaska	4.5	(18.6)	0.5	(2.6)	3.6	(15.1)	1.1	(4.7)	1.4	(5.4)	0.5	(1.9)	1.9	(8.0)	8.3	(34.4)	2.4	(9.4)	
*USA, Alaska: American Indian	6.1	(14.8)	1.1	(2.8)	5.2	(12.0)	2.4	(4.6)	5.6	(11.1)	2.0	(3.7)	1.6	(3.7)	18.0	(40.7)	3.4	(6.5)	
USA, Arizona	3.6	(19.9)	0.3	(1.5)	3.1	(17.2)	0.8	(4.2)	1.7	(9.0)	0.5	(2.7)	1.0	(5.2)	5.5	(27.3)	2.4	(12.8	

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Colon (C18) - Male (contd)

	C18.0	C18.1	C18.2	C18.3	C18.4	C18.5	C18.6	C18.7	C18.8-9
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other
	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)
America, North (contd)									
*USA, California, Los Angeles County: Japanese	3.3 (14.3)	-	3.6 (16.5)	0.7 (2.7)	2.5 (9.3)	1.2 (4.4)	2.7 (7.1)	13.2 (40.7)	1.4 (4.9)
*USA, California, Los Angeles County: Korean	2.5 (10.4)	0.5 (2.1)	2.8 (12.5)	0.9 (4.9)	3.8 (16.7)	0.4 (2.1)	1.2 (5.6)	10.1 (43.1)	0.7 (2.8)
*USA, California, Los Angeles County: Non-Hispanic White	4.5 (20.5)	0.5 (1.9)	3.9 (17.4)	1.2 (5.6)	2.2 (9.5)	0.9 (3.7)	1.5 (6.4)	7.6 (30.9)	0.9 (4.1)
*USA, California, Los Angeles County: White	4.0 (19.7)	0.4 (1.8)	3.5 (17.1)	1.1 (5.4)	2.0 (9.3)	0.8 (3.8)	1.3 (6.3)	7.2 (32.4)	0.9 (4.4)
USA, California, San Francisco Bay Area	4.1 (20.6)	0.4 (1.8)	3.3 (16.8)	1.1 (5.9)	1.9 (9.2)	0.9 (4.3)	1.3 (6.2)	6.6 (30.6)	0.9 (4.7)
*USA, California, San Francisco Bay Area: Asian and Pacific Islander	2.0 (12.7)	0.3 (1.8)	2.2 (13.7)	0.8 (5.3)	1.4 (7.7)	0.6 (3.9)	1.5 (8.7)	7.3 (40.6)	0.9 (5.5)
*USA, California, San Francisco Bay Area: Black	6.3 (22.6)	0.3 (1.2)	4.3 (15.8)	1.6 (5.9)	3.0 (10.9)	2.1 (6.7)	2.4 (8.2)	7.0 (25.2)	1.0 (3.5)
*USA, California, San Francisco Bay Area: Hispanic White	4.5 (22.0)	0.4 (1.7)	3.6 (16.9)	0.8 (4.1)	1.7 (8.4)	1.1 (4.4)	1.1 (4.7)	6.8 (32.4)	1.2 (5.4)
*USA, California, San Francisco Bay Area: Non-Hispanic White	4.4 (22.3)	0.5 (1.9)	3.5 (18.0)	1.2 (6.4)	2.0 (9.3)	0.8 (3.9)	1.1 (5.3)	6.1 (28.3)	0.9 (4.6)
*USA, California, San Francisco Bay Area: White	4.5 (22.3)	0.5 (1.9)	3.5 (17.8)	1.2 (6.1)	1.9 (9.2)	0.9 (4.0)	1.1 (5.2)	6.2 (28.8)	0.9 (4.7)
USA, Colorado	4.0 (20.3)	0.5 (2.6)	3.3 (16.2)	1.1 (5.7)	1.7 (8.4)	0.8 (3.6)	1.1 (5.3)	6.2 (30.2)	1.5 (7.7)
USA, Colorado: Asian and Pacific Islander	1.1 (7.7)	-	2.4 (15.4)	1.4 (7.7)	0.8 (5.1)	0.5 (5.1)	1.4 (10.3)	6.7 (43.6)	0.7 (5.1)
USA, Colorado: Black	5.6 (23.1)	0.6 (2.6)	5.6 (20.5)	1.5 (6.0)	0.6 (2.6)	0.8 (2.6)	2.4 (8.5)	5.6 (23.9)	2.9 (10.3)
USA, Colorado: White	4.0 (20.4)	0.6 (2.6)	3.3 (16.1)	1.1 (5.7)	1.8 (8.7)	0.8 (3.7)	1.0 (5.2)	6.1 (29.9)	1.5 (7.7)
USA, Connecticut	5.0 (21.9)	0.7 (2.4)	4.1 (18.0)	0.9 (4.0)	1.9 (8.1)	0.8 (3.2)	1.6 (6.2)	7.7 (31.5)	1.0 (4.8)
*USA, Connecticut: Black	6.7 (25.6)	0.8 (3.7)	3.8 (14.0)	1.2 (5.1)	3.1 (11.2)	1.0 (3.3)	1.6 (5.6)	7.2 (26.0)	1.5 (5.6)
*USA, Connecticut: White	5.0 (21.8)	0.7 (2.3)	4.1 (18.4)	0.9 (3.9)	1.8 (7.9)	0.8 (3.2)	1.6 (6.1)	7.7 (31.6)	1.0 (4.7)
USA, Delaware	5.7 (22.1)	0.5 (1.5)	3.9 (15.5)	1.6 (6.3)	2.3 (9.2)	1.0 (3.6)	1.3 (5.0)	8.0 (28.9)	1.9 (7.9)
USA, Delaware: Black	7.4 (21.7)	0.6 (2.1)	7.6 (21.7)	1.8 (4.9)	2.9 (7.7)	1.1 (2.8)	1.8 (4.9)	9.5 (26.6)	2.5 (7.7)
USA, Delaware: White	5.4 (22.4)	0.4 (1.5)	3.3 (14.2)	1.5 (6.4)	2.1 (9.5)	1.0 (3.7)	1.3 (5.0)	7.9 (29.6)	1.7 (7.8)
USA, Florida	3.9 (18.4)	0.4 (1.6)	3.9 (18.2)	1.2 (5.5)	1.8 (8.1)	0.9 (3.7)	1.4 (6.1)	7.0 (28.6)	2.2 (9.9)
USA, Florida: Asian and Pacific Islander	1.4 (14.7)	0.3 (2.9)	1.7 (18.6)	0.4 (3.9)	0.7 (6.9)	0.3 (2.9)	0.9 (9.8)	3.3 (35.3)	0.5 (4.9)
USA, Florida: Black	4.9 (18.3)	0.5 (1.9)	4.6 (16.7)	1.6 (5.9)	2.2 (7.9)	1.3 (4.7)	1.9 (6.8)	6.9 (25.7)	3.3 (12.1)
USA, Florida: White	3.8 (18.5)	0.4 (1.6)	3.8 (18.4)	1.1 (5.5)	1.7 (8.1)	0.8 (3.6)	1.4 (6.0)	7.0 (28.7)	2.1 (9.6)
USA, Georgia	4.6 (18.6)	0.5 (1.8)	4.5 (17.8)	1.2 (4.8)	2.3 (9.4)	1.0 (4.0)	1.8 (7.3)	7.5 (29.8)	1.6 (6.7)
USA, Georgia: Asian and Pacific Islander	1.7 (14.0)	0.1 (1.8)	1.6 (15.8)	0.5 (5.3)	1.1 (10.5)	0.4 (3.5)	1.5 (14.0)	3.7 (33.3)	0.2 (1.8)
USA, Georgia: Black	6.6 (19.8)	0.5 (1.6)	5.6 (16.7)	1.5 (4.2)	3.1 (9.4)	1.7 (5.0)	3.0 (8.9)	8.8 (26.8)	2.5 (7.5)
USA, Georgia: White	4.1 (18.2)	0.5 (1.9)	4.2 (18.3)	1.1 (4.9)	2.2 (9.4)	0.9 (3.6)	1.5 (6.6)	7.2 (30.6)	1.4 (6.4)
USA, Georgia, Atlanta	4.2 (19.7)	0.5 (2.7)	3.9 (18.3)	1.0 (4.6)	1.8 (8.5)	0.7 (3.5)	1.7 (8.1)	6.0 (28.4)	1.3 (6.3)
*USA, Georgia, Atlanta: Black	6.4 (22.0)	0.3 (1.3)	4.9 (17.4)	1.0 (3.1)	2.4 (8.0)	0.9 (3.5)	2.5 (9.0)	8.0 (28.8)	2.1 (6.9)
*USA, Georgia, Atlanta: White	3.6 (18.9)	0.7 (3.6)	3.6 (19.1)	1.0 (5.3)	1.6 (8.5)	0.7 (3.4)	1.4 (7.2)	5.3 (27.9)	1.1 (6.1)
USA, Idaho	4.1 (21.2)	0.5 (2.4)	3.4 (17.5)	0.9 (4.7)	1.5 (7.9)	0.5 (2.7)	1.1 (5.6)	6.9 (33.1)	0.9 (4.8)
USA, Illinois	5.2 (19.7)	0.5 (1.6)	4.8 (18.3)	1.2 (4.7)	2.1 (7.9)	1.0 (3.7)	1.9 (6.7)	8.5 (30.6)	1.8 (6.7)
USA, Illinois: Asian and Pacific Islander	1.0 (8.4)	0.1 (1.2)	1.6 (13.3)	0.7 (5.4)	1.1 (9.0)	0.4 (3.0)	1.6 (12.7)	4.5 (35.5)	1.4 (11.4)
USA, Illinois: Black	7.7 (20.7)	0.4 (1.1)	6.4 (17.6)	1.6 (4.4)	2.9 (7.6)	2.0 (5.2)	3.4 (9.1)	8.3 (22.5)	4.3 (11.7)
USA, Illinois: White	5.0 (19.9)	0.5 (1.7)	4.6 (18.5)	1.2 (4.8)	2.0 (8.0)	0.9 (3.4)	1.7 (6.2)	8.6 (31.7)	1.4 (5.8)
USA, Indiana	5.1 (20.3)	0.6 (2.0)	4.4 (18.1)	1.3 (5.1)	2.1 (8.3)	0.9 (3.4)	1.6 (6.1)	7.8 (29.6)	1.7 (7.2)
USA, Indiana: Black	5.8 (19.3)	0.3 (1.0)	5.7 (19.3)	1.5 (5.0)	3.5 (10.9)	1.3 (4.2)	2.2 (7.7)	6.8 (21.8)	3.2 (10.9)
USA, Indiana: White	5.0 (20.5)	0.6 (2.1)	4.2 (17.9)	1.3 (5.1)	2.0 (8.1)	0.9 (3.4)	1.5 (6.0)	7.8 (30.1)	1.6 (6.8)
USA, Iowa	5.1 (21.2)	0.4 (1.4)	4.1 (17.0)	1.6 (6.7)	2.2 (9.2)	0.9 (3.5)	1.4 (5.4)	8.1 (29.9)	1.4 (5.7)
USA, Kentucky	5.4 (19.7)	0.4 (1.4)	4.7 (17.4)	1.5 (5.2)	2.4 (8.8)	1.2 (4.1)	1.5 (5.4)	9.5 (32.5)	1.5 (5.6)
USA, Louisiana	5.4 (18.9)	0.3 (1.0)	4.8 (16.9)	1.5 (5.2)	2.3 (8.0)	1.2 (4.0)	2.3 (7.7)	9.6 (32.5)	1.6 (5.8)
*USA, Louisiana: Black	6.8 (18.8)	0.3 (0.9)	5.5 (14.8)	1.4 (3.8)	3.4 (9.3)	1.8 (5.3)	3.9 (10.9)	10.3 (28.9)	2.5 (7.3)
*USA, Louisiana: White	5.0 (19.0)	0.3 (1.0)	4.7 (17.8)	1.5 (5.7)	2.0 (7.5)	1.0 (3.5)	1.8 (6.5)	9.5 (33.8)	1.4 (5.3)
*USA, Louisiana, New Orleans	6.0 (21.3)	0.4 (1.7)	3.9 (15.0)	1.2 (4.4)	2.7 (10.2)	1.0 (3.5)	1.9 (7.3)	8.4 (29.6)	1.8 (7.0)
*USA, Louisiana, New Orleans: Black	9.5 (26.3)	0.5 (1.7)	4.1 (12.5)	0.8 (2.6)	3.7 (10.8)	1.1 (3.4)	2.9 (8.6)	8.5 (25.0)	3.0 (9.1)
*USA, Louisiana, New Orleans: White	4.6 (18.6)	0.4 (1.7)	4.0 (16.7)	1.3 (5.2)	2.3 (10.0)	0.9 (3.3)	1.7 (6.7)	8.7 (31.9)	1.5 (6.0)
USA, Maine	5.2 (21.0)	0.6 (2.0)	3.9 (16.5)	1.0 (4.3)	2.2 (9.1)	1.0 (4.1)	1.5 (5.9)	8.1 (30.7)	1.4 (6.4)
USA, Massachusetts	4.9 (20.6)	0.5 (1.8)	4.3 (18.2)	1.2 (4.9)	2.2 (8.9)	0.9 (3.7)	1.7 (6.5)	7.5 (29.2)	1.4 (6.1)
USA, Massachusetts: Asian and Pacific Islander	2.0 (13.5)	-	1.6 (11.5)	0.6 (4.2)	0.9 (6.2)	0.2 (1.0)	1.5 (11.5)	7.2 (47.9)	0.7 (4.2)
USA, Massachusetts: Black	4.4 (18.5)	0.3 (1.4)	4.4 (19.4)	0.9 (4.1)	2.4 (11.3)	0.6 (2.7)	2.4 (10.4)	6.0 (25.7)	1.6 (6.8)
USA, Massachusetts: White	5.0 (21.0)	0.5 (1.8)	4.3 (18.3)	1.2 (4.9)	2.2 (8.8)	1.0 (3.9)	1.6 (6.3)	7.5 (28.9)	1.4 (6.0)
USA, Michigan	4.6 (20.5)	0.5 (1.8)	4.0 (17.5)	1.0 (4.5)	2.0 (8.5)	0.7 (3.1)	1.5 (6.3)	7.0 (28.8)	2.1 (8.9)
USA, Michigan: Asian and Pacific Islander	1.5 (13.3)	-	2.9 (21.7)	0.4 (3.3)	0.5 (3.3)	0.4 (5.0)	0.9 (6.7)	6.1 (45.0)	0.2 (1.7)
USA, Michigan: Black	7.5 (22.4)	0.3 (1.0)	6.3 (18.4)	1.7 (5.0)	3.2 (9.4)	1.2 (3.7)	2.4 (6.8)	8.4 (23.7)	3.2 (9.4)
USA, Michigan: White	4.3 (20.3)	0.5 (1.9)	3.8 (17.4)	1.0 (4.5)	1.8 (8.3)	0.7 (3.0)	1.4 (6.2)	6.7 (29.4)	1.9 (8.9)
USA, Michigan, Detroit	5.3 (22.1)	0.3 (1.0)	4.3 (18.1)	1.1 (4.4)	2.1 (8.6)	0.9 (3.7)	1.8 (7.2)	7.6 (29.1)	1.5 (5.9)
*USA, Michigan, Detroit: Black	8.2 (23.9)	0.2 (0.6)	7.1 (20.3)	1.6 (4.5)	3.5 (9.9)	1.4 (4.1)	2.5 (6.9)	8.6 (24.1)	2.0 (5.8)
*USA, Michigan, Detroit: White	4.7 (21.6)	0.3 (1.2)	3.8 (17.5)	1.0 (4.5)	1.8 (8.1)	0.8 (3.5)	1.6 (7.2)	7.3 (30.4)	1.4 (6.0)
USA, Mississippi	4.9 (17.2)	0.4 (1.4)	5.2 (18.2)	1.2 (4.1)	2.2 (7.7)	1.0 (3.3)	2.0 (6.6)	9.3 (30.9)	3.0 (10.7)
USA, Missouri	4.8 (19.7)	0.5 (1.8)	4.3 (17.5)	1.4 (5.6)	2.2 (8.6)	0.9 (3.4)	1.4 (5.3)	8.1 (30.9)	1.8 (7.4)
USA, Missouri: Black	7.4 (21.3)	0.7 (2.0)	6.8 (19.3)	1.7 (5.3)	3.1 (9.2)	1.6 (4.8)	2.0 (5.9)	8.7 (24.8)	2.6 (7.5)
USA, Missouri: White	4.6 (19.7)	0.5 (1.8)	4.1 (17.4)	1.4 (5.6)	2.1 (8.6)	0.8 (3.1)	1.3 (5.2)	8.0 (31.3)	1.7 (7.3)
USA, Montana	4.0 (19.9)	0.6 (2.4)	3.2 (15.9)	1.3 (6.6)	1.6 (7.8)	0.7 (3.4)	1.0 (4.9)	6.6 (30.5)	1.7 (8.5)
USA, Montana: American Indian	6.0 (17.1)	0.6 (2.4)	5.6 (17.1)	-	2.4 (7.3)	1.0 (2.4)	2.6 (7.3)	9.4 (31.7)	4.9 (14.6)
USA, Nebraska	5.0 (20.0)	0.8 (2.4)	4.5 (17.6)	1.3 (5.2)	2.5 (9.6)	0.8 (3.0)	1.5 (5.3)	8.4 (30.1)	1.7 (6.8)
USA, Nebraska: Black	8.7 (29.2)	-	3.3 (10.4)	2.3 (6.2)	1.4 (4.2)	2.7 (8.3)	4.0 (14.6)	3.7 (12.5)	4.4 (14.6)
USA, Nebraska: White	5.0 (20.1)	0.8 (2.3)	4.5 (18.1)	1.3 (5.0)	2.5 (9.7)	0.8 (2.9)	1.3 (4.9)	8.5 (30.4)	1.6 (6.5)
USA, New Hampshire	4.5 (20.5)	0.3 (1.4)	3.1 (14.0)	1.2 (5.7)	2.1 (8.9)	0.6 (3.0)	1.3 (5.8)	6.8 (29.3)	2.6 (11.5)
USA, New Jersey	4.7 (19.2)	0.5 (1.9)	4.5 (18.4)	1.2 (5.0)	1.9 (7.7)	0.9 (3.6)	1.8 (7.0)	7.8 (30.1)	1.7 (7.0)
*USA, New Jersey: Black	6.2 (21.3)	0.5 (1.8)	5.5 (18.7)	1.3 (4.7)	2.4 (8.4)	1.1 (3.9)	2.3 (8.2)	7.4 (24.9)	2.3 (8.2)
*USA, New Jersey: White	4.7 (19.4)	0.6 (2.0)	4.5 (18.7)	1.2 (4.9)	1.9 (7.7)	0.9 (3.6)	1.7 (6.8)	7.9 (30.2)	1.7 (6.7)
USA, New Mexico	4.0 (20.3)	0.5 (2.0)	2.9 (14.4)	1.2 (5.9)	1.4 (6.9)	0.6 (3.1)	0.8 (4.2)	7.0 (33.7)	1.9 (9.5)
*USA, New Mexico: Hispanic White	3.6 (17.4)	0.4 (1.8)	3.1 (14.5)	1.0 (5.4)	1.6 (7.6)	0.6 (2.9)	0.8 (4.0)	7.8 (38.2)	1.7 (8.3)
*USA, New Mexico: Non-Hispanic White	4.3 (21.8)	0.6 (2.0)	2.7 (14.1)	1.3 (6.0)	1.4 (7.1)	0.7 (3.1)	0.9 (4.6)	6.7 (31.3)	2.1 (9.9)
*USA, New Mexico: White	4.1 (20.3)	0.5 (2.0)	2.9 (14.3)	1.2 (5.8)	1.5 (7.3)	0.6 (3.0)	0.9 (4.4)	7.1 (33.6)	2.0 (9.4)
USA, New York State	4.5 (19.2)	0.5 (1.7)	4.2 (17.7)	1.1 (4.8)	1.9 (8.2)	0.9 (3.6)	1.6 (6.5)	7.6 (30.2)	1.9 (8.1)
USA, New York State: Asian and Pacific Islander	1.5 (10.4)	0.3 (2.1)	2.2 (14.5)	0.7 (4.6)	1.0 (6.3)	0.4 (2.6)	1.1 (7.8)	6.5 (41.6)	1.6 (10.1)
USA, New York State: Black	5.4 (19.9)	0.5 (1.7)	4.9 (18.4)	1.2 (4.4)	1.9 (7.2)	1.1 (3.8)	2.1 (7.6)	7.3 (26.3)	2.9 (10.7)
USA, New York State: White	4.4 (19.5)	0.5 (1.7)	4.1 (17.9)	1.1 (4.9)	2.0 (8.4)	0.9 (3.7)	1.5 (6.3)	7.5 (30.1)	1.7 (7.5)
USA, North Carolina	4.6 (18.9)	0.5 (1.7)	4.4 (17.9)	1.2 (5.0)	2.0 (8.0)	0.9 (3.6)	1.6 (6.2)	7.9 (31.1)	1.9 (7.6)
USA, North Carolina: American Indian	4.0 (24.4)	-	0.4 (2.2)	0.3 (2.2)	2.6 (15.6)	0.3 (2.2)	0.9 (6.7)	5.3 (35.6)	1.8 (11.1)
USA, North Carolina: Asian and Pacific Islander	-	-	0.8 (10.5)	1.5 (21.1)	0.5 (5.3)	0.1 (5.3)	-	2.9 (47.4)	0.6 (10.5)
USA, North Carolina: Black	5.9 (18.4)	0.5 (1.6)	5.8 (17.6)	1.5 (4.9)	2.5 (7.8)	1.6 (4.9)	2.4 (7.4)	8.8 (27.2)	3.3 (10.2)
USA, North Carolina: White	4.4 (19.0)	0.5 (1.8)	4.2 (18.1)	1.1 (5.0)	1.9 (8.1)	0.8 (3.3)	1.4 (5.8)	7.8 (32.0)	1.6 (6.9)
USA, North Dakota	5.3 (20.0)	0.6 (1.8)	3.4 (13.2)	2.5 (9.2)	2.2 (8.5)	1.0 (3.9)	1.4 (4.7)	9.3 (31.6)	

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Colon (C18) - Male (contd)

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9			
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
America, North (contd)																				
USA, Oklahoma	4.1	(17.3)	0.4	(1.3)	4.1	(17.6)	0.8	(3.3)	1.6	(6.5)	0.6	(2.7)	1.7	(6.6)	7.6	(29.5)	3.8	(15.3)		
USA, Oklahoma: American Indian	6.6	(20.5)	0.5	(1.5)	4.6	(13.4)	0.8	(2.2)	2.1	(6.7)	0.5	(1.5)	1.9	(5.2)	11.0	(31.0)	6.5	(17.9)		
USA, Oklahoma: Black	5.9	(19.2)	0.7	(2.0)	6.2	(19.2)	1.5	(4.4)	1.1	(3.9)	0.5	(1.5)	1.8	(4.9)	9.9	(30.5)	4.5	(14.3)		
USA, Oklahoma: White	3.7	(16.9)	0.3	(1.2)	3.9	(17.7)	0.7	(3.3)	1.6	(6.7)	0.6	(2.9)	1.7	(6.9)	7.2	(29.2)	3.5	(15.1)		
USA, Oregon	4.3	(21.5)	0.5	(2.0)	3.0	(14.9)	1.3	(6.4)	2.0	(9.3)	0.8	(3.5)	1.2	(5.4)	6.4	(29.3)	1.5	(7.8)		
USA, Oregon: Asian and Pacific Islander	0.5	(5.6)	0.3	(2.8)	1.7	(13.9)	1.6	(13.9)	0.4	(2.8)	1.1	(8.3)	1.7	(16.7)	3.2	(25.0)	1.1	(11.1)		
USA, Oregon: Black	5.9	(27.5)	-	-	3.4	(17.5)	-	-	1.2	(5.0)	1.6	(7.5)	1.2	(5.0)	8.0	(30.0)	1.7	(7.5)		
USA, Oregon: White	4.3	(21.7)	0.5	(2.0)	2.9	(14.7)	1.3	(6.5)	1.9	(9.4)	0.7	(3.3)	1.1	(5.3)	6.3	(29.4)	1.5	(7.9)		
USA, Pennsylvania	5.0	(20.2)	0.6	(2.0)	4.3	(17.7)	1.2	(5.1)	2.0	(7.9)	0.9	(3.6)	1.7	(6.3)	8.3	(30.7)	1.6	(6.4)		
USA, Pennsylvania: Asian and Pacific Islander	2.1	(18.3)	0.2	(2.8)	1.4	(12.7)	0.8	(7.0)	1.1	(8.5)	0.6	(5.6)	0.7	(5.6)	3.7	(33.8)	0.6	(5.6)		
USA, Pennsylvania: Black	6.8	(21.4)	0.7	(2.0)	5.9	(18.6)	1.3	(4.4)	2.7	(8.4)	1.2	(4.0)	2.6	(8.0)	8.2	(26.2)	2.4	(7.0)		
USA, Pennsylvania: White	4.9	(20.2)	0.6	(2.0)	4.2	(17.8)	1.2	(5.2)	2.0	(7.9)	0.9	(3.5)	1.6	(6.2)	8.2	(30.9)	1.5	(6.3)		
USA, Rhode Island	4.4	(19.6)	0.5	(2.0)	4.1	(17.4)	1.1	(4.6)	2.2	(9.1)	0.8	(3.8)	1.2	(5.0)	8.1	(31.4)	1.6	(7.1)		
USA, Rhode Island: Black	2.2	(10.7)	0.5	(3.6)	4.3	(21.4)	3.1	(14.3)	1.1	(7.1)	1.6	(7.1)	0.4	(3.6)	6.2	(28.6)	1.0	(3.6)		
USA, Rhode Island: White	4.6	(19.9)	0.6	(2.0)	4.1	(17.2)	1.1	(4.4)	2.3	(9.1)	0.8	(3.7)	1.3	(5.1)	8.2	(31.4)	1.6	(7.2)		
USA, South Carolina	4.9	(18.8)	0.7	(2.3)	4.0	(15.3)	1.4	(5.5)	2.1	(7.8)	1.1	(4.2)	1.7	(6.4)	7.9	(29.5)	2.6	(10.1)		
USA, South Carolina: Black	6.5	(19.1)	0.6	(1.7)	5.3	(15.3)	2.0	(6.1)	2.7	(7.9)	1.9	(5.4)	2.4	(7.5)	8.8	(25.6)	3.8	(11.4)		
USA, South Carolina: White	4.4	(18.8)	0.7	(2.6)	3.6	(15.3)	1.3	(5.4)	2.0	(7.8)	0.9	(3.7)	1.5	(6.0)	7.6	(30.8)	2.2	(9.6)		
USA, South Dakota	3.7	(17.4)	0.8	(2.8)	4.2	(19.6)	1.1	(4.8)	1.9	(8.6)	0.6	(2.8)	1.4	(5.8)	6.7	(26.9)	2.4	(11.4)		
USA, Tennessee	4.5	(18.3)	0.4	(1.6)	4.6	(18.5)	1.2	(4.8)	2.1	(8.6)	0.8	(3.3)	1.7	(6.5)	7.2	(27.9)	2.6	(10.5)		
USA, Tennessee: Black	4.8	(15.2)	0.3	(0.8)	6.6	(20.3)	1.5	(4.9)	2.2	(7.3)	1.6	(4.9)	2.7	(8.1)	7.6	(24.0)	4.5	(14.4)		
USA, Tennessee: White	4.4	(18.8)	0.5	(1.7)	4.3	(18.3)	1.1	(4.8)	2.1	(8.8)	0.7	(3.0)	1.5	(6.2)	7.2	(28.6)	2.3	(9.8)		
USA, Texas	4.2	(18.1)	0.5	(1.9)	4.1	(17.3)	1.1	(4.9)	1.8	(7.5)	0.8	(3.2)	1.5	(6.2)	7.6	(30.7)	2.4	(10.1)		
USA, Texas: Asian and Pacific Islander	0.7	(7.0)	0.1	(1.1)	1.3	(12.8)	0.5	(5.3)	1.0	(9.1)	0.3	(2.7)	0.9	(7.5)	4.4	(41.7)	1.5	(12.8)		
USA, Texas: Black	6.4	(18.6)	0.5	(1.5)	6.3	(17.7)	1.8	(5.2)	2.6	(7.5)	1.5	(4.4)	2.8	(8.0)	9.1	(25.5)	4.0	(11.7)		
USA, Texas: White	4.1	(18.3)	0.5	(2.0)	3.9	(17.4)	1.1	(4.8)	1.7	(7.5)	0.7	(3.1)	1.4	(5.9)	7.4	(31.3)	2.2	(9.8)		
USA, Utah	4.1	(22.1)	0.4	(2.0)	2.9	(15.9)	0.8	(4.9)	1.7	(8.6)	0.5	(2.3)	1.3	(6.8)	6.6	(33.9)	0.7	(3.5)		
USA, Vermont	3.9	(21.3)	0.3	(1.5)	3.5	(19.6)	1.3	(6.8)	1.1	(5.3)	0.6	(3.2)	1.2	(6.0)	4.8	(24.9)	2.2	(11.5)		
USA, Virginia	4.0	(17.3)	0.5	(1.8)	4.5	(19.3)	1.1	(4.6)	2.1	(9.1)	0.8	(3.2)	1.5	(6.3)	7.0	(29.0)	2.2	(9.4)		
USA, Virginia: Asian and Pacific Islander	1.7	(16.3)	0.2	(2.2)	1.3	(12.0)	0.6	(5.4)	0.9	(7.6)	0.4	(3.3)	0.6	(5.4)	4.6	(41.3)	0.8	(6.5)		
USA, Virginia: Black	5.0	(15.9)	0.4	(1.5)	6.3	(20.0)	1.2	(3.9)	2.9	(9.3)	1.4	(4.5)	2.3	(7.1)	8.2	(25.6)	3.9	(12.2)		
USA, Virginia: White	3.9	(17.7)	0.5	(1.9)	4.2	(19.3)	1.1	(4.9)	2.0	(9.2)	0.6	(2.9)	1.3	(6.0)	6.8	(29.5)	1.8	(8.5)		
USA, Washington State	4.3	(22.0)	0.4	(1.8)	3.2	(16.3)	1.2	(6.3)	1.8	(8.9)	0.7	(3.4)	1.2	(5.6)	6.4	(30.2)	1.1	(5.6)		
USA, Washington, Seattle	4.4	(22.1)	0.4	(1.9)	3.4	(16.6)	1.3	(6.4)	1.9	(9.3)	0.7	(3.6)	1.2	(5.4)	6.5	(30.2)	0.9	(4.5)		
USA, West Virginia	5.5	(19.9)	0.5	(1.6)	4.3	(16.0)	1.3	(5.1)	2.2	(8.0)	0.8	(3.1)	1.7	(5.8)	9.5	(33.5)	1.8	(7.0)		
USA, Wisconsin	4.2	(19.4)	0.6	(2.1)	3.9	(17.6)	1.2	(5.4)	2.0	(9.1)	0.9	(3.9)	1.2	(5.1)	6.4	(27.8)	2.1	(9.6)		
USA, Wisconsin: Black	6.3	(20.1)	0.9	(2.5)	6.5	(18.6)	1.4	(4.5)	3.5	(10.6)	2.1	(6.0)	2.2	(6.5)	7.7	(25.1)	2.2	(6.0)		
USA, Wisconsin: White	4.2	(19.6)	0.6	(2.0)	3.7	(17.7)	1.1	(5.5)	2.0	(9.2)	0.9	(3.8)	1.1	(5.1)	6.2	(27.7)	2.0	(9.4)		
USA, Wyoming	4.7	(21.5)	0.3	(1.4)	2.6	(12.6)	1.3	(6.3)	1.6	(8.0)	0.5	(2.1)	1.4	(5.9)	7.7	(34.4)	1.6	(7.7)		
Asia																				
Bahrain: Bahraini	0.5	(4.9)	0.3	(3.3)	0.9	(9.8)	0.2	(1.6)	0.1	(1.6)	-	-	0.3	(3.3)	2.1	(23.0)	4.6	(52.5)		
China, Beijing City	0.6	(5.4)	0.1	(0.5)	1.9	(18.3)	0.3	(2.7)	0.6	(5.2)	0.1	(1.3)	0.6	(5.2)	2.9	(27.7)	3.5	(33.7)		
*China, Cixian County	0.1	(4.3)	-	-	0.3	(6.4)	0.5	(10.6)	0.3	(8.5)	0.2	(6.4)	0.1	(4.3)	0.2	(4.3)	2.4	(55.3)		
China, Haining County	0.2	(2.7)	-	-	0.7	(7.7)	0.1	(1.1)	0.5	(6.0)	-	-	0.3	(2.7)	1.5	(16.5)	5.3	(63.2)		
*China, Harbin City, Nangang District	0.2	(1.6)	0.1	(0.5)	0.9	(6.3)	0.1	(0.5)	0.1	(1.1)	-	-	0.2	(1.6)	1.4	(10.4)	9.6	(77.9)		
China, Hong Kong	2.1	(9.3)	0.2	(0.8)	3.0	(13.3)	1.8	(8.1)	2.3	(9.6)	1.0	(4.3)	2.4	(10.4)	9.1	(39.1)	1.2	(5.1)		
China, Jiashan County	1.3	(9.7)	0.5	(3.1)	1.9	(14.9)	0.6	(5.1)	0.7	(6.2)	-	-	0.6	(4.1)	2.9	(22.1)	4.4	(34.9)		
China, Jiaying City	1.3	(9.4)	0.1	(1.2)	2.7	(17.6)	0.4	(2.9)	0.6	(4.1)	0.3	(1.8)	1.8	(10.6)	3.9	(24.7)	4.0	(27.6)		
China, Macao	0.7	(3.9)	0.1	(0.4)	1.5	(7.5)	0.1	(0.4)	0.9	(5.3)	-	-	0.7	(3.1)	4.5	(25.4)	10.2	(53.9)		
China, Qidong County	0.5	(8.7)	0.0	(0.4)	1.1	(19.6)	0.2	(4.3)	0.3	(5.2)	-	-	0.2	(4.3)	1.6	(30.0)	1.4	(27.4)		
*China, Shanghai City	1.0	(6.3)	0.1	(0.6)	3.5	(21.7)	0.6	(3.4)	1.1	(6.7)	0.3	(1.5)	1.1	(6.9)	4.9	(30.4)	3.5	(22.4)		
*China, Wuhan City	0.4	(4.8)	0.0	(0.5)	1.2	(12.5)	0.2	(2.4)	0.8	(8.4)	0.1	(1.0)	0.5	(5.3)	2.6	(26.4)	3.8	(38.7)		
*China, Yangcheng County	-	-	-	-	-	-	-	-	0.1	(2.2)	-	-	0.1	(2.2)	0.1	(2.2)	4.7	(93.5)		
*China, Yanting County	-	-	-	-	-	-	-	-	-	-	-	-	0.3	(24.1)	0.5	(27.6)	0.8	(48.3)		
*China, Zhongshan City	0.4	(3.3)	-	-	2.1	(15.7)	1.0	(7.3)	1.6	(11.1)	0.4	(3.3)	1.0	(7.6)	5.3	(39.8)	1.7	(11.9)		
*India, Bangalore	0.4	(11.3)	0.0	(0.7)	0.4	(9.3)	0.1	(2.3)	0.1	(3.0)	0.1	(2.0)	0.1	(2.6)	0.6	(14.6)	2.2	(54.3)		
*India: Barshi, Paranda, and Bhum	0.1	(8.3)	-	-	0.2	(16.7)	0.1	(16.7)	-	-	-	-	0.1	(8.3)	0.1	(8.3)	0.4	(41.7)		
*India, Bhopal	0.3	(13.0)	0.1	(5.6)	0.1	(5.6)	0.1	(1.9)	-	-	0.1	(1.9)	0.0	(1.9)	0.2	(11.1)	1.4	(59.3)		
*India, Chennai	0.4	(14.4)	0.0	(0.7)	0.5	(17.7)	0.1	(4.7)	0.1	(5.4)	0.0	(0.7)	0.1	(3.2)	0.6	(21.7)	0.8	(31.4)		
*India, Dindigul, Ambilikai	0.0	(7.1)	-	-	0.1	(21.4)	0.0	(7.1)	0.0	(3.6)	-	-	-	-	0.1	(17.9)	0.2	(42.9)		
*India, Karunagappally	0.1	(3.8)	-	-	0.4	(15.4)	-	-	0.1	(3.8)	-	-	0.1	(3.8)	0.2	(11.5)	1.5	(61.5)		
*India, Mizoram	0.5	(17.8)	-	-	0.3	(11.1)	0.1	(2.2)	0.1	(2.2)	-	-	0.4	(13.3)	0.4	(15.6)	1.1	(37.8)		

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Colon (C18) - Male (contd)

	C18.0	C18.1	C18.2	C18.3	C18.4	C18.5	C18.6	C18.7	C18.8-9
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other
	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)
Asia (contd)									
Kuwait	0.6 (7.8)	-	0.3 (5.3)	0.1 (1.4)	0.4 (5.7)	0.1 (1.8)	0.3 (2.1)	1.9 (29.5)	3.3 (46.3)
*Kuwait: Kuwaitis	0.9 (7.8)	-	0.3 (3.1)	0.1 (0.8)	0.7 (6.2)	0.1 (0.8)	0.4 (3.1)	3.4 (32.0)	5.4 (46.1)
*Kuwait: Non-Kuwaitis	0.5 (7.8)	-	0.2 (7.2)	0.1 (2.0)	0.2 (5.2)	0.1 (2.6)	0.5 (1.3)	1.6 (27.5)	2.1 (46.4)
*Malaysia, Penang	0.7 (4.7)	0.0 (0.3)	0.7 (4.4)	0.2 (1.3)	0.5 (3.8)	0.2 (1.6)	0.3 (1.9)	4.8 (32.2)	7.4 (49.8)
*Malaysia, Penang: Chinese	0.9 (4.6)	0.1 (0.4)	0.8 (4.1)	0.3 (1.7)	0.6 (3.3)	0.2 (0.8)	0.4 (2.5)	6.1 (33.6)	8.9 (49.0)
*Malaysia, Penang: Indian	0.9 (7.7)	-	0.3 (3.8)	-	0.7 (3.8)	0.3 (3.8)	-	4.7 (30.8)	6.3 (50.0)
*Malaysia, Penang: Malay	0.1 (4.2)	-	0.5 (6.2)	-	0.4 (6.2)	0.3 (4.2)	-	2.0 (25.0)	3.8 (54.2)
*Philippines, Manila	0.6 (3.9)	0.0 (0.2)	0.9 (5.2)	0.0 (0.2)	0.4 (2.6)	0.1 (0.8)	0.7 (4.4)	4.2 (23.5)	10.1 (59.0)
*Philippines, Rizal	0.6 (3.5)	0.0 (0.3)	0.7 (4.8)	0.1 (0.4)	0.4 (2.6)	0.1 (0.5)	0.6 (4.4)	3.1 (19.2)	9.8 (64.3)
Qatar: Qatari	1.9 (15.6)	0.4 (3.1)	1.8 (12.5)	-	0.3 (3.1)	-	0.7 (3.1)	4.4 (34.4)	4.2 (28.1)
*Saudi Arabia, Riyadh: Saudi	0.7 (10.9)	0.2 (2.2)	0.6 (9.0)	0.1 (1.6)	0.4 (6.2)	0.2 (2.2)	0.4 (6.2)	2.6 (37.0)	1.7 (24.8)
Singapore	1.6 (7.1)	0.1 (0.6)	1.7 (7.3)	1.5 (6.6)	1.8 (8.0)	1.1 (4.7)	1.7 (7.3)	9.8 (42.2)	3.7 (16.2)
Singapore: Chinese	1.8 (7.1)	0.1 (0.5)	1.7 (6.8)	1.6 (6.5)	2.1 (8.1)	1.2 (4.9)	1.9 (7.4)	11.0 (42.6)	4.2 (16.2)
Singapore: Indian	0.7 (10.9)	-	0.8 (9.1)	0.4 (7.3)	0.7 (9.1)	0.4 (5.5)	0.5 (7.3)	3.3 (38.2)	0.9 (12.7)
Singapore: Malay	0.4 (3.4)	0.4 (2.8)	1.9 (12.4)	1.1 (8.3)	0.7 (5.5)	0.4 (2.8)	1.0 (7.6)	5.9 (40.0)	2.6 (17.2)
Thailand, Bangkok	0.6 (4.0)	0.1 (0.6)	0.5 (3.5)	0.1 (0.7)	0.3 (2.0)	0.1 (0.8)	0.4 (2.7)	3.6 (24.1)	9.0 (61.6)
Thailand, Chiang Mai	0.7 (9.7)	-	0.9 (13.2)	0.1 (1.6)	0.7 (10.1)	0.1 (2.2)	0.5 (6.9)	2.1 (29.6)	1.9 (26.7)
Thailand, Chonburi	0.9 (9.6)	0.0 (0.4)	0.5 (5.4)	0.1 (1.2)	0.4 (3.8)	0.2 (1.9)	0.5 (4.6)	2.9 (28.1)	4.7 (45.0)
*Thailand, Khon Kaen	0.3 (4.6)	0.0 (0.8)	0.3 (5.5)	0.2 (3.8)	0.3 (4.6)	0.1 (1.3)	0.2 (3.8)	1.5 (25.6)	2.8 (50.0)
Thailand, Lampang	0.5 (6.3)	0.1 (1.4)	0.9 (9.5)	0.2 (1.8)	0.7 (7.7)	0.1 (1.4)	0.3 (3.6)	2.6 (28.5)	3.7 (39.8)
*Thailand, Songkhla	0.5 (6.5)	0.1 (1.1)	0.3 (4.3)	0.0 (0.5)	0.3 (4.3)	0.0 (0.5)	0.1 (1.6)	2.1 (28.0)	4.0 (53.2)
*Turkey, Antalya	1.3 (14.6)	0.1 (0.9)	0.6 (7.5)	0.3 (3.6)	0.5 (5.4)	0.1 (1.2)	0.9 (9.3)	2.3 (24.2)	3.1 (33.4)
*Turkey, Edirne	0.9 (8.7)	0.1 (1.1)	0.6 (6.5)	0.1 (1.1)	0.9 (9.8)	0.5 (5.4)	0.7 (7.6)	2.4 (27.2)	3.0 (32.6)
*Turkey, Izmir	1.6 (13.0)	0.1 (0.6)	1.0 (7.9)	0.5 (3.6)	0.7 (5.5)	0.5 (3.7)	1.0 (8.0)	4.0 (31.7)	3.2 (25.9)
*Turkey, Trabzon	1.5 (13.3)	-	0.6 (5.5)	-	0.9 (8.6)	0.2 (1.6)	0.9 (7.8)	3.2 (28.1)	4.1 (35.2)
Europe									
Austria	2.8 (12.1)	0.3 (1.0)	2.5 (10.9)	0.8 (3.5)	1.1 (4.8)	0.5 (2.3)	0.7 (3.1)	7.3 (30.7)	7.3 (31.7)
Austria, Tyrol	3.9 (17.4)	0.5 (1.7)	3.4 (15.6)	1.6 (7.5)	1.7 (7.8)	0.8 (3.9)	1.1 (5.2)	8.8 (36.8)	1.0 (4.1)
Austria, Vorarlberg	2.7 (12.6)	0.5 (2.1)	3.1 (14.4)	1.0 (5.3)	1.5 (7.4)	0.7 (3.2)	1.0 (4.9)	7.1 (34.0)	3.4 (16.1)
*Belarus	1.6 (11.1)	0.1 (0.4)	1.5 (10.4)	1.3 (9.4)	1.2 (8.4)	1.1 (7.6)	0.8 (5.6)	5.9 (41.7)	0.8 (5.5)
*Belgium	3.5 (13.5)	0.9 (2.2)	3.8 (14.9)	0.8 (2.9)	1.4 (5.3)	0.8 (2.9)	2.0 (7.5)	10.4 (38.3)	3.3 (12.5)
Bulgaria	2.1 (10.8)	0.0 (0.2)	2.5 (13.3)	1.0 (5.1)	1.6 (8.2)	1.0 (5.1)	1.4 (7.5)	6.9 (37.2)	2.2 (12.6)
Croatia	2.1 (9.3)	0.1 (0.3)	2.1 (8.8)	0.9 (3.6)	1.2 (5.1)	0.9 (3.6)	1.0 (4.5)	6.9 (29.9)	8.1 (34.9)
Cyprus	1.8 (9.2)	0.1 (0.6)	1.7 (9.0)	0.3 (1.5)	0.5 (3.0)	0.2 (1.1)	0.9 (4.7)	5.1 (26.8)	8.3 (44.2)
Czech Republic	4.0 (13.0)	0.4 (1.1)	3.7 (12.1)	2.6 (8.5)	2.5 (8.3)	2.2 (7.1)	2.1 (6.5)	10.8 (34.6)	2.7 (8.8)
Denmark	3.6 (15.1)	0.2 (0.8)	3.0 (12.7)	1.0 (4.1)	1.7 (7.4)	0.8 (3.4)	1.1 (4.6)	10.4 (43.1)	2.2 (8.9)
*Estonia	1.9 (10.4)	0.1 (0.6)	2.8 (15.1)	1.2 (6.2)	1.6 (8.5)	1.0 (5.4)	1.6 (8.5)	7.8 (41.6)	0.7 (3.7)
Finland	0.7 (4.5)	0.1 (0.6)	5.2 (32.4)	0.1 (0.8)	1.9 (12.4)	0.1 (0.6)	0.7 (4.2)	5.5 (36.0)	1.3 (8.5)
*France, Bas-Rhin	5.3 (21.0)	0.6 (2.0)	3.5 (14.1)	0.5 (2.2)	1.7 (6.8)	1.3 (5.0)	3.4 (13.3)	9.0 (35.0)	0.2 (0.6)
*France, Calvados	3.2 (15.7)	0.4 (1.4)	2.3 (12.5)	1.0 (5.5)	2.0 (9.2)	1.2 (5.8)	2.0 (10.1)	7.5 (35.6)	0.8 (4.3)
*France, Doubs	4.0 (18.5)	0.5 (1.4)	3.2 (15.4)	0.9 (4.3)	1.2 (5.9)	0.9 (4.1)	3.3 (15.8)	6.6 (28.4)	1.3 (6.3)
*France, Haut-Rhin	3.3 (12.8)	-	5.2 (19.8)	1.0 (3.7)	1.3 (5.1)	0.9 (3.4)	2.8 (10.3)	10.1 (35.5)	2.6 (9.4)
*France, Hérault	3.0 (12.5)	0.4 (1.2)	4.0 (17.7)	1.4 (5.4)	1.4 (5.6)	1.0 (4.5)	3.9 (15.9)	7.7 (29.9)	1.7 (7.1)
*France, Isère	3.3 (14.9)	0.4 (1.6)	3.5 (16.7)	1.6 (7.6)	1.4 (6.4)	1.3 (5.4)	1.9 (8.3)	8.3 (37.3)	0.4 (1.9)
*France, Loire-Atlantique	2.8 (13.5)	0.2 (0.6)	3.9 (17.9)	0.8 (3.8)	1.1 (4.8)	1.0 (4.2)	3.4 (14.5)	7.6 (33.6)	1.3 (6.9)
*France, Manche	2.9 (16.5)	0.3 (1.2)	2.2 (12.2)	1.4 (7.6)	1.5 (8.2)	1.2 (5.6)	1.3 (7.4)	7.0 (36.5)	0.9 (4.7)
*France, Somme	2.5 (11.0)	0.3 (0.9)	4.2 (19.0)	1.5 (6.7)	1.1 (4.3)	0.9 (3.2)	2.6 (12.3)	6.6 (30.5)	3.0 (12.1)
*France, Tarn	3.0 (17.7)	0.1 (0.5)	2.1 (12.6)	1.4 (8.9)	0.9 (5.1)	1.6 (7.2)	1.7 (8.9)	6.2 (34.0)	0.7 (5.1)
*France, Vendée	1.3 (6.2)	0.2 (0.7)	3.2 (15.0)	0.6 (2.8)	1.5 (6.6)	0.4 (1.3)	2.5 (10.5)	7.7 (31.4)	6.1 (25.6)
Germany, Brandenburg	2.6 (10.4)	0.5 (1.4)	3.8 (15.2)	1.3 (5.4)	1.9 (7.4)	1.0 (4.1)	1.8 (7.3)	10.6 (41.8)	1.8 (7.1)
Germany, Bremen	3.0 (12.1)	0.3 (0.8)	3.7 (15.9)	1.4 (5.6)	1.8 (7.3)	1.5 (5.7)	0.9 (3.6)	9.5 (38.6)	2.5 (10.3)
Germany, Free State of Saxony	2.6 (10.8)	0.6 (1.7)	3.4 (14.3)	1.6 (6.8)	2.1 (8.5)	1.1 (4.6)	1.4 (5.7)	10.2 (41.6)	1.4 (5.9)
Germany, Hamburg	2.2 (10.3)	0.2 (0.6)	2.3 (11.2)	0.5 (2.6)	1.0 (4.5)	0.4 (1.7)	0.9 (4.2)	6.1 (28.9)	7.6 (35.9)
Germany, Mecklenburg-Western Pomerania	2.7 (10.6)	0.2 (0.7)	3.6 (14.2)	1.3 (5.1)	1.9 (7.5)	0.9 (3.4)	1.4 (5.6)	10.8 (43.3)	2.3 (9.4)
Germany, Munich	3.1 (11.6)	0.4 (1.2)	3.6 (13.7)	0.7 (2.7)	1.8 (6.7)	0.6 (2.2)	1.3 (4.9)	9.1 (33.3)	6.1 (23.8)
Germany, North Rhine-Westphalia	3.2 (11.9)	0.3 (1.0)	4.4 (16.6)	1.3 (4.6)	1.9 (7.4)	0.7 (2.7)	1.4 (5.2)	9.9 (35.8)	3.8 (14.8)
Germany, Saarland	3.3 (11.7)	0.2 (0.6)	3.5 (12.2)	1.2 (4.6)	1.7 (5.7)	0.8 (2.7)	1.1 (3.7)	10.7 (36.2)	6.4 (22.6)
Germany, Schleswig-Holstein	3.1 (12.7)	0.5 (1.4)	3.4 (13.8)	1.2 (5.0)	1.5 (5.8)	0.9 (3.5)	1.0 (4.1)	9.3 (37.1)	4.1 (16.5)
Iceland	4.8 (20.1)	0.0 (0.4)	4.8 (21.2)	0.2 (0.7)	0.4 (1.9)	0.3 (1.1)	2.0 (7.8)	8.6 (33.5)	3.0 (13.4)
Ireland	4.9 (19.3)	0.2 (0.9)	2.6 (10.5)	1.3 (5.0)	1.8 (7.0)	1.2 (4.6)	1.6 (6.2)	9.6 (36.4)	2.6 (10.0)
Italy, Biella	4.8 (16.9)	0.4 (1.0)	5.0 (18.6)	1.2 (4.9)	1.3 (4.6)	2.7 (7.8)	2.1 (7.5)	11.0 (37.1)	0.4 (1.6)
Italy, Brescia	1.4 (5.5)	0.0 (0.2)	3.8 (14.2)	0.6 (2.3)	1.4 (5.4)	0.7 (3.0)	2.4 (8.7)	6.7 (24.8)	9.7 (35.9)
Italy, Catania and Messina	2.9 (13.3)	0.1 (0.2)	5.2 (23.7)	0.6 (2.9)	1.4 (6.4)	0.4 (1.7)	3.5 (14.9)	6.0 (28.0)	1.7 (8.9)
Italy, Catanzaro	1.8 (8.9)	0.1 (0.4)	4.6 (20.6)	0.9 (3.5)	0.6 (3.1)	0.2 (1.2)	3.6 (15.2)	5.8 (28.8)	3.4 (18.3)
Italy, Como	3.8 (13.3)	0.1 (0.4)	6.7 (21.6)	0.9 (3.3)	2.0 (7.0)	1.3 (4.2)	4.2 (12.4)	9.9 (33.2)	1.4 (4.7)
Italy, Ferrara	3.9 (10.4)	0.0 (0.1)	8.9 (23.4)	0.8 (2.3)	3.0 (6.8)	1.7 (4.2)	4.8 (12.0)	15.6 (37.6)	1.2 (3.2)
Italy, Florence and Prato	3.6 (13.3)	0.3 (0.5)	4.6 (17.7)	0.6 (2.2)	2.0 (7.0)	0.9 (3.8)	3.4 (11.1)	9.0 (30.4)	3.5 (13.9)
Italy, Friuli-Venezia Giulia	2.1 (6.8)	0.2 (0.5)	2.8 (9.7)	0.7 (2.5)	1.8 (5.5)	0.7 (2.3)	2.4 (7.4)	7.3 (22.4)	14.4 (43.0)
Italy, Genoa	4.2 (13.3)	0.2 (0.6)	5.4 (18.3)	1.2 (3.9)	2.1 (6.9)	1.5 (4.9)	3.0 (10.2)	10.2 (34.3)	2.4 (7.6)
Italy, Latina	2.3 (10.3)	0.0 (0.4)	4.9 (23.2)	0.5 (2.5)	1.5 (6.3)	0.4 (1.9)	3.6 (16.0)	6.4 (28.0)	2.5 (11.4)
Italy, Lecco	2.4 (6.4)	0.0 (0.2)	9.1 (24.4)	0.2 (0.5)	1.3 (3.5)	0.8 (2.6)	3.4 (9.0)	14.2 (37.7)	5.7 (15.7)
Italy, Lombardy, South	1.9 (6.2)	-	4.8 (16.3)	1.2 (3.6)	2.1 (7.1)	1.1 (3.6)	3.3 (10.8)	9.0 (29.7)	6.6 (22.7)
Italy, Mantua	0.9 (3.0)	-	6.2 (18.2)	0.1 (0.2)	2.2 (6.4)	-	3.9 (10.5)	11.9 (34.2)	9.7 (27.6)
Italy, Milan	4.9 (15.3)	0.1 (0.4)	5.0 (17.3)	0.9 (3.2)	1.8 (6.7)	1.1 (3.7)	4.6 (14.9)	9.0 (28.3)	3.1 (10.2)
Italy, Modena	3.7 (11.0)	0.1 (0.3)	7.5 (21.2)	1.3 (3.9)	2.0 (5.6)	1.4 (4.0)	4.7 (12.7)	14.2 (39.5)	0.6 (1.9)
Italy, Naples	1.7 (7.7)	0.1 (0.2)	5.8 (24.5)	0.8 (3.5)	0.8 (3.5)	0.8 (4.0)	3.4 (14.4)	5.1 (22.5)	4.5 (19.8)
Italy, Nuoro	3.1 (13.7)	0.5 (1.8)	4.1 (18.5)	1.5 (6.6)	1.2 (5.2)	1.4 (5.5)	2.0 (8.5)	8.0 (36.2)	0.8 (4.1)
Italy, Palermo	2.2 (10.2)	0.2 (0.7)	4.8 (21.2)	0.5 (2.5)	1.2 (5.0)	0.4 (1.6)	3.2 (13.9)	6.0 (27.2)	3.9 (17.7)
Italy, Parma	1.5 (5.2)	-	9.0 (27.3)	0.6 (1.8)	2.1 (6.5)	0.8 (2.1)	7.6 (21.9)	11.4 (31.7)	0.9 (3.5)
Italy, Ragusa	2.6 (12.9)	0.3 (1.0)	3.2 (15.8)	0.9 (3.9)	1.4 (6.8)	0.9 (3.9)	2.2 (10.3)	7.4 (37.0)	1.8 (8.7)
Italy, Reggio Emilia	3.1 (11.1)	0.1 (0.3)	5.4 (18.0)	1.3 (4.3)	2.4 (7.5)	1.3 (3.7)	3.3 (10.4)	11.5 (38.4)	2.0 (6.3)
Italy, Romagna	3.6 (10.7)	0.6 (1.0)	5.8 (17.1)	1.7 (4.9)	2.3 (6.3)	1.4 (3.9)	3.6 (9.5)	16.1 (43.7)	0.9 (3.0)
Italy, Salerno	1.8 (8.0)	0.3 (0.7)	4.0 (18.5)	0.3 (1.6)	1.3 (5.6)	0.2 (0.9)	2.2 (10.5)	5.5 (25.6)	6.1 (28.5)
Italy, Sassari	3.3 (14.6)	0.4 (1.2)	3.6 (15.8)	0.4 (1.6)	1.0 (4.7)	0.7 (2.8)	3.3 (13.2)	8.5 (38.9)	1.5 (7.1)
Italy, Sondrio	4.3 (14.1)	-	5.3 (18.1)	1.3 (4.8)	2.8 (8.9)	0.9 (2.8)	3.9 (13.3)	9.6 (31.0)	2.0 (6.9)
Italy, South Tyrol	3.7 (11.9)	0.4 (1.2)	4.2 (15.4)	2.2 (7.0)	2.2 (7.4)	1.5 (5.1)	1.8 (6.6)	12.1 (38.9)	2.1 (6.4)

Rates based on less than 10 cases are in italics.

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Colon (C18) - Male (contd)

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9					
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	
Europe (contd)																						
Italy, Syracuse	1.4	(7.7)	<i>0.2</i>	<i>(0.8)</i>	4.1	(21.7)	<i>0.5</i>	<i>(2.1)</i>	0.9	(4.2)	<i>0.4</i>	<i>(1.9)</i>	4.1	(18.8)	5.9	(28.6)	2.9	(14.3)				
Italy, Trapani	2.4	(12.9)	-	-	3.6	(19.0)	1.1	(6.5)	1.2	(5.2)	<i>0.3</i>	<i>(2.6)</i>	2.2	(11.3)	6.3	(34.5)	1.4	(8.1)				
Italy, Trento	3.7	(15.7)	<i>0.1</i>	<i>(0.2)</i>	5.2	(24.5)	1.3	(5.8)	1.8	(7.5)	1.4	(5.6)	1.9	(9.1)	6.8	(30.4)	<i>0.3</i>	<i>(1.2)</i>				
Italy, Turin	4.2	(14.4)	<i>0.2</i>	<i>(0.6)</i>	4.3	(14.9)	1.5	(5.1)	1.8	(5.7)	1.2	(4.2)	1.9	(6.5)	11.0	(36.2)	3.6	(12.3)				
Italy, Umbria	2.8	(9.0)	0.5	(0.7)	6.9	(23.6)	0.6	(2.0)	1.8	(6.0)	0.8	(2.5)	3.4	(11.3)	11.1	(35.9)	2.5	(9.0)				
Italy, Varese	3.1	(9.6)	<i>0.1</i>	<i>(0.3)</i>	5.6	(17.8)	0.8	(2.7)	2.1	(6.8)	0.7	(2.2)	2.6	(8.1)	11.9	(36.8)	5.1	(15.6)				
Italy, Veneto	2.1	(6.6)	0.1	(0.4)	3.0	(9.4)	0.5	(1.9)	1.0	(3.4)	0.5	(1.6)	2.1	(6.4)	7.3	(22.0)	15.1	(48.4)				
Latvia	1.7	(10.7)	<i>0.1</i>	<i>(0.5)</i>	1.6	(9.6)	0.8	(4.9)	1.7	(10.4)	0.7	(4.5)	1.0	(6.5)	6.7	(42.2)	1.7	(10.7)				
Lithuania	1.5	(9.5)	<i>0.1</i>	<i>(0.4)</i>	1.7	(11.4)	0.8	(5.2)	1.5	(9.4)	0.9	(5.7)	1.2	(8.0)	6.2	(40.3)	1.6	(10.2)				
Malta	1.9	(9.2)	<i>0.1</i>	<i>(0.6)</i>	1.4	(7.7)	<i>0.4</i>	<i>(1.8)</i>	<i>0.4</i>	<i>(2.5)</i>	0.7	(3.7)	0.8	(4.0)	4.3	(20.6)	10.2	(49.8)				
*The Netherlands	4.7	(18.6)	0.3	(1.0)	3.2	(12.6)	1.6	(6.3)	1.8	(6.8)	1.3	(5.1)	1.2	(4.6)	11.1	(42.2)	0.7	(2.8)				
*The Netherlands, Eindhoven	4.4	(16.2)	0.3	(0.9)	4.1	(14.6)	1.8	(6.2)	2.2	(7.8)	1.1	(3.8)	1.0	(3.5)	12.0	(44.4)	0.7	(2.6)				
Norway	4.7	(19.2)	0.4	(1.3)	3.9	(15.8)	1.4	(5.5)	2.4	(9.1)	1.2	(4.5)	1.1	(4.2)	9.3	(35.0)	1.3	(5.4)				
Poland, Cracow	<i>0.4</i>	<i>(1.8)</i>	-	-	0.4	(2.0)	1.3	(6.1)	2.3	(10.3)	0.7	(3.2)	0.9	(4.3)	9.7	(44.2)	6.2	(28.0)				
Poland, Kielce	1.8	(11.7)	-	-	1.4	(8.8)	1.0	(6.8)	0.7	(4.5)	0.5	(3.0)	0.5	(2.9)	5.8	(37.7)	3.9	(24.6)				
Poland, Lower Silesia	0.7	(3.8)	<i>0.0</i>	<i>(0.1)</i>	2.6	(14.1)	1.0	(5.2)	1.2	(6.0)	0.7	(3.7)	0.8	(4.1)	7.1	(38.7)	4.6	(24.5)				
Poland, Podkarpackie	1.8	(11.3)	<i>0.1</i>	<i>(0.5)</i>	1.2	(7.8)	0.8	(5.2)	1.0	(6.4)	0.6	(3.5)	0.6	(3.7)	5.5	(36.8)	3.7	(24.8)				
Portugal, Azores	<i>0.8</i>	<i>(4.2)</i>	<i>0.3</i>	<i>(1.2)</i>	3.2	(13.9)	<i>0.5</i>	<i>(2.4)</i>	<i>1.2</i>	<i>(5.4)</i>	<i>0.5</i>	<i>(2.4)</i>	1.7	(7.8)	9.1	(44.6)	3.5	(18.1)				
Russian Federation, Saint Petersburg	2.2	(11.0)	<i>0.0</i>	<i>(0.2)</i>	1.8	(9.1)	1.7	(8.3)	1.6	(7.4)	1.7	(8.2)	1.3	(6.5)	8.5	(41.3)	1.6	(8.0)				
*Serbia, Central	1.7	(11.3)	0.2	(1.1)	0.9	(5.8)	0.5	(3.6)	0.6	(3.8)	0.4	(2.5)	0.5	(3.5)	3.6	(24.4)	6.7	(44.1)				
Slovakia	4.0	(13.5)	0.2	(0.5)	3.4	(11.6)	2.1	(7.2)	2.4	(7.8)	2.2	(7.3)	2.0	(6.5)	10.8	(36.0)	2.8	(9.6)				
Slovenia	3.0	(12.6)	0.2	(0.6)	3.0	(12.5)	1.6	(6.8)	1.8	(7.1)	1.5	(6.3)	1.6	(6.4)	10.8	(43.8)	0.9	(3.8)				
Spain, Albacete	2.3	(11.3)	<i>0.0</i>	<i>(0.3)</i>	3.7	(16.6)	0.5	(2.6)	0.9	(4.5)	<i>0.5</i>	<i>(2.4)</i>	1.7	(7.9)	8.0	(41.6)	2.8	(12.9)				
Spain, Asturias	1.7	(6.7)	0.3	(0.8)	2.7	(9.9)	1.0	(4.1)	1.1	(3.8)	0.7	(2.7)	1.5	(4.9)	10.4	(36.9)	8.3	(30.2)				
Spain, Basque Country	3.6	(11.7)	0.1	(0.3)	4.0	(12.9)	2.0	(6.2)	1.8	(5.5)	1.6	(5.1)	2.1	(6.6)	13.5	(42.4)	2.7	(9.2)				
Spain, Canary Islands	2.8	(13.2)	<i>0.2</i>	<i>(0.8)</i>	3.1	(14.7)	0.9	(4.1)	1.2	(5.4)	0.6	(2.6)	1.6	(7.4)	9.1	(41.4)	2.3	(10.4)				
Spain, Ciudad Real	2.6	(10.7)	<i>0.3</i>	<i>(0.6)</i>	2.9	(13.9)	1.6	(6.6)	0.7	(2.8)	0.6	(3.0)	1.5	(6.2)	7.1	(30.2)	5.9	(25.9)				
Spain, Cuenca	2.2	(13.1)	<i>0.2</i>	<i>(0.8)</i>	1.8	(11.1)	<i>0.8</i>	<i>(3.6)</i>	1.2	(6.3)	<i>1.1</i>	<i>(3.6)</i>	1.2	(5.2)	8.7	(42.9)	2.2	(13.5)				
Spain, Girona	2.7	(8.7)	<i>0.2</i>	<i>(0.4)</i>	3.5	(10.0)	1.0	(3.1)	1.0	(3.5)	0.8	(2.7)	1.4	(3.9)	11.4	(35.0)	10.6	(32.7)				
*Spain, Granada	2.7	(14.0)	<i>0.2</i>	<i>(0.6)</i>	2.8	(13.3)	1.3	(6.2)	1.8	(7.5)	0.9	(4.2)	1.9	(8.9)	9.3	(42.1)	0.7	(3.2)				
Spain, La Rioja	2.6	(10.0)	<i>0.1</i>	<i>(0.3)</i>	2.6	(10.8)	2.5	(10.8)	1.6	(5.8)	1.5	(5.5)	1.9	(8.7)	10.6	(42.6)	1.0	(5.5)				
Spain, Mallorca	3.4	(13.5)	<i>0.1</i>	<i>(0.4)</i>	2.9	(11.7)	1.6	(6.2)	1.7	(6.1)	1.5	(5.8)	1.8	(6.6)	9.8	(37.9)	2.9	(11.9)				
Spain, Murcia	2.8	(10.4)	0.2	(0.7)	4.0	(14.4)	0.7	(2.6)	1.1	(3.9)	0.5	(1.7)	1.8	(6.0)	10.3	(36.2)	6.7	(24.2)				
Spain, Navarra	3.5	(14.1)	<i>0.3</i>	<i>(0.8)</i>	3.7	(14.7)	1.7	(6.0)	1.1	(4.1)	1.5	(5.0)	2.1	(7.4)	10.9	(40.2)	2.0	(7.9)				
Spain, Tarragona	2.9	(8.8)	<i>0.1</i>	<i>(0.3)</i>	4.3	(14.0)	1.5	(4.2)	1.1	(3.7)	1.3	(3.6)	2.1	(6.3)	11.7	(37.6)	7.0	(21.7)				
*Sweden	-	-	0.3	(1.2)	5.7	(32.6)	-	-	2.9	(15.9)	-	-	0.9	(4.6)	6.6	(35.6)	1.8	(10.0)				
Switzerland, Basel	3.7	(20.4)	1.1	(3.5)	2.9	(15.3)	0.5	(3.1)	1.4	(7.1)	1.0	(5.1)	2.1	(10.2)	6.8	(31.0)	0.9	(4.2)				
Switzerland, Geneva	3.1	(14.4)	<i>0.3</i>	<i>(1.0)</i>	2.6	(12.4)	1.4	(7.1)	1.4	(6.1)	0.8	(4.0)	2.6	(11.1)	8.7	(39.9)	0.8	(4.0)				
Switzerland, Graubünden and Glarus	3.9	(18.9)	<i>0.5</i>	<i>(1.8)</i>	2.8	(13.5)	1.0	(5.0)	1.6	(7.7)	1.2	(5.9)	0.9	(5.0)	8.9	(41.0)	<i>0.2</i>	<i>(1.4)</i>				
Switzerland, Neuchâtel	3.2	(17.8)	<i>0.1</i>	<i>(0.6)</i>	1.9	(8.9)	1.5	(7.6)	2.3	(12.1)	<i>0.8</i>	<i>(3.2)</i>	1.5	(8.3)	8.8	(40.1)	<i>0.4</i>	<i>(1.3)</i>				
Switzerland, St Gall-Appenzell	4.2	(19.7)	0.6	(2.4)	3.5	(17.1)	0.5	(2.6)	0.9	(5.1)	0.9	(3.9)	1.3	(5.7)	8.4	(39.0)	0.9	(4.5)				
Switzerland, Ticino	2.8	(10.9)	<i>0.1</i>	<i>(0.5)</i>	5.6	(22.6)	1.1	(4.1)	0.9	(4.6)	1.1	(4.4)	2.7	(10.5)	9.7	(38.0)	1.1	(4.4)				
Switzerland, Valais	3.5	(15.5)	<i>0.5</i>	<i>(2.2)</i>	3.2	(15.5)	1.8	(7.6)	1.5	(6.9)	1.0	(4.3)	1.0	(4.7)	8.5	(40.4)	<i>0.5</i>	<i>(2.9)</i>				
Switzerland, Vaud	3.1	(14.2)	0.4	(1.8)	3.7	(18.3)	0.6	(2.8)	1.3	(5.7)	1.1	(5.1)	2.0	(9.2)	8.8	(39.3)	0.7	(3.6)				
Switzerland, Zurich	3.0	(16.5)	0.6	(2.6)	2.7	(14.9)	1.1	(6.4)	1.4	(7.0)	0.9	(4.1)	1.0	(4.7)	7.8	(39.5)	0.7	(4.3)				
Ukraine	1.6	(11.3)	0.0	(0.2)	1.3	(9.4)	1.0	(7.3)	1.0	(7.0)	1.0	(7.0)	0.9	(6.5)	6.1	(42.9)	1.2	(8.4)				
UK, England	4.0	(20.3)	0.3	(1.1)	2.0	(10.2)	0.8	(3.8)	1.3	(6.5)	0.7	(3.5)	0.9	(4.6)	7.1	(34.4)	3.1	(15.7)				
UK, England, East of England Region	4.4	(23.5)	0.3	(1.2)	2.0	(10.7)	0.7	(3.8)	1.5	(7.6)	0.7	(3.7)	0.9	(4.6)	7.1	(36.2)	1.6	(8.7)				
UK, England, North Western	4.0	(19.0)	0.4	(1.3)	1.9	(8.8)	0.6	(2.9)	1.3	(5.8)	0.7	(3.4)	1.0	(4.4)	7.3	(33.2)	4.5	(21.1)				
UK, England, Northern and Yorkshire	4.4	(21.0)	0.3	(0.9)	2.1	(10.0)	1.0	(4.6)	1.4	(6.3)	0.9	(4.1)	1.1	(5.2)	7.8	(35.9)	2.4	(12.0)				
UK, England, Oxford Region	4.0	(20.5)	0.3	(1.1)	2.1	(10.8)	0.7	(3.8)	1.5	(7.6)	0.7	(3.8)	0.9	(4.5)	6.8	(33.4)	2.9	(14.5)				
UK, England, South and Western Regions	4.0	(19.8)	0.4	(1.3)	2.2	(11.2)	0.9	(4.2)	1.6	(7.6)	0.7	(3.3)	0.9	(4.2)	7.4	(34.8)	2.7	(13.6)				
UK, England, Thames	3.4	(19.2)	0.2	(0.9)	1.6	(9.0)	0.6	(3.4)	1.0	(5.5)	0.6	(3.2)	0.8	(4.2)	5.8	(31.1)	4.2	(23.4)				
UK, England, Trent	4.0	(20.1)	0.3	(1.1)	2.5	(11.9)	0.8	(3.9)	1.3	(6.1)	0.6	(3.0)	0.9	(4.6)	8.6	(39.7)	2.0	(9.7)				
UK, England, West Midlands	4.3	(20.7)	0.3	(1.0)	2.4	(11.1)	0.8	(3.6)	1.4	(6.3)	0.7	(3.2)	1.1	(5.1)	7.2	(33.5)	3.2	(15.4)				
UK, Northern Ireland	4.9	(20.1)	0.3	(1.2)	2.3	(9.3)	1.4	(5.7)	2.0	(8.1)	0.9	(3.6)	1.3	(5.1)	9.0	(34.2)	3.0	(12.8)				
UK, Scotland	4.8	(19.6)	0.2	(0.7)	2.5	(10.5)	1.0	(4.0)	1.8	(7.1)	0.8	(3.3)	1.1	(4.6)	9.2	(36.2)	3.4	(14.1)				
UK, Wales	5.0	(22.2)	0.3	(1.0)	2.2	(9.5)	0.9	(3.8)	1.5	(6.4)	0.7	(2.9)	1.2	(4.8)	8.6	(36.1)	2.9	(13.2)				
Oceania			</																			

Age-standardized (world) incidence rates (per 100,000)

Percentage distribution of the number of cases

Colon (C18) - Female

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9		
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa																			
*Algeria, Sétif	0.2	(2.9)	0.1	(4.4)	-	-	-	-	-	-	-	-	-	-	-	0.3	(5.9)	4.6	(86.8)
Egypt, Gharbiah	0.6	(16.4)	0.0	(0.4)	0.4	(11.5)	0.3	(7.6)	0.3	(8.0)	0.1	(2.7)	0.3	(9.5)	1.0	(28.6)	0.5	(15.3)	
*Libya, Benghazi	0.3	(3.2)	0.0	(0.8)	0.0	(0.8)	-	-	-	-	-	-	-	-	0.8	(8.7)	7.9	(86.5)	
*Malawi, Blantyre	0.1	(12.5)	-	-	-	-	-	-	-	-	-	-	-	-	0.0	(12.5)	0.4	(75.0)	
*South Africa, PROMEC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	(26.7)	0.5	(73.3)	
*Tunisia, North	0.5	(9.3)	0.1	(2.6)	0.7	(13.7)	0.1	(1.8)	0.2	(3.6)	0.1	(1.0)	0.5	(10.1)	1.8	(32.6)	1.4	(25.3)	
*Uganda, Kyadondo County	0.9	(14.5)	0.1	(1.8)	0.1	(1.8)	-	-	0.1	(1.8)	-	-	-	-	0.2	(3.6)	3.4	(76.4)	
*Zimbabwe, Harare: African	0.4	(8.3)	0.0	(2.1)	0.3	(4.2)	-	-	0.2	(4.2)	-	-	-	-	0.5	(8.3)	4.5	(72.9)	
America, Central and South																			
Argentina, Bahía Blanca	0.7	(4.3)	0.3	(1.9)	2.2	(13.5)	-	-	0.4	(1.9)	0.1	(0.5)	0.9	(6.8)	1.4	(8.2)	8.4	(62.8)	
Argentina, Córdoba	0.5	(4.4)	0.2	(1.0)	1.0	(6.8)	0.1	(0.6)	0.2	(1.7)	-	-	0.2	(1.0)	1.7	(11.2)	9.3	(73.4)	
Argentina, Mendoza	0.6	(5.4)	0.3	(1.6)	1.4	(10.0)	0.1	(0.6)	0.5	(3.8)	0.2	(1.3)	0.9	(5.8)	2.6	(16.8)	7.2	(54.7)	
*Argentina, Tierra del Fuego	-	-	0.7	(8.3)	-	-	-	-	0.5	(4.2)	-	-	-	-	2.4	(20.8)	8.9	(66.7)	
Brazil, Aracaju	0.8	(9.6)	0.2	(2.7)	0.8	(12.3)	-	-	0.5	(5.5)	0.1	(1.4)	0.4	(5.5)	2.5	(30.1)	2.5	(32.9)	
Brazil, Belo Horizonte	1.0	(8.1)	0.0	(0.2)	1.7	(14.4)	0.2	(1.5)	0.7	(6.2)	0.2	(1.7)	0.8	(7.4)	2.3	(18.3)	5.0	(42.3)	
Brazil, Cuiabá	0.2	(2.7)	0.1	(1.4)	0.5	(8.1)	0.1	(1.4)	0.2	(2.7)	-	-	0.0	(1.4)	1.8	(23.0)	4.4	(59.5)	
Brazil, Fortaleza	0.3	(6.3)	0.1	(1.2)	0.4	(7.1)	0.1	(1.6)	0.3	(5.1)	0.1	(2.0)	0.4	(5.9)	0.9	(15.0)	3.3	(55.7)	
Brazil, Goiânia	0.8	(5.3)	0.1	(0.7)	2.0	(12.7)	-	-	0.6	(3.8)	-	-	0.7	(4.6)	3.4	(21.2)	8.2	(51.7)	
*Brazil, São Paulo	1.0	(6.5)	0.2	(1.1)	1.5	(9.0)	0.1	(0.9)	0.6	(4.0)	0.1	(0.6)	0.8	(4.3)	3.1	(18.4)	9.3	(55.2)	
Chile, Region of Antofagasta	0.2	(1.7)	-	-	0.3	(4.2)	-	-	0.3	(2.5)	-	-	-	-	1.5	(15.8)	7.0	(75.8)	
Chile, Bío Bío Province	2.0	(23.1)	-	-	1.1	(12.1)	-	-	0.1	(2.2)	0.2	(2.2)	0.2	(2.2)	1.6	(18.7)	2.8	(39.6)	
Chile, Valdivia	0.8	(8.5)	0.8	(6.8)	1.1	(12.8)	0.1	(0.9)	0.4	(4.3)	-	-	0.2	(1.7)	1.7	(17.1)	4.4	(47.9)	
Colombia, Bucaramanga	0.5	(5.6)	0.2	(2.3)	0.8	(11.1)	0.1	(0.9)	0.1	(1.9)	0.0	(0.5)	0.3	(4.6)	1.2	(14.4)	4.5	(58.8)	
Colombia, Cali	0.8	(8.1)	0.2	(2.0)	1.5	(15.6)	0.2	(1.6)	0.5	(4.7)	0.1	(1.1)	0.8	(7.9)	2.5	(26.0)	3.1	(33.0)	
Colombia, Manizales	0.6	(8.0)	0.7	(10.2)	0.5	(5.7)	0.1	(1.1)	0.1	(1.1)	-	-	0.2	(3.4)	1.4	(19.3)	3.8	(51.1)	
Colombia, Pasto	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	(17.5)	3.3	(82.5)	
Costa Rica	0.9	(8.7)	0.0	(0.3)	1.3	(14.2)	0.0	(0.4)	0.7	(6.7)	0.1	(0.8)	0.9	(9.9)	2.1	(21.4)	3.4	(37.5)	
Cuba, Villa Clara	0.5	(3.5)	0.0	(0.3)	0.9	(10.0)	0.2	(1.2)	0.1	(0.9)	0.1	(0.9)	0.5	(4.7)	1.1	(7.9)	7.5	(70.7)	
Ecuador, Cuenca	0.1	(3.4)	-	-	0.5	(10.2)	-	-	0.2	(5.1)	-	-	-	-	1.1	(20.3)	2.7	(61.0)	
Ecuador, Quito	0.5	(6.6)	0.0	(0.3)	0.9	(11.5)	0.1	(1.4)	0.3	(3.8)	0.1	(1.4)	0.5	(5.6)	1.8	(22.7)	3.5	(46.5)	
*France, Martinique	2.5	(18.8)	0.6	(2.9)	2.3	(19.6)	0.6	(5.4)	1.0	(7.5)	0.6	(4.6)	0.6	(5.8)	3.8	(27.5)	0.9	(7.9)	
*Jamaica, Kingston and St Andrew	0.7	(7.0)	0.1	(0.6)	0.3	(1.9)	0.0	(0.6)	0.3	(3.2)	0.0	(0.6)	0.3	(3.2)	1.1	(13.3)	5.9	(69.6)	
USA, Puerto Rico	2.1	(14.0)	0.3	(1.3)	3.4	(22.4)	0.5	(2.8)	1.0	(5.9)	0.5	(2.8)	1.6	(8.9)	4.7	(26.0)	2.4	(16.0)	
Uruguay	0.6	(3.2)	0.3	(1.0)	1.4	(7.7)	0.1	(0.4)	0.6	(2.9)	0.1	(0.6)	0.5	(2.4)	3.1	(15.4)	11.1	(66.3)	
America, North																			
Canada	4.3	(23.2)	0.4	(1.5)	3.4	(18.3)	0.8	(4.3)	1.5	(7.9)	0.6	(2.8)	1.0	(4.8)	5.1	(23.8)	2.3	(13.2)	
Canada, Alberta	4.6	(27.3)	0.4	(1.7)	2.8	(16.5)	0.8	(4.7)	1.7	(10.3)	0.6	(3.4)	1.0	(5.1)	4.7	(25.5)	0.8	(5.5)	
Canada, British Columbia	3.7	(22.7)	0.4	(1.4)	2.7	(16.9)	0.8	(4.7)	1.5	(8.7)	0.6	(3.1)	0.9	(4.7)	5.6	(28.4)	1.2	(9.4)	
Canada, Manitoba	5.0	(27.7)	0.3	(0.7)	3.4	(20.0)	0.7	(3.6)	1.8	(9.5)	0.5	(2.0)	1.0	(4.6)	6.1	(27.0)	0.7	(4.9)	
Canada, New Brunswick	5.9	(34.2)	0.3	(1.2)	3.4	(20.2)	0.9	(4.7)	1.6	(8.4)	0.6	(3.0)	1.3	(6.3)	3.6	(18.3)	0.6	(3.7)	
Canada, Newfoundland and Labrador	7.9	(29.5)	0.7	(2.1)	4.4	(15.7)	1.2	(4.1)	2.2	(7.6)	0.6	(2.2)	1.4	(4.8)	8.0	(26.4)	2.1	(7.7)	
*Canada, Northwest Territories	5.0	(27.8)	-	-	1.8	(11.1)	2.8	(11.1)	3.4	(11.1)	1.7	(5.6)	-	-	5.9	(27.8)	0.9	(5.6)	
Canada, Nova Scotia	6.2	(27.4)	0.5	(1.3)	4.3	(17.8)	1.0	(4.7)	2.4	(10.0)	0.4	(2.2)	1.3	(5.4)	7.2	(26.4)	0.9	(4.8)	
Canada, Ontario	4.1	(21.8)	0.5	(1.8)	3.5	(18.2)	0.6	(3.1)	1.2	(6.2)	0.5	(2.3)	1.0	(4.5)	5.0	(23.0)	3.6	(19.1)	
Canada, Prince Edward Island	6.0	(31.4)	0.5	(1.7)	2.4	(11.0)	1.8	(7.0)	3.0	(12.8)	1.2	(5.8)	1.0	(4.1)	6.0	(23.3)	0.6	(2.9)	
*Canada, Quebec	4.0	(20.5)	0.4	(1.4)	3.9	(19.7)	1.1	(5.8)	1.7	(8.6)	0.8	(3.6)	1.1	(5.4)	4.7	(21.4)	2.3	(13.5)	
Canada, Saskatchewan	5.5	(29.1)	0.2	(0.9)	3.2	(18.0)	0.9	(4.9)	1.7	(9.6)	0.4	(2.5)	0.6	(3.4)	5.6	(25.0)	1.0	(6.6)	
*Canada, Yukon	4.9	(19.0)	0.8	(4.8)	5.6	(23.8)	-	-	3.1	(14.3)	-	-	-	-	8.9	(38.1)	-	-	
USA, NPCR (42 states)	4.2	(23.6)	0.5	(1.9)	3.5	(19.9)	0.9	(4.9)	1.6	(8.9)	0.6	(2.9)	1.0	(5.0)	5.1	(24.4)	1.4	(8.4)	
USA, NPCR (42 states): American Indian	3.4	(23.7)	0.2	(1.5)	2.3	(16.8)	0.6	(4.2)	1.1	(8.5)	0.3	(2.5)	0.7	(4.8)	3.9	(28.2)	1.2	(9.8)	
USA, NPCR (42 states): Asian and Pacific Islander	2.0	(15.8)	0.2	(1.5)	2.1	(16.6)	0.6	(5.1)	1.0	(8.2)	0.4	(2.7)	0.9	(6.9)	4.8	(37.0)	0.7	(6.0)	
USA, NPCR (42 states): Black	5.7	(23.0)	0.4	(1.5)	4.7	(18.9)	1.1	(4.5)	2.1	(8.6)	1.0	(3.9)	1.8	(6.9)	5.9	(23.0)	2.2	(9.7)	
USA, NPCR (42 states): White	4.0	(24.0)	0.5	(2.0)	3.4	(20.2)	0.9	(5.0)	1.5	(9.0)	0.5	(2.8)	0.9	(4.7)	4.9	(24.2)	1.3	(8.2)	
USA, SEER (9 registries)	4.2	(24.5)	0.4	(1.7)	3.4	(19.8)	0.9	(5.0)	1.6	(9.4)	0.6	(3.2)	1.0	(5.1)	5.2	(25.4)	0.9	(5.9)	
*USA, SEER (9 registries): Black	6.4	(25.6)	0.4	(1.4)	5.1	(20.7)	1.1	(4.3)	2.4	(9.5)	1.0	(3.9)	1.7	(6.8)	5.4	(21.3)	1.4	(6.4)	
*USA, SEER (9 registries): White	4.2	(25.3)	0.5	(1.8)	3.3	(19.9)	0.9	(5.2)	1.6	(9.6)	0.5	(3.0)	0.9	(4.7)	5.0	(24.6)	0.8	(6.0)	
USA, SEER (18 registries)	4.1	(24.1)	0.4	(1.9)	3.3	(19.3)	0.9	(5.0)	1.6	(9.1)	0.6	(3.2)	1.0	(5.2)	5.2	(26.0)	1.0	(6.4)	
*USA, SEER (18 registries): Asian and Pacific Islander	2.4	(16.9)	0.3	(1.6)	2.4	(17.0)	0.7	(5.1)	1.2	(8.0)	0.5	(3.0)	1.0	(6.8)	5.8	(37.4)	0.6	(4.2)	
*USA, SEER (18 registries): Black	6.1	(24.4)	0.4	(1.4)	4.9	(19.4)	1.1	(4.4)	2.3	(8.9)	1.0	(3.9)	1.8	(6.8)	6.1	(23.6)	1.7	(7.2)	
*USA, SEER (18 registries): Hispanic White	3.4	(22.7)	0.4	(2.9)	2.5	(17.3)	0.7	(4.7)	1.0	(7.1)	0.4	(2.9)	0.7	(4.8)	4.7	(31.1)	0.9	(6.5)	
*USA, SEER (18 registries): Non-Hispanic White	4.1	(24.9)	0.5	(1.9)	3.3	(19.7)	0.9	(5.1)	1.6	(9.4)	0.6	(3.1)	0.9	(4.8)	5.1	(24.8)	0.9	(6.4)	
USA, SEER (18 registries): White	4.1	(24.7)	0.5	(1.9)	3.2	(19.5)	0.8	(5.0)	1.6	(9.2)	0.6	(3.1)	0.9	(4.8)	5.0	(25.4)	0.9	(6.4)	
USA, Alabama	4.1	(22.5)	0.4	(1.7)	3.6	(18.9)	0.8	(4.1)	1.8	(9.1)	0.7	(3.3)	1.1	(5.3)	5.2	(24.0)	2.1	(11.0)	
USA, Alabama: Black	5.3	(22.3)	0.5	(1.7)	4.3	(17.5)	1.0	(3.9)	2.7	(10.3)	1.2	(4.7)	2.0	(7.1)	5.8	(21.8)	2.7	(10.8)	
USA, Alabama: White	3.8	(22.7)	0.5	(1.8)	3.4	(19.6)	0.7	(4.2)	1.5	(8.6)	0.5	(2.8)	0.9	(4.7)	5.0	(24.7)	1.9	(10.9)	
USA, Alaska	5.6	(26.1)	0.2	(1.0)	3.6	(17.3)	1.0	(4.8)	1.8	(8.4)	0.4	(2.3)	1.0	(5.1)	5.5	(27.7)	1.6	(7.4)	
*USA, Alaska: American Indian	14.1	(26.3)	-	-	6.1	(13.1)	2.0	(5.1)	5.6	(13.1)	1.8	(3.6)	2.9	(5.1)	15.0	(32.1)	0.8	(1.5)	
USA, Arizona	3.2	(23.1)	0.3	(1.7)	2.7	(19.7)	0.7	(4.9)	1.2	(8.7)	0.4	(2.2)	0.7	(4.5)	4.0	(23.9)	1.6	(11.3)	
USA, Arizona: American Indian	2.1	(21.5)	0.3	(2.5)	1														

Age-standardized (world) incidence rates (per 100,000)

Percentage distribution of the number of cases

Colon (C18) - Female (contd)

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9		
	Caecum		Appendix		Ascend.		Hepatic		Transv.		Splenic		Descend.		Sigmoid		Other		
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	
America, North (contd)																			
*USA, California, Los Angeles County: Japanese	4.8	(26.4)	<i>0.5</i>	<i>(1.6)</i>	3.9	(16.6)	<i>0.3</i>	<i>(2.1)</i>	1.4	(5.7)	<i>0.3</i>	<i>(1.0)</i>	1.2	(5.2)	10.4	(36.3)	0.8	(5.2)	
*USA, California, Los Angeles County: Korean	2.3	(15.2)	<i>0.2</i>	<i>(0.8)</i>	3.1	(20.0)	<i>0.5</i>	<i>(4.0)</i>	<i>0.9</i>	<i>(6.4)</i>	<i>0.2</i>	<i>(1.6)</i>	<i>0.8</i>	<i>(5.6)</i>	6.7	(40.0)	<i>0.8</i>	<i>(6.4)</i>	
*USA, California, Los Angeles County: Non-Hispanic White	3.9	(24.0)	0.6	(2.0)	3.0	(18.9)	0.9	(5.1)	1.6	(9.4)	0.6	(3.1)	1.0	(5.0)	5.7	(26.9)	0.8	(5.7)	
*USA, California, Los Angeles County: White	3.8	(24.1)	0.5	(2.3)	2.8	(18.3)	0.8	(4.9)	1.3	(8.8)	0.5	(3.0)	0.8	(4.6)	5.3	(28.4)	0.7	(5.6)	
USA, California, San Francisco Bay Area	4.0	(24.0)	0.4	(1.5)	3.0	(18.5)	1.0	(5.9)	1.5	(8.8)	0.7	(3.7)	1.1	(5.4)	5.5	(27.4)	0.7	(4.9)	
*USA, California, San Francisco Bay Area: Asian and Pacific Islander	2.4	(15.3)	<i>0.2</i>	<i>(1.3)</i>	2.6	(17.7)	0.9	(5.4)	1.1	(6.8)	0.6	(3.8)	1.0	(6.2)	6.7	(39.2)	0.6	(4.3)	
*USA, California, San Francisco Bay Area: Black	7.0	(30.9)	<i>0.2</i>	<i>(0.7)</i>	3.8	(17.4)	1.3	(5.1)	2.3	(9.7)	1.2	(4.8)	1.7	(7.0)	5.2	(19.6)	0.8	(4.8)	
*USA, California, San Francisco Bay Area: Hispanic White	3.6	(24.9)	<i>0.6</i>	<i>(3.0)</i>	3.2	(20.0)	1.0	(5.6)	1.1	(5.9)	<i>0.4</i>	<i>(2.6)</i>	1.0	(5.6)	4.3	(27.2)	0.6	(5.2)	
*USA, California, San Francisco Bay Area: Non-Hispanic White	4.1	(25.6)	0.4	(1.6)	2.9	(18.8)	0.9	(6.3)	1.5	(9.7)	0.6	(3.7)	0.9	(4.7)	5.3	(24.8)	0.7	(4.9)	
*USA, California, San Francisco Bay Area: White	4.0	(25.5)	0.4	(1.8)	3.0	(18.9)	0.9	(6.2)	1.5	(9.2)	0.6	(3.6)	1.0	(4.8)	5.1	(25.1)	0.7	(5.0)	
USA, Colorado	4.3	(26.0)	0.4	(2.2)	2.8	(17.2)	0.9	(5.7)	1.5	(9.1)	0.5	(2.9)	0.8	(4.6)	4.6	(24.4)	1.2	(8.0)	
USA, Colorado: Asian and Pacific Islander	2.9	(25.0)	<i>0.1</i>	<i>(2.1)</i>	2.5	(18.8)	<i>0.8</i>	<i>(6.2)</i>	<i>0.2</i>	<i>(2.1)</i>	<i>0.5</i>	<i>(4.2)</i>	<i>0.2</i>	<i>(2.1)</i>	4.2	(37.5)	<i>0.2</i>	<i>(2.1)</i>	
USA, Colorado: Black	4.5	(22.0)	<i>0.2</i>	<i>(0.9)</i>	4.7	(22.0)	<i>0.8</i>	<i>(3.7)</i>	<i>1.5</i>	<i>(7.3)</i>	<i>1.0</i>	<i>(4.6)</i>	<i>0.8</i>	<i>(4.6)</i>	5.2	(24.8)	2.0	(10.1)	
USA, Colorado: White	4.3	(26.3)	0.5	(2.2)	2.8	(17.1)	0.9	(5.8)	1.5	(9.2)	0.5	(2.9)	0.8	(4.6)	4.6	(24.0)	1.2	(8.0)	
USA, Connecticut	4.6	(25.8)	0.7	(2.2)	3.5	(20.0)	0.7	(3.7)	1.7	(9.3)	0.6	(2.7)	1.0	(5.0)	5.2	(24.9)	0.9	(6.3)	
*USA, Connecticut: Black	5.4	(25.0)	<i>0.6</i>	<i>(2.9)</i>	4.1	(17.6)	1.4	(5.9)	2.1	(8.1)	<i>0.7</i>	<i>(2.9)</i>	1.7	(7.4)	5.5	(21.7)	1.7	(8.5)	
*USA, Connecticut: White	4.7	(26.1)	0.7	(2.1)	3.5	(20.4)	0.6	(3.5)	1.6	(9.4)	0.6	(2.7)	1.0	(4.7)	5.2	(25.0)	0.9	(6.2)	
USA, Delaware	4.0	(22.5)	0.4	(1.7)	3.9	(21.3)	1.2	(6.0)	1.7	(8.7)	0.7	(3.1)	1.1	(5.1)	4.9	(24.3)	1.3	(7.4)	
USA, Delaware: Black	4.9	(24.2)	<i>0.7</i>	<i>(2.3)</i>	3.5	(14.8)	<i>1.7</i>	<i>(7.0)</i>	2.0	(7.8)	<i>1.8</i>	<i>(7.0)</i>	<i>1.0</i>	<i>(4.7)</i>	5.7	(24.2)	1.7	(7.8)	
USA, Delaware: White	3.8	(22.3)	0.4	(1.6)	4.0	(22.3)	1.1	(5.9)	1.7	(9.0)	0.5	(2.5)	1.1	(5.1)	4.8	(23.9)	1.2	(7.4)	
USA, Florida	3.9	(23.4)	0.4	(1.6)	3.4	(20.5)	0.9	(5.2)	1.5	(8.8)	0.6	(3.3)	1.0	(5.0)	5.0	(24.1)	1.4	(8.2)	
USA, Florida: Asian and Pacific Islander	1.2	(17.7)	<i>0.1</i>	<i>(2.1)</i>	1.0	(15.6)	<i>0.1</i>	<i>(2.1)</i>	0.9	(12.5)	<i>0.2</i>	<i>(3.1)</i>	<i>0.5</i>	<i>(7.3)</i>	2.4	(34.4)	<i>0.4</i>	<i>(5.2)</i>	
USA, Florida: Black	5.6	(24.0)	0.3	(1.3)	4.1	(17.9)	1.1	(5.0)	1.9	(8.2)	1.1	(4.7)	1.6	(6.6)	5.5	(23.7)	1.9	(8.8)	
USA, Florida: White	3.7	(23.5)	0.4	(1.6)	3.3	(20.9)	0.8	(5.3)	1.4	(8.8)	0.5	(3.1)	0.9	(4.7)	4.9	(23.9)	1.3	(8.1)	
USA, Georgia	4.1	(22.5)	0.4	(1.8)	3.7	(20.1)	0.8	(4.1)	1.7	(9.0)	0.7	(3.3)	1.3	(6.3)	5.3	(26.1)	1.1	(6.8)	
USA, Georgia: Asian and Pacific Islander	<i>1.1</i>	<i>(10.8)</i>	-	-	<i>1.0</i>	<i>(10.8)</i>	<i>0.2</i>	<i>(1.5)</i>	<i>1.4</i>	<i>(12.3)</i>	<i>0.6</i>	<i>(6.2)</i>	<i>0.4</i>	<i>(4.6)</i>	4.9	(47.7)	<i>0.5</i>	<i>(6.2)</i>	
USA, Georgia: Black	5.7	(22.0)	0.3	(1.2)	5.2	(20.3)	0.9	(3.5)	2.6	(9.9)	1.0	(3.7)	2.0	(7.4)	6.2	(24.2)	1.7	(7.6)	
USA, Georgia: White	3.7	(22.8)	0.4	(2.1)	3.2	(20.2)	0.7	(4.4)	1.4	(8.6)	0.5	(3.0)	1.1	(5.9)	5.0	(26.5)	0.9	(6.4)	
USA, Georgia, Atlanta	3.9	(21.7)	0.3	(1.6)	4.1	(23.5)	0.6	(3.2)	1.8	(9.8)	0.6	(3.1)	1.3	(6.9)	4.6	(24.4)	1.0	(5.9)	
*USA, Georgia, Atlanta: Black	5.6	(21.0)	0.3	(1.3)	5.9	(23.7)	0.7	(2.5)	2.6	(10.6)	0.9	(3.4)	2.1	(8.0)	5.7	(22.8)	1.5	(6.7)	
*USA, Georgia, Atlanta: White	3.3	(22.9)	0.4	(1.8)	3.4	(23.9)	0.6	(3.8)	1.4	(9.1)	0.4	(2.9)	0.9	(6.2)	4.0	(24.0)	0.8	(5.5)	
USA, Idaho	4.0	(24.5)	0.6	(2.9)	3.1	(19.6)	0.9	(5.1)	1.3	(7.9)	0.4	(2.2)	1.0	(4.9)	5.0	(26.1)	0.9	(6.7)	
USA, Illinois	4.7	(23.7)	0.5	(1.8)	4.2	(21.1)	1.0	(5.1)	1.7	(8.5)	0.6	(2.8)	1.3	(5.7)	5.6	(24.4)	1.3	(6.8)	
USA, Illinois: Asian and Pacific Islander	2.2	(19.2)	<i>0.1</i>	<i>(0.5)</i>	1.7	(15.4)	<i>0.3</i>	<i>(2.7)</i>	1.0	(9.3)	<i>0.1</i>	<i>(1.1)</i>	0.9	(7.7)	3.8	(34.1)	1.1	(9.9)	
USA, Illinois: Black	6.5	(22.8)	0.7	(2.0)	5.7	(20.2)	1.5	(5.3)	1.9	(6.7)	1.2	(4.1)	2.3	(7.6)	6.4	(21.6)	2.7	(9.8)	
USA, Illinois: White	4.4	(24.1)	0.5	(1.8)	4.0	(21.5)	0.9	(5.1)	1.7	(8.8)	0.5	(2.6)	1.1	(5.3)	5.4	(24.6)	1.0	(6.2)	
USA, Indiana	4.8	(24.6)	0.5	(1.7)	4.0	(20.6)	1.1	(5.4)	1.8	(9.0)	0.6	(2.6)	1.1	(5.0)	5.5	(24.4)	1.2	(6.8)	
USA, Indiana: Black	7.3	(24.8)	<i>0.5</i>	<i>(1.7)</i>	6.5	(21.8)	1.1	(4.8)	2.9	(10.2)	1.2	(3.9)	1.8	(6.9)	5.5	(18.8)	1.9	(7.1)	
USA, Indiana: White	4.6	(24.6)	0.5	(1.7)	3.7	(20.5)	1.1	(5.4)	1.7	(9.0)	0.5	(2.5)	1.0	(4.7)	5.3	(24.6)	1.1	(6.8)	
USA, Iowa	4.8	(24.8)	0.4	(1.1)	4.2	(21.8)	1.4	(7.1)	2.0	(10.6)	0.7	(3.3)	0.9	(3.9)	5.3	(21.6)	0.9	(5.9)	
USA, Kentucky	4.9	(24.3)	0.5	(1.7)	4.0	(19.0)	1.0	(5.2)	2.1	(9.7)	0.8	(3.2)	1.1	(4.9)	6.1	(26.1)	1.0	(5.9)	
USA, Louisiana	4.6	(23.0)	0.3	(1.1)	4.0	(19.3)	1.0	(4.8)	1.8	(8.5)	0.8	(3.5)	1.5	(6.3)	6.2	(27.2)	1.2	(6.3)	
*USA, Louisiana: Black	5.9	(22.1)	0.3	(1.1)	4.7	(17.1)	1.3	(4.9)	2.5	(9.6)	0.9	(3.4)	2.1	(7.2)	7.5	(27.2)	1.8	(7.5)	
*USA, Louisiana: White	4.2	(23.5)	0.3	(1.1)	3.7	(20.2)	0.9	(4.8)	1.6	(8.1)	0.7	(3.5)	1.3	(5.9)	5.7	(27.0)	1.0	(5.9)	
*USA, Louisiana, New Orleans	4.5	(23.6)	<i>0.3</i>	<i>(1.0)</i>	3.7	(20.1)	1.0	(5.1)	1.9	(10.0)	0.5	(2.5)	1.3	(6.5)	4.9	(24.2)	1.2	(7.0)	
*USA, Louisiana, New Orleans: Black	5.2	(21.6)	<i>0.3</i>	<i>(0.9)</i>	4.0	(17.2)	<i>0.8</i>	<i>(3.4)</i>	2.4	(10.3)	<i>0.5</i>	<i>(2.6)</i>	<i>2.2</i>	<i>(9.1)</i>	6.0	(24.6)	2.2	(10.3)	
*USA, Louisiana, New Orleans: White	4.1	(24.8)	<i>0.3</i>	<i>(1.0)</i>	3.5	(22.0)	1.0	(6.2)	1.7	(10.1)	0.6	(2.6)	0.8	(4.9)	4.1	(23.3)	0.8	(5.2)	
USA, Maine	4.7	(24.0)	0.4	(1.6)	4.2	(21.9)	1.1	(5.5)	2.2	(10.4)	0.4	(2.2)	0.9	(3.8)	5.5	(23.1)	1.2	(7.5)	
USA, Massachusetts	4.3	(24.7)	0.7	(2.2)	3.4	(19.8)	0.8	(4.8)	1.7	(9.1)	0.7	(3.4)	1.0	(4.8)	5.3	(24.6)	1.0	(6.6)	
USA, Massachusetts: Asian and Pacific Islander	1.6	(11.4)	<i>0.1</i>	<i>(0.9)</i>	2.8	(17.5)	<i>0.5</i>	<i>(3.5)</i>	1.6	(10.5)	<i>0.6</i>	<i>(3.5)</i>	<i>1.1</i>	<i>(7.0)</i>	5.7	(40.4)	<i>0.7</i>	<i>(5.3)</i>	
USA, Massachusetts: Black	4.9	(26.4)	0.9	(4.2)	3.2	(15.1)	0.9	(4.9)	1.8	(8.7)	<i>0.6</i>	<i>(3.0)</i>	1.3	(6.4)	4.3	(23.4)	1.3	(7.9)	
USA, Massachusetts: White	4.4	(24.9)	0.7	(2.1)	3.4	(20.1)	0.8	(4.8)	1.6	(9.1)	0.7	(3.4)	1.0	(4.7)	5.3	(24.3)	1.0	(6.6)	
USA, Michigan	4.4	(24.2)	0.6	(2.1)	3.8	(20.8)	0.9	(4.5)	1.6	(8.9)	0.5	(2.5)	1.0	(4.7)	4.8	(22.7)	1.6	(9.6)	
USA, Michigan: Asian and Pacific Islander	<i>1.6</i>	<i>(15.1)</i>	<i>0.5</i>	<i>(5.7)</i>	2.2	(24.5)	<i>0.2</i>	<i>(1.9)</i>	<i>0.4</i>	<i>(3.8)</i>	-	-	<i>1.0</i>	<i>(11.3)</i>	3.5	(35.8)	<i>0.2</i>	<i>(1.9)</i>	
USA, Michigan: Black	6.8	(25.8)	0.5	(1.7)	5.0	(19.3)	1.1	(4.4)	2.4	(9.1)	0.9	(3.3)	1.5	(5.9)	5.6	(21.9)	2.0	(8.7)	
USA, Michigan: White	4.1	(24.1)	0.6	(2.1)	3.6	(21.1)	0.8	(4.6)	1.5	(8.9)	0.4	(2.3)	0.9	(4.4)	4.6	(22.6)	1.5	(9.8)	
USA, Michigan, Detroit	4.9	(25.3)	0.5	(2.0)	4.0	(20.7)	0.9	(4.4)	1.8	(8.7)	0.7	(3.4)	1.2	(5.2)	5.4	(24.1)	1.0	(6.1)	
*USA, Michigan, Detroit: Black	7.4	(27.2)	0.5	(1.5)	5.3	(20.4)	1.1	(4.2)	2.3	(9.0)	1.1	(4.1)	1.7	(6.4)	5.6	(21.3)	1.4	(5.8)	
*USA, Michigan, Detroit: White	4.3	(25.0)	0.6	(2.2)	3.6	(20.8)	0.8	(4.5)	1.6	(8.8)	0.6	(3.1)	1.0	(4.6)	5.3	(24.7)	0.9	(6.3)	
USA, Mississippi	4.2	(20.0)	0.5	(1.5)	4.4	(20.4)	1.0	(4.4)	1.9	(8.5)	0.6	(2.8)	1.4	(5.6)	6.6	(26.0)	2.1	(10.8)	
USA, Missouri	4.6	(24.7)	0.5	(1.8)	3.7	(19.9)	1.0	(5.8)	1.9	(9.8)	0.6	(3.0)	1.1	(4.6)	5.0	(23.0)	1.1	(7.3)	
USA, Missouri: Black	5.6	(22.8)	0.5	(1.7)	5.1	(20.7)	1.3	(6.1)	2.2	(8.4)	1.3	(5.0)	1.8	(6.4)	5.7	(21.8)	1.4	(7.1)	
USA, Missouri: White	4																		

Age-standardized (world) incidence rates (per 100,000)

Percentage distribution of the number of cases

Colon (C18) - Female (contd)

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9		
	Caecum		Appendix		Ascend.		Hepatic		Transv.		Splenic		Descend.		Sigmoid		Other		
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	
America, North (contd)																			
USA, Oklahoma	3.9	(21.3)	0.4	(1.5)	3.8	(20.4)	0.6	(3.0)	1.5	(7.4)	0.4	(2.1)	1.1	(5.1)	5.4	(24.1)	2.8	(15.0)	
USA, Oklahoma: American Indian	6.0	(21.3)	<i>0.1</i>	<i>(0.4)</i>	5.0	(18.8)	<i>1.1</i>	<i>(3.2)</i>	2.1	(7.4)	<i>0.7</i>	<i>(2.1)</i>	1.5	(4.6)	8.3	(26.6)	4.1	(15.6)	
USA, Oklahoma: Black	4.7	(18.9)	<i>1.0</i>	<i>(3.3)</i>	6.1	(21.3)	<i>0.6</i>	<i>(1.6)</i>	1.8	(6.6)	1.2	(4.5)	<i>0.8</i>	<i>(3.3)</i>	7.1	(24.6)	4.1	(16.0)	
USA, Oklahoma: White	3.6	(21.5)	0.4	(1.4)	3.6	(20.5)	0.6	(3.2)	1.4	(7.6)	0.4	(2.0)	1.1	(5.3)	5.0	(23.8)	2.6	(14.7)	
USA, Oregon	4.2	(25.5)	0.5	(1.9)	3.0	(18.2)	1.0	(6.2)	2.0	(11.9)	0.6	(3.2)	0.8	(4.2)	4.3	(21.6)	1.1	(7.3)	
USA, Oregon: Asian and Pacific Islander	<i>1.7</i>	<i>(15.4)</i>	-	-	2.3	(23.1)	<i>0.9</i>	<i>(7.7)</i>	<i>1.5</i>	<i>(11.5)</i>	<i>0.4</i>	<i>(3.8)</i>	<i>0.8</i>	<i>(7.7)</i>	3.0	(25.0)	<i>0.5</i>	<i>(5.8)</i>	
USA, Oregon: Black	7.9	(35.1)	0.5	(2.7)	3.6	(16.2)	0.8	(2.7)	0.8	(5.4)	1.4	(5.4)	2.2	(10.8)	2.7	(13.5)	1.8	(8.1)	
USA, Oregon: White	4.1	(25.3)	0.5	(1.9)	2.9	(17.9)	1.0	(6.3)	2.0	(12.1)	0.6	(3.2)	0.7	(4.0)	4.4	(21.8)	1.0	(7.5)	
USA, Pennsylvania	4.8	(24.5)	0.5	(1.6)	3.9	(20.8)	0.9	(4.9)	1.8	(9.1)	0.6	(2.8)	1.0	(4.5)	5.6	(24.5)	1.2	(7.4)	
USA, Pennsylvania: Asian and Pacific Islander	<i>0.9</i>	<i>(8.5)</i>	<i>0.1</i>	<i>(1.2)</i>	2.3	(22.0)	<i>0.4</i>	<i>(4.9)</i>	<i>0.7</i>	<i>(6.1)</i>	<i>0.6</i>	<i>(6.1)</i>	<i>0.7</i>	<i>(7.3)</i>	4.0	(37.8)	<i>0.6</i>	<i>(6.1)</i>	
USA, Pennsylvania: Black	5.8	(23.1)	0.5	(1.5)	4.4	(17.9)	0.9	(3.8)	2.3	(9.3)	1.1	(3.9)	1.8	(7.0)	6.1	(24.0)	2.1	(9.6)	
USA, Pennsylvania: White	4.7	(24.9)	0.5	(1.7)	3.8	(21.0)	0.9	(5.0)	1.7	(9.1)	0.6	(2.7)	1.0	(4.2)	5.5	(24.4)	1.1	(7.1)	
USA, Rhode Island	4.7	(24.3)	0.5	(1.7)	3.2	(19.7)	0.8	(4.7)	1.9	(10.2)	0.6	(3.2)	1.2	(5.3)	5.4	(25.2)	0.9	(5.7)	
USA, Rhode Island: Black	<i>4.4</i>	<i>(22.5)</i>	<i>0.6</i>	<i>(2.5)</i>	<i>3.5</i>	<i>(15.0)</i>	<i>1.8</i>	<i>(7.5)</i>	<i>1.1</i>	<i>(5.0)</i>	<i>2.2</i>	<i>(7.5)</i>	<i>2.1</i>	<i>(7.5)</i>	7.5	(32.5)	-	-	
USA, Rhode Island: White	4.8	(24.5)	0.5	(1.8)	3.2	(19.7)	0.8	(4.6)	1.9	(10.3)	0.5	(3.1)	1.1	(5.3)	5.3	(24.7)	0.9	(6.0)	
USA, South Carolina	4.5	(23.4)	0.7	(2.6)	3.4	(17.3)	1.0	(5.0)	1.6	(7.9)	0.6	(2.9)	1.1	(5.0)	5.7	(26.0)	1.8	(9.9)	
USA, South Carolina: Black	6.0	(23.4)	0.5	(1.6)	3.8	(15.0)	1.4	(5.6)	2.1	(8.6)	0.9	(3.6)	1.5	(5.3)	7.0	(26.3)	2.4	(10.6)	
USA, South Carolina: White	4.0	(23.7)	0.8	(3.0)	3.2	(18.3)	0.8	(4.7)	1.4	(7.5)	0.6	(2.6)	0.9	(4.8)	5.2	(25.7)	1.6	(9.6)	
USA, South Dakota	3.9	(24.0)	0.6	(1.9)	3.9	(22.3)	1.2	(7.0)	1.8	(9.8)	0.5	(2.5)	0.7	(3.0)	3.9	(17.3)	2.0	(12.2)	
USA, Tennessee	4.1	(21.8)	0.6	(2.1)	4.1	(21.4)	0.8	(4.2)	1.5	(8.0)	0.5	(2.5)	1.1	(5.1)	5.4	(25.2)	1.7	(9.7)	
USA, Tennessee: Black	5.5	(21.4)	<i>0.3</i>	<i>(0.9)</i>	5.6	(20.6)	0.7	(2.9)	2.3	(9.1)	0.9	(3.2)	2.3	(8.1)	6.2	(22.3)	2.7	(11.5)	
USA, Tennessee: White	3.9	(21.9)	0.6	(2.3)	3.9	(21.5)	0.8	(4.4)	1.4	(7.9)	0.5	(2.4)	0.9	(4.5)	5.3	(25.8)	1.5	(9.3)	
USA, Texas	3.8	(22.1)	0.5	(2.3)	3.3	(19.3)	0.8	(4.6)	1.4	(7.9)	0.5	(2.7)	1.0	(5.1)	4.8	(24.9)	1.8	(11.1)	
USA, Texas: Asian and Pacific Islander	1.6	(15.3)	<i>0.2</i>	<i>(1.9)</i>	1.7	(16.7)	0.6	(6.5)	0.8	(7.9)	<i>0.2</i>	<i>(1.4)</i>	<i>0.4</i>	<i>(4.2)</i>	3.9	(40.0)	0.6	(6.0)	
USA, Texas: Black	5.3	(19.9)	0.5	(1.8)	5.4	(19.8)	1.1	(4.3)	2.5	(9.1)	1.1	(4.1)	1.7	(6.4)	6.3	(32.2)	2.7	(11.4)	
USA, Texas: White	3.6	(22.5)	0.5	(2.4)	3.1	(19.4)	0.8	(4.7)	1.3	(7.7)	0.4	(2.5)	0.9	(4.9)	4.6	(24.8)	1.7	(11.1)	
USA, Utah	3.8	(27.3)	0.3	(1.4)	2.1	(16.0)	0.5	(3.9)	1.3	(8.5)	0.3	(1.9)	0.8	(5.1)	4.8	(30.9)	0.5	(4.9)	
USA, Vermont	3.8	(21.7)	0.6	(2.1)	3.8	(22.5)	0.8	(4.6)	1.7	(9.8)	0.6	(3.1)	0.9	(5.1)	5.0	(23.7)	1.3	(7.4)	
USA, Virginia	3.7	(20.6)	0.4	(1.8)	3.7	(20.6)	0.8	(4.5)	1.7	(9.4)	0.5	(2.7)	1.2	(6.0)	5.1	(25.1)	1.6	(9.4)	
USA, Virginia: Asian and Pacific Islander	1.7	(16.4)	<i>0.1</i>	<i>(1.7)</i>	2.4	(22.4)	<i>0.6</i>	<i>(6.0)</i>	1.2	(10.3)	<i>0.1</i>	<i>(1.7)</i>	1.1	(8.6)	3.1	(30.2)	0.2	(2.6)	
USA, Virginia: Black	4.6	(18.8)	0.5	(1.6)	4.6	(18.0)	1.0	(4.2)	2.0	(8.2)	0.9	(3.8)	2.3	(9.0)	6.4	(25.1)	2.7	(11.4)	
USA, Virginia: White	3.6	(21.2)	0.4	(1.8)	3.6	(21.3)	0.8	(4.5)	1.7	(9.7)	0.4	(2.5)	1.0	(5.1)	4.9	(25.1)	1.3	(8.8)	
USA, Washington State	4.1	(26.3)	0.4	(1.8)	2.9	(19.0)	0.8	(5.2)	1.5	(10.0)	0.5	(3.1)	0.8	(4.3)	4.4	(24.0)	0.8	(6.3)	
USA, Washington, Seattle	4.2	(25.9)	0.4	(1.9)	2.9	(17.9)	0.9	(5.6)	1.6	(10.2)	0.6	(3.5)	0.9	(4.9)	4.6	(24.4)	0.8	(5.7)	
USA, West Virginia	4.9	(25.1)	0.4	(1.1)	3.7	(17.7)	0.9	(4.3)	1.8	(8.5)	0.5	(2.2)	1.1	(5.0)	6.6	(27.8)	1.5	(8.3)	
USA, Wisconsin	4.1	(24.2)	0.7	(2.6)	3.6	(21.4)	0.9	(5.1)	1.6	(9.6)	0.6	(3.0)	0.8	(4.2)	4.3	(20.6)	1.5	(9.4)	
USA, Wisconsin: Black	5.9	(23.6)	<i>0.8</i>	<i>(3.2)</i>	5.3	(19.4)	0.8	(3.7)	2.8	(12.0)	<i>1.0</i>	<i>(3.2)</i>	1.6	(5.6)	6.3	(25.0)	<i>1.1</i>	<i>(4.2)</i>	
USA, Wisconsin: White	4.0	(24.3)	0.7	(2.6)	3.5	(21.7)	0.8	(5.2)	1.6	(9.6)	0.6	(3.1)	0.8	(4.2)	4.2	(20.3)	1.5	(9.1)	
USA, Wyoming	4.4	(22.3)	<i>0.5</i>	<i>(1.9)</i>	3.5	(20.6)	1.2	(5.9)	2.0	(10.0)	0.7	(3.8)	1.0	(4.7)	4.7	(24.2)	1.1	(6.6)	
Asia																			
Bahrain: Bahraini	<i>0.5</i>	<i>(4.8)</i>	<i>0.1</i>	<i>(1.6)</i>	<i>0.4</i>	<i>(4.8)</i>	-	-	-	-	-	-	<i>0.7</i>	<i>(8.1)</i>	<i>1.1</i>	<i>(14.5)</i>	5.1	(66.1)	
China, Beijing City	0.5	(6.0)	0.2	(1.5)	1.8	(20.7)	0.2	(2.4)	0.5	(5.0)	0.1	(0.9)	0.4	(4.5)	2.3	(24.8)	3.0	(34.2)	
*China, Cixian County	<i>0.1</i>	<i>(1.5)</i>	-	-	<i>0.2</i>	<i>(3.0)</i>	<i>0.5</i>	<i>(10.6)</i>	<i>0.7</i>	<i>(13.6)</i>	<i>0.3</i>	<i>(4.5)</i>	<i>0.4</i>	<i>(7.6)</i>	<i>0.2</i>	<i>(6.1)</i>	2.5	(53.0)	
China, Haining County	<i>0.3</i>	<i>(3.6)</i>	<i>0.1</i>	<i>(1.2)</i>	0.6	(7.1)	<i>0.1</i>	<i>(1.2)</i>	<i>0.2</i>	<i>(3.6)</i>	<i>0.1</i>	<i>(1.2)</i>	<i>0.3</i>	<i>(4.7)</i>	1.2	(16.0)	4.3	(61.5)	
*China, Harbin City, Nangang District	<i>0.2</i>	<i>(2.0)</i>	<i>0.1</i>	<i>(1.0)</i>	0.5	(4.7)	<i>0.1</i>	<i>(0.7)</i>	<i>0.1</i>	<i>(1.0)</i>	-	-	<i>0.1</i>	<i>(1.0)</i>	1.3	(13.8)	7.1	(75.8)	
China, Hong Kong	1.9	(12.2)	0.1	(0.7)	2.5	(15.6)	1.4	(8.3)	1.8	(10.8)	0.5	(3.0)	1.6	(9.1)	6.1	(34.5)	0.9	(5.7)	
China, Jiashan County	0.7	(8.0)	<i>0.3</i>	<i>(2.3)</i>	1.6	(14.9)	<i>0.4</i>	<i>(2.3)</i>	1.0	(8.0)	<i>0.1</i>	<i>(1.1)</i>	0.9	(8.6)	3.1	(25.7)	3.0	(29.1)	
China, Jiaxing City	1.7	(12.6)	<i>0.8</i>	<i>(4.0)</i>	2.4	(19.9)	<i>0.3</i>	<i>(2.6)</i>	<i>0.8</i>	<i>(6.0)</i>	<i>0.1</i>	<i>(0.7)</i>	<i>0.4</i>	<i>(3.3)</i>	3.6	(27.8)	2.8	(23.2)	
China, Macao	<i>0.7</i>	<i>(3.5)</i>	-	-	1.5	(10.2)	-	-	1.2	(6.7)	-	-	1.1	(3.9)	3.3	(18.0)	8.8	(57.6)	
China, Qidong County	0.4	(9.7)	-	-	0.9	(21.8)	<i>0.2</i>	<i>(4.2)</i>	0.3	(7.4)	<i>0.0</i>	<i>(0.5)</i>	0.2	(5.6)	1.1	(27.3)	1.0	(23.6)	
*China, Shanghai City	1.1	(7.6)	0.2	(0.8)	3.6	(25.1)	0.5	(3.2)	1.1	(7.3)	0.2	(1.3)	0.9	(6.2)	4.2	(27.5)	2.9	(21.1)	
*China, Wuhan City	0.6	(6.4)	0.1	(0.9)	1.4	(15.2)	0.3	(3.8)	0.7	(7.3)	0.1	(1.0)	0.4	(4.6)	2.2	(23.6)	3.4	(37.2)	
*China, Yangcheng County	<i>0.2</i>	<i>(4.4)</i>	-	-	-	-	-	-	-	-	-	-	-	-	<i>0.3</i>	<i>(6.7)</i>	4.3	(88.9)	
*China, Yanting County	-	-	<i>0.1</i>	<i>(4.5)</i>	-	-	-	-	-	-	-	-	-	<i>0.2</i>	<i>(18.2)</i>	<i>0.2</i>	<i>(18.2)</i>	0.7	(59.1)
*China, Zhongshan City	<i>0.2</i>	<i>(2.5)</i>	<i>0.1</i>	<i>(0.7)</i>	1.9	(21.1)	0.4	(4.6)	0.8	(8.8)	<i>0.2</i>	<i>(2.1)</i>	0.8	(9.5)	3.5	(37.5)	1.1	(13.3)	
*India, Bangalore	0.5	(14.3)	<i>0.0</i>	<i>(1.2)</i>	0.2	(5.7)	<i>0.1</i>	<i>(2.9)</i>	<i>0.1</i>	<i>(2.0)</i>	<i>0.1</i>	<i>(1.6)</i>	<i>0.1</i>	<i>(1.2)</i>	0.7	(20.5)	1.7	(50.4)	
*India; Barshi, Paranda, and Bhum	<i>0.1</i>	<i>(33.3)</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	(66.7)	
*India, Bhopal	<i>0.1</i>	<i>(6.2)</i>	<i>0.1</i>	<i>(3.1)</i>	<i>0.1</i>	<i>(3.1)</i>	-	-	-	-	-	-	<i>0.2</i>	<i>(9.4)</i>	<i>0.1</i>	<i>(9.4)</i>	1.1	(68.8)	
*India, Chennai	0.3	(14.0)	<i>0.0</i>	<i>(1.8)</i>	0.3	(13.2)	<i>0.1</i>	<i>(3.9)</i>	0.2	(7.5)	<i>0.1</i>	<i>(2.6)</i>	<i>0.1</i>	<i>(3.1)</i>	0.4	(19.3)	0.8	(34.6)	
*India, Dindigul, Ambilikai	<i>0.2</i>	<i>(34.8)</i>	-	-	<i>0.0</i>	<i>(4.3)</i>	<i>0.1</i>	<i>(13.0)</i>	<i>0.0</i>	<i>(8.7)</i>	-	-	<i>0.0</i>	<i>(4.3)</i>	<i>0.1</i>	<i>(13.0)</i>	<i>0.1</i>	<i>(21.7)</i>	
*India, Karunagappally	<i>0.2</i>	<i>(7.1)</i>	<i>0.1</i>	<i>(3.6)</i>	<i>0.2</i>	<i>(7.1)</i>	<i>0.1</i>	<i>(3.6)</i>	<i>0.2</i>	<i>(10.7)</i>	-	-	-	-					

Age-standardized (world) incidence rates (per 100,000)

Percentage distribution of the number of cases

Colon (C18) - Female (contd)

	C18.0		C18.1		C18.2		C18.3		C18.4		C18.5		C18.6		C18.7		C18.8-9	
	Caecum		Appendix		Ascend.		Hepatic		Transv.		Splenic		Descend.		Sigmoid		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)																		
Kuwait	0.6	(9.0)	0.1	(2.0)	0.3	(3.5)	0.0	(0.5)	0.3	(4.0)	0.2	(1.5)	0.1	(1.0)	2.7	(34.3)	3.5	(44.3)
*Kuwait: Kuwaitis	0.7	(8.5)	0.1	(1.5)	0.3	(3.1)	0.0	(0.8)	0.4	(4.6)	0.2	(1.5)	0.2	(1.5)	3.2	(35.4)	4.0	(43.1)
*Kuwait: Non-Kuwaitis	0.7	(9.9)	0.0	(2.8)	0.6	(4.2)	-	-	0.3	(2.8)	0.0	(1.4)	-	-	2.3	(32.4)	3.3	(46.5)
*Malaysia, Penang	1.0	(8.3)	0.2	(2.2)	0.7	(6.1)	0.2	(1.6)	0.6	(5.1)	0.0	(0.3)	0.3	(2.6)	3.3	(27.8)	5.4	(46.0)
*Malaysia, Penang: Chinese	1.4	(9.3)	0.3	(2.0)	1.1	(7.3)	0.1	(0.8)	0.9	(6.5)	-	-	0.4	(2.8)	4.4	(28.3)	6.5	(42.9)
*Malaysia, Penang: Indian	0.3	(5.9)	0.4	(5.9)	0.3	(5.9)	-	-	-	-	-	-	-	-	2.0	(29.4)	3.4	(52.9)
*Malaysia, Penang: Malay	0.2	(4.2)	0.1	(2.1)	-	-	0.3	(6.2)	-	-	0.1	(2.1)	0.1	(2.1)	1.3	(22.9)	3.2	(60.4)
*Philippines, Manila	0.5	(4.0)	0.0	(0.3)	0.8	(6.2)	0.1	(0.4)	0.6	(4.8)	0.1	(0.4)	0.5	(3.4)	3.4	(24.9)	7.5	(55.7)
*Philippines, Rizal	0.5	(4.5)	0.1	(0.6)	0.5	(4.2)	0.0	(0.3)	0.3	(2.9)	0.1	(0.6)	0.4	(3.5)	2.5	(21.9)	7.2	(61.5)
Qatar: Qatari	0.5	(3.8)	-	-	0.8	(7.7)	-	-	-	-	0.8	(7.7)	0.7	(7.7)	3.7	(42.3)	2.6	(30.8)
*Saudi Arabia, Riyadh: Saudi	0.5	(7.2)	0.2	(2.4)	0.5	(8.9)	0.2	(2.7)	0.2	(3.1)	0.1	(2.4)	0.5	(7.5)	2.8	(43.8)	1.4	(21.9)
Singapore	1.7	(9.0)	0.2	(0.9)	1.7	(9.2)	0.9	(4.8)	1.7	(8.9)	0.8	(4.1)	1.5	(7.6)	7.7	(40.1)	2.8	(15.4)
Singapore: Chinese	1.9	(9.3)	0.1	(0.7)	1.9	(9.4)	0.9	(4.6)	1.9	(9.0)	0.9	(4.2)	1.6	(7.5)	8.4	(39.9)	3.1	(15.5)
Singapore: Indian	0.4	(6.2)	0.1	(2.1)	0.5	(8.3)	0.6	(8.3)	0.6	(8.3)	0.1	(2.1)	0.6	(10.4)	2.6	(39.6)	1.1	(14.6)
Singapore: Malay	0.9	(5.9)	0.4	(2.9)	0.7	(5.1)	0.9	(7.4)	1.0	(8.8)	0.3	(2.2)	1.2	(9.6)	5.1	(44.1)	1.7	(14.0)
Thailand, Bangkok	0.5	(4.5)	0.1	(0.8)	0.3	(3.4)	0.1	(0.8)	0.3	(2.7)	0.1	(0.7)	0.2	(1.8)	2.3	(22.5)	6.0	(62.8)
Thailand, Chiang Mai	0.4	(7.7)	0.0	(0.7)	1.3	(22.1)	0.2	(3.0)	0.2	(4.4)	0.0	(0.7)	0.3	(5.9)	1.6	(29.2)	1.5	(26.2)
Thailand, Chonburi	0.6	(7.5)	0.1	(0.9)	0.4	(5.8)	0.2	(2.2)	0.2	(3.1)	0.1	(1.3)	0.2	(3.5)	2.0	(27.4)	3.7	(48.2)
*Thailand, Khon Kaen	0.3	(6.2)	0.1	(1.2)	0.2	(4.1)	0.1	(2.1)	0.2	(4.1)	0.1	(1.6)	0.2	(3.7)	1.2	(23.0)	2.7	(53.9)
Thailand, Lampang	0.5	(7.9)	0.1	(1.1)	1.1	(16.9)	-	-	0.2	(2.8)	-	-	0.6	(9.0)	1.8	(28.1)	2.1	(34.3)
*Thailand, Songkhla	0.3	(6.2)	0.1	(1.9)	0.1	(2.5)	0.2	(4.4)	0.3	(5.0)	-	-	0.3	(5.0)	1.4	(25.0)	2.7	(50.0)
*Turkey, Antalya	1.2	(16.3)	0.1	(1.1)	0.6	(8.9)	0.2	(2.8)	0.3	(4.6)	0.2	(2.8)	0.3	(4.6)	1.9	(25.9)	2.5	(33.0)
*Turkey, Edirne	1.2	(16.9)	-	-	0.6	(9.1)	-	-	0.6	(7.8)	-	-	0.4	(5.2)	1.5	(23.4)	2.5	(37.7)
*Turkey, Izmir	0.9	(12.3)	0.1	(0.9)	0.8	(10.0)	0.3	(3.4)	0.5	(5.9)	0.2	(2.2)	0.5	(6.5)	2.6	(32.7)	2.0	(25.9)
*Turkey, Trabzon	0.6	(8.8)	0.2	(2.2)	0.7	(8.8)	-	-	0.4	(6.6)	0.1	(1.1)	0.6	(8.8)	1.7	(26.4)	2.4	(37.4)
Europe																		
Austria	2.0	(15.3)	0.3	(1.2)	1.5	(11.4)	0.4	(2.9)	0.7	(5.3)	0.3	(1.7)	0.4	(2.7)	4.5	(28.4)	4.2	(31.0)
Austria, Tyrol	2.3	(18.5)	0.4	(2.0)	2.0	(14.0)	0.8	(4.6)	1.2	(7.8)	0.5	(2.8)	1.1	(6.6)	6.1	(39.1)	0.6	(4.6)
Austria, Vorarlberg	2.8	(20.0)	0.2	(0.8)	2.2	(16.5)	0.4	(2.4)	1.1	(6.7)	0.6	(4.7)	0.3	(2.4)	4.8	(35.7)	1.2	(11.0)
*Belarus	1.5	(15.3)	0.1	(0.5)	1.3	(13.2)	0.8	(8.4)	0.9	(8.6)	0.6	(5.8)	0.6	(5.5)	4.4	(37.7)	0.5	(4.9)
*Belgium	2.8	(17.4)	1.0	(2.7)	3.0	(17.7)	0.5	(2.9)	1.1	(6.1)	0.4	(2.0)	1.3	(6.8)	6.4	(31.3)	2.4	(13.1)
Bulgaria	1.7	(12.8)	0.1	(0.3)	1.9	(14.9)	0.6	(4.9)	1.2	(8.9)	0.6	(4.3)	1.1	(7.9)	4.9	(34.9)	1.1	(11.1)
Croatia	1.3	(9.6)	0.1	(0.5)	1.2	(9.2)	0.4	(3.1)	0.7	(4.8)	0.4	(2.8)	0.6	(4.1)	4.2	(28.4)	4.8	(37.6)
Cyprus	1.7	(11.9)	0.4	(1.7)	0.8	(5.4)	0.2	(1.0)	0.5	(4.2)	0.2	(1.2)	0.8	(4.8)	3.9	(25.6)	6.1	(44.2)
Czech Republic	2.6	(15.8)	0.4	(1.8)	2.2	(13.8)	1.2	(7.4)	1.2	(7.6)	1.0	(5.5)	1.0	(5.7)	5.9	(31.9)	1.6	(10.5)
Denmark	3.8	(19.4)	0.4	(1.4)	3.1	(16.4)	0.7	(4.0)	1.6	(8.5)	0.6	(2.7)	0.8	(3.8)	7.5	(34.5)	1.8	(9.2)
*Estonia	2.7	(20.6)	0.1	(0.6)	2.2	(18.0)	0.6	(4.3)	1.2	(10.0)	0.5	(3.8)	0.8	(5.4)	5.1	(34.5)	0.4	(2.8)
Finland	0.6	(5.7)	0.2	(0.9)	5.0	(39.2)	0.1	(1.2)	1.4	(11.7)	0.1	(0.5)	0.5	(4.0)	3.7	(28.2)	1.0	(8.6)
*France, Bas-Rhin	3.5	(26.5)	0.5	(1.7)	2.2	(16.1)	0.4	(2.2)	1.2	(8.0)	0.6	(3.7)	1.9	(11.5)	4.8	(28.8)	0.2	(1.5)
*France, Calvados	2.4	(22.9)	0.2	(0.6)	1.7	(15.7)	0.7	(6.2)	0.9	(8.5)	0.5	(3.5)	1.0	(8.2)	4.6	(30.5)	0.3	(3.9)
*France, Doubs	2.7	(20.2)	0.4	(1.2)	2.4	(20.0)	0.6	(4.7)	1.0	(7.4)	0.3	(2.1)	2.3	(13.0)	4.1	(24.4)	0.8	(7.0)
*France, Haut-Rhin	2.4	(16.8)	0.2	(0.6)	3.8	(23.7)	0.4	(3.5)	0.8	(5.1)	0.5	(2.7)	1.4	(9.3)	5.6	(30.3)	1.2	(8.0)
*France, Hérault	2.0	(15.6)	0.7	(2.2)	2.9	(22.0)	0.7	(5.0)	0.7	(5.1)	0.5	(3.1)	2.0	(13.2)	4.5	(27.2)	1.0	(6.6)
*France, Isère	2.8	(21.7)	0.3	(1.4)	3.3	(24.3)	1.0	(7.4)	1.1	(7.6)	0.5	(3.7)	1.3	(8.0)	4.0	(24.6)	0.1	(1.3)
*France, Loire-Atlantique	2.7	(20.7)	0.5	(2.1)	2.8	(20.2)	0.6	(3.9)	1.0	(7.0)	0.5	(2.8)	2.3	(13.9)	4.3	(24.7)	0.7	(4.7)
*France, Manche	2.3	(24.2)	0.2	(1.0)	1.9	(17.8)	0.5	(5.0)	1.1	(9.7)	0.7	(5.0)	0.8	(6.7)	3.8	(27.6)	0.2	(3.1)
*France, Somme	1.8	(14.2)	0.2	(1.1)	2.4	(20.1)	0.9	(6.6)	0.9	(5.3)	0.3	(2.8)	2.5	(15.0)	4.0	(24.6)	1.5	(10.4)
*France, Tarn	2.4	(21.6)	0.1	(1.0)	1.7	(16.3)	1.5	(12.3)	1.5	(11.1)	1.2	(5.8)	0.8	(6.5)	3.7	(22.1)	0.3	(3.3)
*France, Vendée	0.9	(7.4)	0.4	(1.3)	2.4	(20.4)	0.7	(4.2)	0.7	(5.4)	0.3	(1.5)	1.3	(7.7)	4.1	(25.1)	3.7	(27.1)
Germany, Brandenburg	2.4	(15.9)	0.4	(1.5)	2.9	(18.2)	0.8	(5.1)	1.4	(8.1)	0.7	(4.0)	0.9	(5.0)	5.9	(33.6)	1.1	(8.5)
Germany, Bremen	3.8	(20.2)	0.5	(1.6)	2.6	(15.5)	1.0	(5.1)	1.4	(6.9)	0.7	(3.3)	0.8	(4.2)	6.4	(30.1)	1.9	(13.1)
Germany, Free State of Saxony	2.3	(15.5)	0.6	(1.9)	2.5	(16.7)	0.9	(6.2)	1.2	(8.1)	0.6	(3.8)	0.8	(4.5)	6.1	(34.5)	1.0	(8.8)
Germany, Hamburg	2.4	(14.6)	0.2	(0.9)	2.3	(14.0)	0.4	(2.4)	0.9	(4.5)	0.2	(1.5)	0.4	(2.7)	4.4	(23.7)	5.7	(35.7)
Germany, Mecklenburg-Western Pomerania	2.2	(14.6)	0.3	(1.0)	2.7	(17.9)	0.9	(5.7)	1.4	(8.8)	0.6	(3.7)	1.0	(5.1)	5.8	(33.6)	1.3	(9.5)
Germany, Munich	2.4	(14.3)	0.4	(1.4)	2.5	(14.5)	0.4	(2.2)	1.3	(6.9)	0.4	(1.9)	0.7	(3.5)	5.7	(27.5)	4.2	(27.9)
Germany, North Rhine-Westphalia	3.1	(16.4)	0.5	(1.2)	3.6	(18.7)	0.7	(4.0)	1.5	(7.7)	0.4	(2.0)	0.6	(3.0)	6.7	(29.6)	3.3	(17.4)
Germany, Saarland	3.1	(16.5)	0.3	(1.1)	2.5	(14.2)	0.6	(2.9)	1.4	(7.7)	0.6	(2.7)	0.6	(3.5)	6.3	(29.9)	3.9	(21.6)
Germany, Schleswig-Holstein	3.2	(16.7)	0.5	(1.3)	3.1	(16.2)	0.7	(4.0)	1.2	(6.3)	0.6	(2.8)	0.8	(3.9)	6.8	(31.2)	3.0	(17.7)
Iceland	3.7	(21.8)	0.0	(0.5)	4.3	(25.5)	0.0	(0.5)	0.8	(5.1)	-	-	0.8	(5.6)	5.8	(29.2)	1.6	(12.0)
Ireland	4.4	(25.1)	0.4	(1.9)	2.2	(12.5)	0.7	(4.2)	1.2	(6.7)	0.7	(3.6)	1.0	(5.2)	5.8	(29.1)	2.0	(11.9)
Italy, Biella	3.3	(18.3)	-	-	4.1	(22.2)	1.0	(5.3)	1.3	(8.5)	1.3	(7.4)	1.4	(6.0)	6.2	(28.2)	0.3	(4.2)
Italy, Brescia	1.2	(7.2)	0.2	(0.6)	3.1	(18.2)	0.4	(2.3)	1.2	(5.3)	0.6	(2.4)	1.3	(6.5)	4.6	(22.2)	6.3	(35.2)
Italy, Catania and Messina	2.1	(14.6)	0.1	(0.5)	3.7	(25.1)	0.2	(1.9)	1.1	(6.0)	0.3	(1.8)	1.8	(10.9)	5.1	(30.4)	1.1	(8.7)
Italy, Catanzaro	1.5	(10.1)	0.1	(0.5)	3.9	(25.6)	0.6	(3.4)	0.8	(3.9)	0.5	(3.4)	1.9	(12.6)	3.8	(25.6)	2.4	(15.0)
Italy, Como	2.7	(14.4)	-	-	4.3	(23.7)	0.3	(2.0)	1.4	(7.0)	0.4	(2.8)	2.8	(11.7)	7.5	(32.7)	1.0	(5.7)
Italy, Ferrara	2.9	(13.9)	0.5	(0.7)	5.1	(25.6)												

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Colon (C18) - Female (contd)

	C18.0	C18.1	C18.2	C18.3	C18.4	C18.5	C18.6	C18.7	C18.8-9	
	Caecum	Appendix	Ascend.	Hepatic	Transv.	Splenic	Descend.	Sigmoid	Other	
	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	
Europe (contd)										
Italy, Syracuse	2.0 (13.0)	-	-	3.0 (20.9)	0.2 (1.1)	0.5 (3.3)	0.3 (2.2)	2.4 (13.0)	5.3 (28.8)	2.7 (17.7)
Italy, Trapani	1.5 (12.2)	0.2 (1.0)	2.6 (17.9)	0.7 (5.1)	0.9 (8.4)	0.7 (3.4)	2.3 (13.9)	4.8 (30.1)	1.1 (8.1)	
Italy, Trento	2.8 (19.1)	0.1 (0.5)	3.3 (26.8)	0.9 (6.9)	1.3 (9.3)	0.6 (3.4)	1.6 (9.5)	3.0 (21.8)	0.2 (2.7)	
Italy, Turin	3.2 (18.1)	0.2 (0.4)	2.8 (16.3)	0.8 (4.3)	1.5 (8.3)	0.7 (3.2)	1.5 (6.8)	6.1 (30.2)	2.3 (12.4)	
Italy, Umbria	2.0 (10.2)	0.4 (1.2)	5.4 (27.1)	0.4 (1.9)	1.2 (5.3)	0.3 (1.3)	2.3 (10.8)	6.9 (30.8)	2.1 (11.3)	
Italy, Varese	2.4 (12.9)	0.2 (0.7)	3.3 (17.0)	0.4 (3.0)	1.5 (6.1)	0.6 (2.8)	1.6 (6.8)	7.4 (34.1)	3.4 (16.5)	
Italy, Veneto	1.3 (6.6)	0.2 (0.6)	1.8 (10.1)	0.4 (2.3)	0.9 (3.9)	0.3 (1.5)	1.1 (5.0)	4.5 (20.6)	10.0 (49.5)	
Latvia	1.6 (13.4)	0.1 (0.4)	1.7 (16.3)	0.7 (5.8)	1.2 (10.1)	0.4 (3.4)	0.6 (4.8)	4.5 (35.4)	1.1 (10.3)	
Lithuania	1.4 (13.3)	0.1 (0.8)	1.4 (13.7)	0.5 (5.3)	1.0 (9.4)	0.4 (3.1)	0.6 (5.6)	4.5 (39.1)	0.9 (9.8)	
Malta	2.1 (15.7)	0.5 (1.8)	1.1 (7.9)	0.2 (1.4)	1.1 (6.8)	0.3 (2.5)	0.6 (3.2)	2.6 (17.5)	6.1 (43.2)	
*The Netherlands	4.5 (23.6)	0.4 (1.4)	3.0 (15.9)	1.2 (6.2)	1.6 (8.1)	0.9 (4.1)	0.9 (3.9)	7.3 (33.5)	0.6 (3.1)	
*The Netherlands, Eindhoven	4.5 (21.2)	0.3 (1.0)	4.1 (18.4)	1.2 (6.1)	1.8 (8.8)	0.8 (3.5)	0.9 (3.9)	8.0 (34.6)	0.6 (2.5)	
Norway	5.2 (24.1)	0.7 (1.9)	4.4 (19.4)	1.1 (5.2)	2.5 (10.3)	0.8 (3.2)	0.9 (3.5)	6.8 (26.5)	1.1 (5.9)	
Poland, Cracow	0.7 (5.0)	0.2 (0.9)	0.2 (1.4)	0.5 (3.9)	1.9 (14.0)	0.3 (1.6)	1.2 (8.3)	5.2 (36.7)	3.3 (28.2)	
Poland, Kielce	1.2 (13.3)	0.1 (0.6)	0.6 (5.9)	0.4 (4.4)	0.5 (4.4)	0.3 (3.0)	0.2 (1.8)	3.9 (36.5)	2.7 (30.1)	
Poland, Lower Silesia	0.5 (3.9)	0.1 (0.5)	1.9 (16.1)	0.4 (3.4)	0.6 (5.4)	0.3 (2.3)	0.5 (3.9)	4.5 (37.4)	3.1 (27.2)	
Poland, Podkarpackie	1.4 (14.5)	0.1 (0.5)	0.8 (8.5)	0.3 (3.9)	0.5 (4.9)	0.3 (2.6)	0.3 (2.9)	3.8 (36.5)	2.2 (25.7)	
Portugal, Azores	1.3 (9.0)	0.3 (2.1)	1.5 (13.8)	-	1.2 (6.2)	0.6 (3.4)	1.9 (11.0)	5.8 (38.6)	1.8 (15.9)	
Russian Federation, Saint Petersburg	2.7 (16.6)	0.1 (0.3)	1.9 (11.4)	1.1 (6.7)	1.6 (9.3)	1.0 (5.6)	1.0 (5.4)	6.9 (36.4)	1.3 (8.4)	
*Serbia, Central	1.2 (12.7)	0.1 (0.8)	0.7 (7.2)	0.3 (3.3)	0.4 (3.7)	0.2 (2.3)	0.3 (2.8)	2.4 (23.5)	4.4 (43.7)	
Slovakia	3.0 (18.4)	0.2 (0.8)	2.0 (12.4)	1.1 (6.8)	1.4 (7.8)	0.9 (5.0)	0.9 (5.2)	5.8 (33.2)	1.5 (10.4)	
Slovenia	2.4 (17.2)	0.2 (0.8)	1.8 (13.4)	0.8 (6.2)	1.1 (7.5)	0.9 (6.1)	0.6 (4.2)	6.4 (41.1)	0.4 (3.5)	
Spain, Albacete	1.3 (13.9)	0.2 (1.5)	1.7 (15.8)	0.4 (4.0)	0.6 (5.5)	0.6 (4.0)	0.6 (5.1)	4.7 (36.3)	1.6 (13.9)	
Spain, Asturias	1.3 (10.3)	0.2 (1.1)	1.5 (12.4)	0.6 (4.0)	0.6 (3.8)	0.3 (2.4)	0.5 (3.1)	5.5 (34.7)	4.0 (28.1)	
Spain, Basque Country	2.0 (15.7)	0.3 (1.4)	2.0 (13.9)	0.8 (5.7)	0.9 (6.2)	0.7 (4.1)	1.0 (6.0)	5.9 (35.5)	1.4 (11.5)	
Spain, Canary Islands	2.4 (17.3)	0.3 (1.7)	2.2 (15.8)	0.4 (3.0)	0.9 (6.4)	0.4 (2.5)	1.1 (6.5)	5.3 (35.6)	1.4 (11.1)	
Spain, Ciudad Real	1.5 (11.9)	0.3 (1.0)	1.7 (12.7)	0.9 (5.3)	1.2 (5.8)	0.3 (2.0)	0.8 (4.8)	5.7 (32.0)	3.7 (24.4)	
Spain, Cuenca	1.5 (16.6)	0.5 (2.4)	1.6 (13.6)	0.8 (8.3)	0.4 (5.3)	0.1 (2.4)	0.9 (5.9)	3.3 (29.0)	1.1 (16.6)	
Spain, Girona	1.7 (10.4)	0.0 (0.5)	1.9 (11.1)	0.3 (2.3)	0.7 (4.5)	0.5 (2.3)	0.9 (3.5)	6.1 (28.8)	6.4 (36.7)	
*Spain, Granada	2.1 (16.7)	0.1 (0.8)	1.8 (13.0)	0.9 (7.1)	0.8 (6.5)	0.7 (4.2)	1.1 (7.1)	5.8 (40.2)	0.6 (4.4)	
Spain, La Rioja	3.0 (21.1)	0.1 (0.3)	1.4 (11.4)	1.1 (9.7)	1.3 (8.4)	0.5 (3.3)	0.8 (4.0)	6.2 (33.8)	1.2 (8.0)	
Spain, Mallorca	2.4 (16.0)	0.3 (1.2)	2.1 (13.7)	0.9 (5.1)	1.4 (8.0)	0.5 (3.2)	0.8 (4.6)	6.8 (37.0)	1.5 (11.3)	
Spain, Murcia	2.7 (16.3)	0.3 (1.5)	2.6 (14.1)	0.4 (2.1)	0.8 (4.2)	0.5 (2.2)	1.1 (5.0)	6.3 (31.5)	4.0 (23.1)	
Spain, Navarra	2.9 (20.3)	0.6 (2.5)	2.5 (17.2)	0.8 (5.4)	0.7 (4.7)	0.8 (5.4)	1.0 (6.2)	5.9 (33.0)	0.6 (5.1)	
Spain, Tarragona	1.9 (10.5)	0.2 (0.5)	2.9 (14.6)	0.7 (3.2)	1.2 (5.8)	0.7 (3.3)	1.0 (4.9)	7.6 (37.2)	4.0 (19.9)	
*Sweden	-	-	0.3 (1.4)	5.8 (40.2)	-	2.5 (16.0)	-	0.7 (4.0)	5.1 (28.9)	1.5 (9.4)
Switzerland, Basel	2.3 (21.8)	1.0 (4.2)	2.9 (23.0)	0.4 (3.5)	1.1 (8.5)	0.7 (3.5)	1.0 (6.5)	3.2 (23.2)	0.6 (5.8)	
Switzerland, Geneva	2.8 (20.7)	0.4 (1.5)	2.1 (16.7)	0.5 (3.4)	0.9 (6.4)	0.7 (4.2)	0.8 (5.4)	6.4 (37.4)	0.5 (4.2)	
Switzerland, Graubünden and Glarus	3.2 (25.3)	0.3 (1.6)	2.5 (20.5)	0.8 (7.4)	0.9 (5.8)	0.5 (2.6)	0.3 (2.6)	4.4 (31.6)	0.2 (2.6)	
Switzerland, Neuchâtel	3.0 (21.4)	0.5 (1.9)	2.2 (16.9)	1.3 (7.1)	1.1 (7.8)	0.5 (5.2)	0.9 (6.5)	4.1 (31.8)	0.2 (1.3)	
Switzerland, St Gall-Appenzell	2.4 (21.0)	0.5 (2.6)	1.9 (18.1)	0.3 (3.7)	0.8 (5.5)	0.6 (3.9)	0.8 (5.5)	4.7 (34.1)	0.5 (5.5)	
Switzerland, Ticino	2.0 (13.9)	0.4 (2.2)	4.2 (29.8)	0.7 (4.1)	1.3 (6.6)	0.3 (1.6)	1.1 (6.0)	5.7 (28.7)	1.0 (7.1)	
Switzerland, Valais	2.6 (21.2)	0.2 (1.0)	2.4 (20.2)	0.9 (8.2)	0.7 (4.3)	0.1 (1.4)	0.6 (4.8)	4.3 (29.8)	0.6 (9.1)	
Switzerland, Vaud	2.7 (20.5)	0.4 (1.8)	2.1 (16.2)	0.5 (4.1)	1.3 (8.8)	0.4 (3.4)	0.9 (5.5)	5.5 (34.4)	0.6 (5.5)	
Switzerland, Zurich	2.9 (21.7)	0.8 (3.7)	2.4 (18.0)	0.8 (5.7)	1.1 (7.6)	0.5 (2.7)	0.8 (4.8)	5.0 (30.8)	0.4 (5.0)	
Ukraine	1.4 (14.2)	0.0 (0.3)	1.1 (10.6)	0.7 (6.5)	0.8 (7.3)	0.6 (5.5)	0.7 (6.4)	4.5 (41.0)	0.8 (8.1)	
UK, England	3.4 (24.9)	0.4 (1.6)	1.7 (11.3)	0.5 (3.6)	1.1 (7.2)	0.5 (2.9)	0.6 (3.6)	4.5 (27.6)	2.3 (17.3)	
UK, England, East of England Region	3.9 (28.6)	0.3 (1.3)	1.9 (13.1)	0.6 (3.8)	1.2 (7.9)	0.5 (2.9)	0.7 (4.1)	4.7 (28.4)	1.3 (9.7)	
UK, England, North Western	3.2 (23.3)	0.5 (1.8)	1.4 (9.5)	0.4 (2.8)	1.0 (6.6)	0.4 (2.7)	0.5 (3.1)	4.5 (27.6)	3.1 (22.6)	
UK, England, Northern and Yorkshire	3.5 (25.1)	0.3 (1.3)	1.7 (11.8)	0.6 (4.4)	1.1 (7.1)	0.6 (3.6)	0.7 (4.4)	4.5 (27.9)	1.8 (14.3)	
UK, England, Oxford Region	3.5 (24.6)	0.3 (1.3)	1.8 (11.9)	0.6 (3.5)	1.2 (8.4)	0.5 (3.1)	0.7 (4.0)	4.7 (28.4)	2.1 (14.9)	
UK, England, South and Western Regions	3.8 (25.1)	0.6 (2.1)	2.0 (13.0)	0.6 (3.5)	1.3 (7.9)	0.4 (2.8)	0.6 (3.4)	4.9 (27.3)	2.1 (14.8)	
UK, England, Thames	3.1 (23.7)	0.3 (1.3)	1.4 (9.7)	0.5 (3.4)	0.9 (6.5)	0.4 (2.7)	0.5 (3.1)	4.0 (25.8)	3.2 (23.7)	
UK, England, Trent	3.3 (24.8)	0.5 (2.1)	1.6 (11.5)	0.7 (3.9)	1.0 (6.9)	0.5 (3.2)	0.6 (3.6)	5.0 (30.9)	1.6 (13.0)	
UK, England, West Midlands	3.5 (25.1)	0.4 (1.6)	1.8 (11.6)	0.6 (3.7)	1.1 (7.0)	0.4 (2.4)	0.6 (3.8)	4.5 (27.2)	2.3 (17.6)	
UK, Northern Ireland	4.2 (24.0)	0.4 (1.7)	1.9 (11.0)	0.8 (4.3)	1.3 (7.9)	0.9 (4.3)	0.8 (4.0)	5.6 (28.1)	2.3 (14.8)	
UK, Scotland	4.3 (25.2)	0.3 (1.2)	1.9 (11.7)	0.9 (4.8)	1.3 (7.3)	0.5 (2.9)	0.7 (3.8)	5.3 (27.8)	2.5 (15.1)	
UK, Wales	4.1 (27.4)	0.3 (1.3)	1.5 (9.4)	0.6 (3.5)	1.1 (7.2)	0.5 (2.9)	0.9 (4.8)	5.0 (27.4)	2.0 (16.1)	
Oceania										
Australian Capital Territory	5.8 (27.8)	0.9 (2.7)	2.9 (13.7)	1.1 (5.9)	2.5 (11.0)	0.6 (3.5)	0.6 (2.4)	5.7 (26.7)	1.3 (6.3)	
Australia, New South Wales	4.6 (22.7)	0.5 (1.8)	3.8 (17.9)	1.1 (4.8)	2.5 (11.0)	0.8 (3.6)	1.1 (4.6)	5.8 (24.3)	1.8 (9.4)	
Australia, Northern Territory	2.8 (15.9)	0.3 (1.4)	2.6 (14.5)	0.8 (4.3)	2.5 (14.5)	0.3 (1.4)	1.8 (11.6)	4.2 (27.5)	1.8 (8.7)	
Australia, Northern Territory: Indigenous	0.8 (11.1)	-	1.3 (11.1)	0.5 (11.1)	0.6 (11.1)	-	0.8 (11.1)	1.9 (22.2)	2.5 (22.2)	
Australia, Northern Territory: Non-Indigenous	3.5 (16.7)	0.4 (1.7)	3.0 (15.0)	0.9 (3.3)	3.2 (15.0)	0.4 (1.7)	2.0 (11.7)	5.0 (28.3)	1.6 (6.7)	
Australia, Queensland	5.1 (23.0)	0.5 (1.8)	4.4 (19.3)	1.2 (5.1)	2.2 (9.1)	0.8 (3.4)	1.2 (4.9)	6.4 (24.8)	1.8 (8.5)	
South Australia	5.0 (25.9)	0.6 (1.7)	3.9 (18.4)	1.0 (4.6)	2.0 (8.5)	0.9 (3.7)	1.2 (4.8)	6.7 (26.5)	1.0 (5.7)	
Australia, Tasmania	5.5 (24.5)	0.4 (1.0)	3.6 (15.5)	0.8 (4.0)	2.4 (10.5)	0.7 (3.3)	0.5 (2.3)	7.4 (28.0)	2.1 (11.0)	
Australia, Victoria	4.4 (21.7)	0.5 (1.6)	4.3 (20.5)	0.8 (3.8)	2.2 (10.6)	0.7 (3.0)	1.2 (4.9)	6.1 (25.3)	1.5 (8.8)	
Western Australia	3.6 (19.3)	0.4 (1.5)	4.2 (20.7)	0.8 (4.4)	1.7 (8.8)	0.7 (3.2)	1.1 (5.4)	6.8 (30.9)	0.8 (5.7)	
New Zealand	5.1 (21.3)	0.6 (1.9)	5.3 (21.3)	1.2 (4.7)	2.7 (10.4)	0.9 (3.1)	1.7 (6.0)	6.8 (24.2)	1.6 (7.0)	
New Zealand: Maori	2.6 (15.4)	0.6 (4.4)	2.8 (16.5)	0.4 (2.2)	1.1 (6.6)	0.6 (4.4)	1.0 (5.5)	5.8 (35.2)	1.8 (9.9)	
New Zealand: Pacific Islander	1.4 (13.3)	1.0 (11.1)	2.1 (20.0)	0.3 (2.2)	0.4 (4.4)	0.2 (2.2)	0.2 (2.2)	3.4 (37.8)	0.5 (6.7)	
New Zealand: Other	5.4 (21.6)	0.5 (1.7)	5.6 (21.6)	1.2 (4.8)	2.9 (10.6)	0.9 (3.1)	1.8 (6.1)	7.0 (23.6)	1.6 (6.9)	
USA, Hawaii	2.9 (18.6)	0.5 (2.1)	3.2 (21.0)	0.7 (4.2)	1.5 (9.3)	0.4 (2.3)	1.2 (5.9)	6.9 (34.1)	0.4 (2.5)	
*USA, Hawaii: Chinese	1.3 (9.6)	1.0 (2.7)	4.3 (27.4)	1.2 (8.2)	1.3 (9.6)	0.1 (1.4)	1.2 (6.8)	4.6 (28.8)	1.0 (5.5)	
*USA, Hawaii: Filipino	2.2 (12.1)	0.5 (2.3)	3.0 (16.7)	0.7 (4.5)	1.1 (7.6)	0.4 (2.3)	1.2 (7.6)	8.2 (43.2)	0.8 (3.8)	
*USA, Hawaii: Hawaiian	2.4 (18.0)	0.9 (5.4)	2.3 (18.9)	0.2 (1.8)	1.2 (8.1)	0.7 (4.5)	0.7 (4.5)	5.5 (34.2)	0.4 (4.5)	
*USA, Hawaii: Japanese	3.7 (22.1)	0.4 (0.9)	3.3 (20.8)	0.8 (3.2)	1.7 (9.5)	0.5 (2.7)	1.9 (6.5)	9.1 (33.0)	0.3 (1.4)	
*USA, Hawaii: White	3.4 (19.3)	0.6 (2.6)	3.9 (23.3)	0.6 (4.4)	1.9 (11.1)	0.1 (0.4)	1.0 (4.4)	6.3 (31.5)	0.5 (3.0)	

Rates based on less than 10 cases are in italics.

*Important. See note on population page.