

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases**

Stomach (C16) - Male

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia		Fundus		Body		Pyloric		Pylorus		Le. curv.		Gr. curv.		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Africa																
*Algeria, Sétif	0.0	(0.8)	0.0	(0.8)	0.2	(2.3)	-	-	0.0	(0.8)	-	-	-	-	5.4	(95.3)
*Algeria, Batna	0.4	(6.2)	0.2	(4.4)	0.1	(1.8)	1.1	(16.8)	0.2	(3.5)	0.0	(0.9)	-	-	3.5	(66.4)
*Kenya, Nairobi	0.5	(6.6)	-	-	0.0	(0.4)	0.1	(1.2)	-	-	-	-	-	-	9.8	(91.8)
Seychelles	-	-	-	-	-	-	-	-	0.5	(14.3)	-	-	-	-	3.9	(85.7)
*South Africa, Eastern Cape	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	(100.0)
*Uganda, Kyadondo County	-	-	-	-	-	-	0.1	(5.0)	0.1	(1.2)	-	-	-	-	5.6	(93.8)
*Zimbabwe, Harare: African	1.3	(7.3)	-	-	-	-	0.1	(0.7)	-	-	-	-	-	-	16.2	(92.0)
Central and South America																
Argentina, Chaco	-	-	-	-	0.1	(0.3)	-	-	0.0	(0.3)	-	-	0.1	(0.3)	13.0	(99.0)
Argentina, Entre Ríos Province	0.8	(6.6)	0.2	(1.7)	0.2	(1.7)	1.3	(10.7)	0.0	(0.3)	0.1	(1.0)	0.1	(0.7)	9.8	(77.2)
Argentina, Córdoba	0.2	(1.7)	0.2	(1.4)	0.2	(1.7)	0.2	(2.6)	0.2	(2.3)	0.1	(1.2)	0.1	(0.9)	8.3	(88.1)
Argentina, Mendoza	1.5	(11.1)	0.0	(0.3)	0.6	(4.8)	0.9	(7.0)	0.1	(0.5)	0.1	(1.0)	0.1	(0.8)	9.4	(74.6)
Argentina, Tierra del Fuego	2.1	(11.4)	0.6	(2.9)	0.6	(5.7)	0.9	(5.7)	0.3	(2.9)	-	-	-	-	9.7	(71.4)
Brazil, Aracaju	0.9	(7.1)	0.2	(2.4)	0.1	(0.8)	1.7	(14.2)	0.2	(1.6)	0.3	(2.4)	-	-	8.8	(71.7)
Brazil, Curitiba	1.3	(9.5)	0.2	(1.3)	1.2	(8.4)	2.8	(20.3)	0.0	(0.2)	0.6	(4.0)	0.1	(0.7)	8.0	(55.7)
Brazil, Florianópolis	1.1	(5.4)	0.8	(4.5)	1.2	(7.1)	4.2	(22.3)	-	-	1.2	(6.2)	1.2	(5.4)	9.5	(49.1)
*Brazil, Goiânia	1.6	(11.0)	0.0	(0.3)	0.4	(3.1)	0.7	(4.6)	0.1	(0.8)	0.1	(0.5)	0.0	(0.3)	12.1	(79.6)
Brazil, Jaú	1.3	(9.8)	-	-	4.2	(31.4)	3.7	(25.5)	0.9	(5.9)	0.3	(2.0)	-	-	3.3	(25.5)
Brazil, Poços de Caldas	1.8	(9.5)	0.7	(3.2)	3.2	(17.5)	4.5	(25.4)	0.6	(3.2)	0.9	(4.8)	0.3	(1.6)	6.8	(34.9)
*Chile, Region of Antofagasta	2.2	(10.0)	-	-	0.3	(1.2)	0.1	(0.6)	0.3	(1.2)	0.4	(1.9)	-	-	17.9	(85.0)
Chile, Bío Bío Province	5.0	(12.2)	0.5	(1.2)	6.6	(15.4)	4.0	(9.3)	-	-	0.3	(0.8)	-	-	25.0	(61.1)
Chile, Concepción	1.3	(3.9)	0.1	(0.4)	0.6	(1.9)	0.9	(2.7)	0.1	(0.4)	-	-	-	-	30.2	(90.7)
*Chile, Valdivia	3.2	(9.8)	0.6	(2.0)	1.7	(5.0)	2.3	(6.5)	0.1	(0.2)	0.7	(2.0)	0.2	(0.5)	24.5	(74.0)
Colombia, Cali	2.1	(10.1)	0.2	(1.0)	1.7	(8.2)	3.7	(18.3)	0.5	(2.3)	0.2	(1.1)	0.2	(0.7)	11.8	(58.4)
Colombia, Bucaramanga	2.5	(14.6)	0.4	(2.3)	1.0	(6.1)	2.4	(13.8)	0.3	(1.6)	0.2	(1.4)	0.1	(0.7)	10.4	(59.4)
*Colombia, Manizales	1.0	(4.7)	0.3	(1.4)	0.1	(0.5)	0.2	(1.4)	0.1	(0.5)	0.1	(0.5)	-	-	18.6	(91.0)
Colombia, Pasto	2.6	(9.7)	0.4	(1.2)	1.5	(5.3)	5.3	(18.6)	0.4	(1.6)	0.5	(2.0)	-	-	15.9	(61.5)
Costa Rica	0.9	(4.4)	0.2	(1.1)	0.4	(1.7)	1.5	(7.1)	0.1	(0.3)	0.1	(0.6)	0.1	(0.2)	17.7	(84.6)
Ecuador, Cuenca	0.3	(1.8)	0.2	(0.9)	1.4	(6.8)	2.7	(12.8)	0.3	(1.4)	0.6	(3.2)	0.5	(2.3)	13.4	(70.8)
Ecuador, Guayaquil	0.6	(4.1)	0.1	(0.6)	1.1	(7.7)	1.4	(10.3)	0.1	(0.6)	0.2	(1.1)	0.1	(1.0)	10.4	(74.6)
*Ecuador, Loja	0.6	(3.1)	0.4	(1.0)	2.1	(7.3)	5.8	(16.7)	0.2	(1.0)	1.1	(3.1)	-	-	23.0	(67.7)
*Ecuador, Manabí	0.6	(3.2)	0.1	(0.7)	1.2	(6.1)	2.3	(12.6)	0.1	(0.3)	0.2	(0.9)	0.0	(0.2)	14.2	(76.0)
Ecuador, Quito	1.6	(7.1)	0.1	(0.4)	1.2	(5.9)	3.4	(16.2)	0.2	(0.7)	0.6	(2.7)	0.2	(0.8)	13.9	(66.1)
*France, Martinique	1.9	(15.2)	0.8	(6.2)	0.1	(1.0)	4.3	(35.2)	0.3	(2.9)	0.8	(7.6)	0.3	(3.3)	3.7	(28.6)
*French Guiana	1.2	(7.1)	1.8	(8.6)	1.1	(7.1)	3.0	(17.1)	-	-	1.8	(10.0)	0.9	(4.3)	7.3	(45.7)
*Jamaica, Kingston and St Andrew	0.6	(6.9)	-	-	0.6	(6.9)	2.1	(27.7)	0.3	(3.0)	0.1	(1.0)	0.1	(1.0)	4.1	(53.5)
*Peru, Lima	1.3	(5.9)	0.3	(1.6)	2.2	(10.3)	3.9	(18.5)	0.2	(1.0)	0.2	(0.8)	0.1	(0.6)	13.0	(61.3)
USA, Puerto Rico	1.0	(16.0)	0.2	(3.3)	0.5	(8.9)	1.2	(20.4)	0.1	(1.7)	0.3	(5.6)	0.2	(4.0)	2.5	(40.1)
Uruguay	1.2	(9.2)	0.1	(0.8)	0.5	(3.5)	0.6	(4.2)	0.0	(0.3)	0.1	(0.8)	0.1	(0.5)	10.6	(80.8)
North America																
*Canada, Alberta	2.6	(40.7)	0.3	(5.6)	0.5	(8.5)	0.8	(13.0)	0.1	(2.3)	0.4	(6.3)	0.2	(3.4)	1.2	(20.3)
Canada, British Columbia	2.6	(44.1)	0.2	(2.7)	0.2	(3.7)	0.7	(12.1)	0.1	(1.6)	0.2	(4.4)	0.1	(1.4)	1.6	(30.1)
Canada, Manitoba	3.6	(44.4)	0.2	(2.5)	0.6	(8.7)	1.1	(14.5)	0.1	(1.7)	0.7	(8.5)	0.4	(5.2)	0.9	(14.5)
*Canada, New Brunswick	2.8	(39.5)	0.3	(3.6)	0.6	(8.9)	1.1	(16.5)	0.2	(2.0)	0.4	(6.0)	0.1	(1.6)	1.4	(21.8)
*Canada, Newfoundland and Labrador	3.8	(29.3)	0.5	(4.3)	0.3	(2.0)	1.2	(9.9)	0.0	(0.3)	0.4	(3.3)	0.2	(2.0)	6.1	(49.0)
*Canada, Northwest Territories	3.9	(33.3)	-	-	-	-	2.1	(16.7)	0.7	(8.3)	1.6	(16.7)	1.5	(8.3)	1.8	(16.7)
*Canada, Nova Scotia	2.4	(35.0)	0.4	(5.7)	0.4	(5.1)	1.0	(15.5)	0.3	(4.7)	0.4	(6.4)	0.1	(2.0)	1.7	(25.6)
*Canada, Nunavut	-	-	-	-	-	-	1.8	(33.3)	-	-	1.8	(33.3)	-	-	1.1	(33.3)
*Canada, Ontario	2.3	(34.1)	0.3	(5.2)	0.5	(8.1)	1.1	(17.3)	0.2	(2.7)	0.5	(7.3)	0.2	(3.6)	1.4	(21.7)
*Canada, Prince Edward Island	2.7	(45.0)	0.7	(12.5)	0.3	(5.0)	1.2	(17.5)	-	-	0.3	(5.0)	0.2	(2.5)	0.8	(12.5)
Canada, Saskatchewan	3.6	(49.8)	0.2	(2.2)	0.3	(5.2)	0.9	(13.8)	0.2	(2.8)	0.4	(5.5)	0.2	(2.5)	1.2	(18.2)
*Canada, Yukon	2.9	(33.3)	-	-	-	-	3.9	(41.7)	0.9	(8.3)	0.6	(8.3)	-	-	0.8	(8.3)
USA	2.3	(39.3)	0.2	(4.5)	0.4	(7.2)	0.8	(13.6)	0.1	(2.0)	0.3	(6.1)	0.2	(3.4)	1.3	(24.0)
USA: White	2.4	(46.1)	0.2	(4.4)	0.3	(6.7)	0.5	(10.8)	0.1	(1.6)	0.3	(5.2)	0.2	(3.2)	1.1	(22.0)
USA: Black	1.3	(14.0)	0.5	(5.5)	0.8	(9.0)	2.0	(22.4)	0.3	(3.3)	0.8	(8.8)	0.4	(4.3)	2.9	(32.8)
USA, NPCR	2.3	(39.1)	0.2	(4.5)	0.4	(7.2)	0.8	(13.6)	0.1	(2.0)	0.3	(6.2)	0.2	(3.4)	1.3	(24.0)
USA, NPCR: White	2.4	(46.0)	0.2	(4.4)	0.3	(6.8)	0.5	(10.9)	0.1	(1.6)	0.3	(5.3)	0.2	(3.1)	1.1	(21.9)
USA, NPCR: Black	1.3	(14.0)	0.5	(5.5)	0.8	(9.0)	2.0	(22.3)	0.3	(3.3)	0.8	(8.7)	0.4	(4.3)	3.0	(32.9)
USA, NPCR: Asian and Pacific Islander	1.2	(14.7)	0.3	(3.6)	0.8	(9.3)	2.3	(27.6)	0.3	(3.1)	1.0	(11.1)	0.3	(4.0)	2.2	(26.4)
USA, NPCR: American Indian/Alaska Natives	1.0	(25.9)	0.1	(3.2)	0.3	(7.8)	0.5	(12.7)	0.1	(3.5)	0.4	(10.7)	0.2	(4.6)	1.2	(31.7)
USA, SEER (18 registries)	2.3	(35.8)	0.3	(4.5)	0.5	(8.1)	0.9	(15.7)	0.1	(2.3)	0.4	(7.2)	0.2	(3.7)	1.4	(22.7)
*USA, SEER (18 registries): White	2.5	(42.9)	0.2	(4.5)	0.4	(7.7)	0.7	(12.4)	0.1	(1.9)	0.3	(6.0)	0.2	(3.5)	1.2	(21.2)
*USA, SEER (18 registries): Non-Hispanic White	2.6	(49.7)	0.2	(4.4)	0.3	(6.7)	0.5	(10.5)	0.1	(1.5)	0.2	(5.1)	0.2	(3.1)	0.9	(19.1)
*USA, SEER (18 registries): Hispanic White	1.6	(18.3)	0.4	(5.0)	1.0	(11.1)	1.7	(19.4)	0.3	(3.5)	0.8	(9.0)	0.4	(5.1)	2.5	(28.6)
*USA, SEER (18 registries): Black	1.4	(15.5)	0.4	(5.1)	0.8	(9.5)	2.0	(23.2)	0.3	(3.3)	0.9	(9.5)	0.4	(4.7)	2.6	(29.3)
*USA, SEER (18 registries): Asian and Pacific Islander	1.3	(15.8)	0.3	(3.4)	0.8	(9.7)	2.3	(27.7)	0.3	(3.8)	1.0	(12.0)	0.4	(4.3)	1.9	(23.4)
USA, SEER (9 registries)	2.5	(39.9)	0.3	(4.2)	0.4	(7.4)	0.8	(14.1)	0.1	(1.9)	0.4	(6.4)	0.2	(3.6)	1.4	(22.5)
*USA, SEER (9 registries): White	2.7	(49.1)	0.2	(4.1)	0.3	(6.3)	0.5	(10.4)	0.1	(1.4)	0.3	(5.1)	0.2	(3.4)	1.1	(20.1)
*USA, SEER (9 registries): Black	1.5	(16.8)	0.5	(5.5)	1.0	(11.1)	2.1	(22.5)	0.3	(3.3)	0.8	(8.8)	0.3	(3.8)	2.6	(28.1)
USA, Alabama	1.7	(29.9)	0.2	(2.5)	0.3	(5.0)	0.8	(14.3)	0.2	(3.2)	0.3	(5.7)	0.2	(4.1)	2.0	(35.3)
USA, Alabama: White	1.9	(41.0)	0.1	(2.5)	0.2	(4.3)	0.4	(10.6)	0.1	(2.2)	0.2	(4.3)	0.2	(4.2)	1.4	(30.7)
USA, Alabama: Black	1.0	(9.6)	0.3	(2.6)	0.6	(6.1)	2.1	(20.7)	0.5	(5.2)	0.8	(7.9)	0.4	(4.1)	4.3	(43.7)
USA, Alaska	2.3	(39.1)	0.1	(0.7)	0.1	(1.4)	0.6	(9.4)	0.1	(2.2)	0.9	(15.2)	0.2	(3.6)	1.8	(28.3)
USA, Alaska: Alaska Natives	2.7	(19.0)	-	-	-	-	1.4	(9.5)	0.8	(4.8)	4.5	(33.3)	0.6	(4.8)	4.3	(28.6)
USA, Arizona	1.8	(38.8)	0.2	(3.5)	0.3	(5.9)	0.4	(8.4)	0.1	(1.8)	0.3	(7.0)	0.1	(3.2)	1.4	(31.4)
USA, Arizona: White	1.9	(41.7)	0.1	(3.3)	0.2	(5.5)	0.3	(7.1)	0.1	(1.2)						

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Stomach (C16) - Male (contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia		Fundus		Body		Pyloric		Pylorus		Le. curv.		Gr. curv.		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
North America (contd)																
USA, California	2.1	(31.8)	0.3	(4.7)	0.6	(8.7)	1.1	(17.5)	0.2	(2.5)	0.5	(8.5)	0.3	(4.3)	1.4	(22.1)
USA, California: White	2.3	(37.6)	0.3	(4.8)	0.5	(8.7)	0.8	(13.9)	0.1	(2.2)	0.4	(7.3)	0.2	(4.1)	1.2	(21.4)
USA, California: Black	1.2	(16.2)	0.5	(6.7)	0.7	(8.6)	1.5	(20.4)	0.2	(2.4)	0.6	(7.9)	0.4	(5.1)	2.5	(32.8)
USA, California: American Indian	<i>0.6</i>	<i>(26.7)</i>	<i>0.2</i>	<i>(10.0)</i>	<i>0.1</i>	<i>(6.7)</i>	<i>0.3</i>	<i>(16.7)</i>	-	-	<i>0.1</i>	<i>(3.3)</i>	<i>0.1</i>	<i>(6.7)</i>	<i>0.6</i>	<i>(30.0)</i>
USA, California, Los Angeles County	1.9	(23.8)	0.4	(5.4)	0.8	(9.6)	1.6	(21.0)	0.3	(3.6)	0.8	(9.5)	0.3	(3.9)	1.8	(23.3)
*USA, California, Los Angeles County: White	2.1	(27.9)	0.4	(5.6)	0.7	(9.6)	1.3	(18.3)	0.2	(3.2)	0.6	(8.2)	0.3	(4.0)	1.7	(23.2)
*USA, California, Los Angeles County: Non-Hispanic White	2.4	(42.2)	0.3	(5.2)	0.4	(7.8)	0.7	(13.6)	0.1	(2.0)	0.4	(7.4)	0.2	(2.6)	1.0	(19.4)
*USA, California, Los Angeles County: Hispanic White	1.5	(15.4)	0.6	(6.0)	1.1	(11.3)	2.2	(22.4)	0.4	(4.3)	0.9	(8.9)	0.5	(5.2)	2.5	(26.6)
*USA, California, Los Angeles County: Black	1.1	(13.8)	0.6	(8.3)	0.8	(9.9)	1.7	(20.6)	0.1	(1.6)	0.7	(9.1)	0.4	(4.3)	2.7	(32.4)
*USA, California, Los Angeles County: Chinese	1.2	(14.9)	<i>0.1</i>	<i>(1.4)</i>	0.6	(7.4)	2.2	(29.1)	<i>0.5</i>	<i>(6.1)</i>	1.2	(12.8)	<i>0.3</i>	<i>(3.4)</i>	1.8	(25.0)
*USA, California, Los Angeles County: Filipino	1.3	(33.3)	<i>0.3</i>	<i>(6.7)</i>	<i>0.3</i>	<i>(11.1)</i>	0.8	(22.2)	<i>0.3</i>	<i>(6.7)</i>	<i>0.1</i>	<i>(2.2)</i>	<i>0.1</i>	<i>(2.2)</i>	<i>0.6</i>	<i>(15.6)</i>
*USA, California, Los Angeles County: Korean	1.4	(6.0)	1.0	(5.1)	2.9	(12.0)	8.5	(35.0)	1.3	(5.1)	4.4	(17.1)	<i>1.0</i>	<i>(4.1)</i>	3.9	(15.7)
USA, California, San Francisco Bay Area	2.2	(32.4)	0.3	(5.7)	0.4	(6.7)	1.1	(18.1)	0.1	(2.0)	0.5	(8.7)	0.3	(5.5)	1.3	(20.9)
*USA, California, San Francisco Bay Area: White	2.5	(42.0)	0.3	(6.2)	0.3	(6.4)	0.7	(12.7)	<i>0.1</i>	<i>(1.4)</i>	0.4	(7.3)	0.3	(5.2)	1.0	(18.8)
*USA, California, San Francisco Bay Area: Non-Hispanic White	2.7	(49.8)	0.2	(4.7)	0.2	(5.9)	0.5	(10.7)	<i>0.0</i>	<i>(1.0)</i>	0.3	(6.6)	0.2	(4.7)	0.8	(16.6)
*USA, California, San Francisco Bay Area: Hispanic White	1.5	(17.1)	1.0	(11.2)	0.8	(7.9)	1.5	(19.1)	<i>0.2</i>	<i>(2.6)</i>	0.9	(9.9)	0.5	(6.6)	2.1	(25.7)
*USA, California, San Francisco Bay Area: Black	1.6	(19.5)	<i>0.6</i>	<i>(6.8)</i>	<i>0.7</i>	<i>(7.6)</i>	2.0	(22.9)	<i>0.5</i>	<i>(5.9)</i>	<i>0.3</i>	<i>(3.4)</i>	<i>0.2</i>	<i>(3.4)</i>	2.8	(30.5)
*USA, California, San Francisco Bay Area: Chinese	1.1	(13.7)	<i>0.3</i>	<i>(5.4)</i>	<i>0.3</i>	<i>(3.6)</i>	2.3	(29.8)	<i>0.2</i>	<i>(2.4)</i>	1.2	(14.9)	0.5	(6.0)	1.9	(24.4)
*USA, California, San Francisco Bay Area: Filipino	1.7	(32.6)	-	-	<i>0.7</i>	<i>(14.0)</i>	1.1	(23.3)	-	-	<i>0.6</i>	<i>(14.0)</i>	<i>0.4</i>	<i>(9.3)</i>	<i>0.3</i>	<i>(7.0)</i>
*USA, California, San Francisco Bay Area: Japanese	2.3	(20.0)	<i>0.6</i>	<i>(6.7)</i>	<i>1.0</i>	<i>(10.0)</i>	2.3	(23.3)	-	-	<i>1.7</i>	<i>(16.7)</i>	<i>0.3</i>	<i>(3.3)</i>	2.0	(20.4)
USA, Colorado	2.2	(46.0)	0.2	(4.8)	0.2	(4.9)	0.6	(12.5)	0.1	(1.9)	0.2	(5.1)	0.2	(3.5)	1.0	(21.4)
USA, Colorado: White	2.2	(49.0)	0.2	(4.8)	0.2	(4.7)	0.5	(11.2)	0.1	(1.3)	0.2	(4.4)	0.2	(3.6)	1.0	(20.9)
USA, Colorado: Black	<i>1.1</i>	<i>(14.9)</i>	<i>0.5</i>	<i>(6.4)</i>	<i>0.5</i>	<i>(6.4)</i>	2.1	(25.5)	<i>0.6</i>	<i>(6.4)</i>	<i>0.9</i>	<i>(12.8)</i>	<i>0.3</i>	<i>(4.3)</i>	1.8	(23.4)
USA, Connecticut	3.0	(42.2)	0.3	(4.0)	0.5	(7.1)	0.8	(12.5)	0.2	(2.1)	0.4	(6.1)	0.3	(4.0)	1.5	(22.0)
*USA, Connecticut: White	3.3	(46.5)	0.3	(3.8)	0.4	(5.7)	0.7	(11.1)	0.1	(1.8)	0.4	(5.4)	0.3	(4.0)	1.5	(21.6)
*USA, Connecticut: Black	<i>1.0</i>	<i>(9.4)</i>	<i>0.7</i>	<i>(7.3)</i>	1.7	(17.7)	2.4	(22.9)	<i>0.5</i>	<i>(5.2)</i>	1.0	(10.4)	<i>0.3</i>	<i>(3.1)</i>	2.3	(24.0)
USA, Delaware	2.1	(36.4)	<i>0.2</i>	<i>(3.7)</i>	0.4	(7.0)	0.8	(15.0)	<i>0.1</i>	<i>(1.4)</i>	0.3	(6.1)	0.2	(2.8)	1.6	(27.6)
USA, Delaware: White	2.3	(46.4)	<i>0.2</i>	<i>(5.3)</i>	<i>0.3</i>	<i>(6.0)</i>	0.4	(11.3)	-	-	0.3	(6.6)	<i>0.1</i>	<i>(2.0)</i>	1.2	(22.5)
USA, Delaware: Black	<i>1.4</i>	<i>(12.7)</i>	-	-	<i>1.2</i>	<i>(10.9)</i>	2.8	(27.3)	<i>0.5</i>	<i>(5.5)</i>	<i>0.4</i>	<i>(3.6)</i>	<i>0.4</i>	<i>(3.6)</i>	3.7	(36.4)
USA, Florida	1.9	(38.0)	0.2	(5.1)	0.4	(8.0)	0.7	(14.3)	0.1	(2.0)	0.3	(6.2)	0.1	(2.8)	1.2	(23.6)
USA, Florida: White	2.1	(44.0)	0.2	(4.9)	0.3	(7.4)	0.5	(11.6)	0.1	(1.5)	0.2	(5.7)	0.1	(2.7)	1.0	(22.4)
USA, Florida: Black	1.0	(11.3)	0.5	(5.9)	0.9	(10.5)	2.3	(26.2)	0.4	(4.4)	0.8	(8.8)	0.3	(3.0)	2.6	(29.9)
USA, Georgia	1.9	(32.9)	0.3	(5.1)	0.5	(9.1)	1.0	(17.3)	0.1	(2.5)	0.3	(5.7)	0.2	(3.8)	1.4	(23.7)
USA, Georgia: White	2.0	(43.9)	0.2	(5.5)	0.4	(8.8)	0.5	(11.6)	0.1	(1.7)	0.2	(4.4)	0.1	(3.0)	1.0	(21.1)
USA, Georgia: Black	1.3	(15.3)	0.4	(4.6)	0.8	(9.9)	2.2	(25.5)	0.3	(4.0)	0.7	(7.9)	0.5	(5.4)	2.4	(27.3)
USA, Georgia, Atlanta	2.0	(30.2)	0.4	(5.4)	0.5	(7.7)	1.3	(19.4)	<i>0.1</i>	<i>(1.3)</i>	0.4	(6.6)	0.3	(4.4)	1.6	(25.0)
*USA, Georgia, Atlanta: White	2.2	(46.9)	0.3	(5.2)	0.3	(6.6)	0.5	(11.1)	<i>0.0</i>	<i>(0.7)</i>	0.2	(4.9)	0.2	(3.8)	1.0	(20.8)
*USA, Georgia, Atlanta: Black	1.6	(16.3)	0.5	(5.3)	0.9	(9.5)	2.4	(25.0)	<i>0.1</i>	<i>(1.5)</i>	0.9	(9.1)	0.6	(5.7)	2.5	(27.7)
USA, Idaho	2.2	(52.4)	0.2	(3.9)	0.3	(7.1)	0.3	(7.1)	<i>0.1</i>	<i>(1.2)</i>	0.2	(4.3)	<i>0.1</i>	<i>(2.8)</i>	0.9	(21.3)
USA, Illinois	2.5	(39.2)	0.3	(4.2)	0.4	(7.5)	0.8	(14.0)	0.1	(1.9)	0.3	(5.1)	0.2	(3.5)	1.5	(24.6)
USA, Illinois: White	2.7	(47.0)	0.2	(4.3)	0.4	(7.1)	0.6	(11.0)	0.1	(1.7)	0.3	(4.5)	0.2	(2.9)	1.2	(21.6)
USA, Illinois: Black	1.5	(14.2)	0.5	(4.6)	0.8	(8.1)	2.3	(22.9)	0.3	(2.8)	0.6	(6.1)	0.6	(5.7)	3.6	(35.5)
USA, Indiana	2.2	(46.3)	0.2	(3.9)	0.3	(6.5)	0.5	(10.3)	0.1	(1.3)	0.2	(4.5)	0.2	(3.3)	1.1	(23.8)
USA, Indiana: White	2.2	(51.1)	0.2	(3.8)	0.2	(5.6)	0.3	(8.3)	0.1	(1.3)	0.2	(4.5)	0.2	(3.2)	0.9	(22.3)
USA, Indiana: Black	1.1	(14.7)	<i>0.5</i>	<i>(6.2)</i>	0.8	(11.6)	1.9	(22.5)	<i>0.2</i>	<i>(1.6)</i>	<i>0.3</i>	<i>(3.9)</i>	<i>0.4</i>	<i>(4.7)</i>	2.9	(34.9)
USA, Iowa	2.6	(53.6)	0.2	(3.4)	0.3	(6.4)	0.4	(9.8)	<i>0.1</i>	<i>(1.3)</i>	0.2	(5.1)	0.2	(2.9)	0.8	(17.5)
USA, Kentucky	2.4	(43.3)	0.3	(5.6)	0.3	(6.3)	0.6	(11.4)	0.1	(2.5)	0.3	(5.5)	0.2	(4.0)	1.1	(21.4)
USA, Louisiana	2.2	(31.7)	0.3	(4.8)	0.4	(5.7)	1.3	(19.4)	0.2	(2.6)	0.7	(9.4)	0.3	(4.9)	1.5	(21.4)
USA, Louisiana: White	2.5	(45.5)	0.2	(5.0)	0.2	(4.7)	0.7	(14.1)	0.1	(1.7)	0.3	(6.6)	0.2	(3.8)	0.9	(18.5)
USA, Louisiana: Black	1.7	(13.8)	0.6	(4.6)	0.9	(7.3)	3.2	(26.7)	0.4	(3.3)	1.6	(13.4)	0.8	(6.5)	3.0	(24.4)
USA, Louisiana, New Orleans	2.4	(29.8)	0.4	(5.3)	0.4	(4.8)	1.5	(19.7)	<i>0.2</i>	<i>(2.2)</i>	0.6	(8.8)	0.4	(5.3)	1.9	(24.1)
*USA, Louisiana, New Orleans: White	2.6	(45.9)	<i>0.4</i>	<i>(5.5)</i>	<i>0.1</i>	<i>(1.8)</i>	0.8	(12.8)	-	-	<i>0.4</i>	<i>(8.3)</i>	<i>0.2</i>	<i>(4.6)</i>	1.1	(21.1)
*USA, Louisiana, New Orleans: Black	2.0	(16.5)	<i>0.7</i>	<i>(5.5)</i>	<i>0.9</i>	<i>(8.3)</i>	3.0	(26.6)	<i>0.3</i>	<i>(2.8)</i>	1.0	(9.2)	<i>0.6</i>	<i>(5.5)</i>	3.0	(25.7)
USA, Maine	2.7	(55.4)	0.2	(4.7)	0.4	(8.4)	0.5	(10.4)	<i>0.1</i>	<i>(2.0)</i>	0.2	(3.4)	0.2	(4.4)	0.5	(11.4)
USA, Maryland	1.9	(34.9)	0.3	(5.2)	0.4	(7.2)	0.8	(15.6)	0.1	(2.0)	0.3	(5.1)	0.2	(3.4)	1.5	(26.5)
USA, Maryland: White	2.3	(50.4)	0.2	(4.7)	0.2	(5.7)	0.4	(9.9)	<i>0.1</i>	<i>(1.3)</i>	0.2	(4.4)	0.2	(3.6)	0.9	(19.9)
USA, Maryland: Black	1.0	(13.0)	0.5	(6.3)	0.7	(8.5)	1.9	(23.3)	0.3	(3.4)	0.5	(6.1)	0.3	(3.7)	2.8	(35.7)
USA, Massachusetts	2.4	(39.8)	0.3	(5.0)	0.4	(7.2)	0.8	(14.2)	0.1	(1.5)	0.3	(6.1)	0.2	(3.6)	1.3	(22.7)
USA, Massachusetts: White	2.6	(43.3)	0.3	(5.0)	0.4	(7.0)	0.7	(12.5)	0.1	(1.2)	0.3	(5.5)	0.2	(3.7)	1.2	(21.7)
USA, Massachusetts: Black	1.2	(15.1)	<i>0.6</i>	<i>(5.7)</i>	<i>0.4</i>	<i>(5.7)</i>	2.4	(28.3)	<i>0.3</i>	<i>(3.8)</i>	0.7	(9.4)	<i>0.4</i>	<i>(4.7)</i>	2.2	(27.4)
USA, Michigan	2.9	(48.0)	0.2	(4.2)	0.4	(6.0)	0.6	(11.2)	0.1	(1.6)	0.3	(4.9)	0.2	(2.9)	1.2	(21.2)
USA, Michigan: White	3.1	(54.3)	0.2	(4.0)	0.3	(5.1)	0.5	(9.6)	0.1	(1.3)	0.2	(3.9)	0.1	(2.5)	1.0	(19.4)
USA, Michigan: Black	1.4	(16.6)	0.5	(5.7)	1.0	(10.6)	1.8	(19.9)	0.3	(3.0)	0.9	(10.4)	0.4	(4.6)	2.6	(29.2)
USA, Michigan, Detroit	2.9	(40.8)	0.3	(4.4)	0.6	(8.7)	0.9	(13.8)	0.1	(1.8)	0.4	(6.1)	0.2	(2.6)	1.5	(21.9)
*USA, Michigan, Detroit: White	3.3	(49.0)	0.3	(4.4)	0.4	(7.5)	0.7	(11.7)	0.1	(1.3)	0.3	(4.7)	0.2	(2.5)	1.1	(18.8)
*USA, Michigan, Detroit: Black	1.8	(19.7)	0.5	(4.7)	1.1	(12.2)	1.9	(20.1)	<i>0.3</i>	<i>(2.9)</i>	0.9	(10.0)	<i>0.3</i>	<i>(2.9)</i>	2.7	(27.6)
USA, Minnesota	2.5	(49.1)	0.2	(4.4)	0.3	(7.2)	0.5	(11.3)	0.1	(1.7)	0.2	(5.1)	0.1	(2.8)	0.8	(18.3)
USA, Mississippi	2.0	(32.4)	0.3	(5.5)	0.5	(8.1)	0.9	(14.1)	0.2	(2.7)	0.					

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Stomach (C16) - Male (contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia	Fundus	Body	Pyloric	Pylorus	Le. curv.	Gr. curv.	Other	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)
North America (contd)																
USA, New York State	2.6 (33.8)	0.4 (5.0)	0.7 (9.0)	1.3 (17.4)	0.2 (2.0)	0.5 (7.2)	0.2 (3.0)	1.6 (22.6)								
USA, New York State: White	2.9 (42.2)	0.3 (5.0)	0.6 (8.7)	0.8 (13.4)	0.1 (1.8)	0.4 (6.4)	0.2 (2.9)	1.2 (19.8)								
USA, New York State: Black	1.3 (13.1)	0.6 (6.0)	0.9 (8.6)	2.5 (25.9)	0.2 (2.7)	1.0 (9.9)	0.3 (3.6)	2.9 (30.2)								
USA, North Carolina	2.0 (36.9)	0.3 (6.1)	0.4 (7.3)	0.7 (13.3)	0.1 (1.9)	0.4 (7.3)	0.2 (3.6)	1.2 (23.6)								
USA, North Carolina: White	2.2 (45.9)	0.3 (5.7)	0.3 (7.2)	0.4 (9.7)	0.1 (1.9)	0.2 (5.3)	0.1 (3.0)	1.0 (21.2)								
USA, North Carolina: Black	1.3 (15.2)	0.6 (7.5)	0.6 (7.5)	1.9 (22.6)	0.2 (2.0)	0.9 (11.3)	0.4 (4.8)	2.5 (29.1)								
USA, North Dakota	2.4 (46.0)	0.2 (5.0)	0.4 (9.4)	0.4 (8.6)	0.1 (2.2)	0.3 (8.6)	0.1 (2.9)	0.8 (17.3)								
USA, Ohio	2.7 (48.8)	0.2 (3.2)	0.3 (5.5)	0.5 (9.8)	0.1 (1.5)	0.2 (4.1)	0.1 (2.4)	1.3 (24.7)								
USA, Ohio: White	2.8 (54.3)	0.2 (3.2)	0.2 (5.0)	0.4 (8.3)	0.1 (1.1)	0.2 (3.5)	0.1 (2.4)	1.1 (22.2)								
USA, Ohio: Black	1.3 (16.0)	0.2 (3.0)	0.7 (8.0)	1.5 (18.1)	0.3 (3.9)	0.6 (7.4)	0.3 (3.0)	3.1 (40.7)								
USA, Oklahoma	1.9 (38.8)	0.2 (5.6)	0.3 (6.2)	0.5 (10.2)	0.1 (1.6)	0.2 (3.8)	0.1 (3.4)	1.4 (30.3)								
USA, Oklahoma: White	2.0 (43.4)	0.3 (6.3)	0.2 (5.6)	0.4 (8.8)	0.1 (1.3)	0.1 (3.2)	0.1 (3.2)	1.2 (28.3)								
USA, Oklahoma: Black	0.9 (9.9)	0.3 (4.2)	1.1 (11.3)	1.5 (16.9)	0.4 (4.2)	0.7 (7.0)	0.1 (1.4)	4.0 (45.1)								
USA, Oregon	2.2 (48.8)	0.2 (4.1)	0.2 (3.5)	0.4 (9.6)	0.0 (1.0)	0.3 (6.2)	0.2 (3.8)	1.0 (23.0)								
USA, Oregon: White	2.3 (51.4)	0.2 (4.0)	0.2 (3.7)	0.3 (7.8)	0.0 (0.7)	0.3 (5.9)	0.2 (3.8)	1.0 (22.7)								
USA, Oregon: Black	1.1 (23.1)	0.6 (7.7)	-	1.4 (23.1)	0.4 (7.7)	0.3 (7.7)	-	2.3 (30.8)								
USA, Pennsylvania	3.1 (49.5)	0.2 (4.1)	0.4 (7.1)	0.6 (11.4)	0.1 (1.9)	0.3 (5.7)	0.2 (3.2)	1.0 (17.1)								
USA, Pennsylvania: White	3.3 (54.5)	0.2 (3.9)	0.3 (6.3)	0.5 (9.7)	0.1 (1.8)	0.3 (5.3)	0.2 (3.0)	0.9 (15.6)								
USA, Pennsylvania: Black	1.2 (15.0)	0.6 (6.5)	1.1 (12.6)	1.9 (22.0)	0.3 (3.2)	0.7 (8.8)	0.5 (5.3)	2.3 (26.7)								
USA, Rhode Island	2.6 (42.2)	0.4 (5.8)	0.5 (9.1)	0.8 (12.7)	0.1 (1.1)	0.4 (5.8)	0.2 (4.4)	1.1 (18.9)								
USA, Rhode Island: White	2.7 (45.9)	0.3 (5.7)	0.5 (9.8)	0.7 (11.0)	0.1 (1.2)	0.3 (5.3)	0.1 (4.1)	0.9 (17.1)								
USA, Rhode Island: Black	1.2 (9.5)	0.9 (9.5)	0.8 (4.8)	3.4 (28.6)	-	2.2 (14.3)	-	3.9 (33.3)								
USA, South Carolina	2.0 (32.1)	0.3 (4.8)	0.4 (5.9)	0.9 (14.2)	0.2 (2.5)	0.4 (6.0)	0.2 (3.5)	1.9 (31.1)								
USA, South Carolina: White	2.2 (48.1)	0.2 (3.5)	0.2 (4.3)	0.5 (10.3)	0.1 (2.1)	0.2 (3.5)	0.2 (3.5)	1.1 (24.8)								
USA, South Carolina: Black	1.3 (10.5)	0.8 (6.4)	0.9 (7.5)	2.4 (19.8)	0.4 (3.1)	1.1 (9.7)	0.4 (3.5)	4.8 (39.6)								
USA, South Dakota	2.0 (46.5)	0.2 (3.9)	0.3 (5.2)	0.5 (10.3)	0.1 (3.2)	0.1 (2.6)	0.1 (3.2)	1.0 (25.2)								
USA, Tennessee	2.2 (41.8)	0.2 (4.4)	0.4 (8.1)	0.5 (10.4)	0.1 (2.1)	0.3 (5.0)	0.2 (2.8)	1.3 (25.6)								
USA, Tennessee: White	2.4 (48.6)	0.2 (3.9)	0.4 (7.6)	0.3 (7.8)	0.1 (2.0)	0.2 (4.4)	0.2 (3.1)	1.0 (22.5)								
USA, Tennessee: Black	1.4 (15.2)	0.5 (6.1)	0.9 (10.7)	1.9 (20.9)	0.2 (2.5)	0.6 (6.1)	0.1 (1.2)	3.3 (37.3)								
USA, Texas	1.8 (31.4)	0.2 (4.3)	0.4 (7.4)	0.7 (13.2)	0.1 (2.1)	0.3 (5.6)	0.2 (3.2)	1.8 (32.7)								
USA, Texas: White	1.9 (35.4)	0.2 (4.0)	0.4 (7.0)	0.6 (12.2)	0.1 (1.9)	0.3 (5.2)	0.2 (2.9)	1.6 (31.4)								
USA, Texas: Black	1.1 (13.4)	0.6 (6.4)	0.8 (9.8)	1.6 (18.5)	0.3 (3.7)	0.6 (7.4)	0.3 (3.6)	3.4 (37.2)								
USA, Utah	1.7 (49.6)	0.2 (4.3)	0.2 (6.2)	0.3 (10.9)	0.0 (1.4)	0.2 (5.4)	0.1 (2.9)	0.6 (19.2)								
USA, Vermont	1.7 (46.6)	0.1 (1.9)	0.3 (6.8)	0.5 (15.5)	0.1 (1.9)	0.3 (8.7)	0.1 (1.9)	0.6 (16.5)								
USA, Virginia	2.0 (37.5)	0.3 (5.0)	0.3 (5.8)	0.6 (12.2)	0.1 (1.2)	0.3 (5.8)	0.2 (3.1)	1.5 (29.3)								
USA, Virginia: White	2.2 (48.0)	0.2 (5.2)	0.2 (4.8)	0.4 (9.5)	0.0 (1.0)	0.2 (4.2)	0.1 (2.8)	1.0 (24.5)								
USA, Virginia: Black	1.2 (15.4)	0.4 (5.3)	0.6 (8.2)	1.4 (17.5)	0.2 (2.1)	0.6 (8.2)	0.3 (3.7)	3.2 (39.5)								
USA, Washington State	2.7 (50.1)	0.2 (3.6)	0.3 (4.8)	0.6 (10.5)	0.1 (1.8)	0.2 (4.4)	0.2 (3.1)	1.1 (21.7)								
USA, Washington, Seattle	2.9 (51.5)	0.2 (3.1)	0.3 (5.9)	0.6 (10.7)	0.1 (2.1)	0.2 (4.0)	0.1 (2.5)	1.1 (20.2)								
USA, West Virginia	2.6 (45.0)	0.2 (4.0)	0.4 (8.1)	0.6 (11.2)	0.1 (1.7)	0.3 (6.5)	0.2 (4.6)	1.1 (19.0)								
USA, Wisconsin	3.0 (52.5)	0.3 (5.4)	0.3 (5.9)	0.5 (10.3)	0.0 (0.5)	0.3 (4.5)	0.2 (3.3)	0.9 (17.7)								
USA, Wisconsin: White	3.0 (56.4)	0.3 (5.2)	0.3 (5.9)	0.4 (8.4)	0.0 (0.3)	0.2 (4.1)	0.1 (3.1)	0.8 (16.7)								
USA, Wisconsin: Black	1.6 (16.1)	1.1 (10.3)	0.8 (8.0)	2.8 (25.3)	0.2 (1.1)	0.9 (6.9)	0.9 (6.9)	3.1 (25.3)								
USA, Wyoming	3.0 (63.0)	0.2 (2.8)	0.2 (4.6)	0.4 (9.3)	-	-	0.1 (3.7)	0.7 (16.7)								
Asia																
Bahrain: Bahraini	0.2 (4.8)	-	-	-	-	-	-	4.2 (95.2)								
Brunei Darussalam	-	-	-	0.5 (5.0)	-	-	-	11.4 (95.0)								
China, Anshan City	1.4 (7.5)	0.3 (1.3)	0.2 (1.1)	1.8 (9.7)	0.0 (0.1)	0.1 (0.6)	0.1 (0.3)	14.6 (79.4)								
China, Beijing	2.8 (21.7)	0.3 (2.4)	0.7 (5.1)	1.9 (13.5)	0.1 (0.7)	0.5 (3.4)	0.1 (0.6)	7.2 (52.6)								
China, Benxi	2.0 (6.3)	0.6 (1.7)	0.8 (2.6)	2.2 (6.6)	0.3 (1.0)	-	-	26.6 (81.8)								
China, Cixian County	68.4 (97.8)	0.3 (0.3)	0.8 (0.7)	4.1 (3.5)	0.3 (0.3)	0.2 (0.1)	0.2 (0.1)	43.7 (37.1)								
China, Guangzhou	1.0 (9.6)	0.5 (4.7)	1.0 (9.3)	2.4 (22.3)	0.1 (0.8)	0.2 (2.3)	0.1 (0.7)	5.3 (50.3)								
China, Guanyun	6.2 (25.0)	0.0 (0.1)	0.2 (0.7)	0.6 (2.6)	0.0 (0.1)	0.2 (0.9)	0.1 (0.2)	17.4 (70.3)								
China, Haimen County	4.4 (16.4)	0.5 (1.6)	1.3 (4.7)	5.8 (19.9)	0.2 (0.5)	2.6 (8.7)	0.1 (0.3)	13.5 (47.8)								
China, Hangzhou City	3.0 (11.3)	0.9 (3.7)	2.3 (8.8)	3.6 (13.9)	0.1 (0.5)	1.1 (3.9)	0.1 (0.4)	15.2 (57.5)								
China, Harbin City, Nangang District	0.8 (3.7)	0.2 (0.8)	0.4 (1.9)	1.2 (5.6)	0.0 (0.1)	0.0 (0.1)	-	18.5 (87.6)								
China, Hefei	8.0 (17.8)	0.5 (1.3)	1.5 (3.1)	2.7 (6.0)	0.2 (0.4)	0.4 (0.8)	0.0 (0.1)	31.5 (70.5)								
China, Hengdong	0.2 (1.3)	1.0 (5.0)	1.0 (5.5)	1.4 (6.8)	0.1 (0.3)	0.9 (4.7)	0.2 (1.0)	14.6 (75.5)								
China, Hong Kong	2.1 (19.3)	0.2 (2.2)	1.0 (9.3)	3.0 (27.6)	0.5 (5.0)	1.2 (11.3)	0.3 (2.5)	2.5 (22.9)								
*China, Huaiyin District, Huai'an	10.2 (31.1)	0.4 (1.2)	0.2 (0.7)	3.3 (9.8)	0.2 (0.6)	0.1 (0.3)	-	17.8 (56.2)								
China, Jiangmen	1.3 (11.8)	0.7 (6.3)	1.2 (11.0)	1.9 (18.9)	-	0.5 (4.7)	0.1 (0.8)	4.7 (46.5)								
China, Jianhu County	37.4 (43.5)	0.3 (0.3)	3.3 (3.8)	3.8 (4.5)	0.5 (0.6)	3.9 (4.5)	0.2 (0.3)	36.4 (42.6)								
China, Jiashan County	3.5 (12.7)	0.9 (3.5)	3.4 (11.8)	7.4 (27.4)	0.2 (0.6)	2.3 (7.9)	-	10.0 (36.2)								
China, Jiaxing City	2.8 (13.2)	0.9 (3.8)	2.1 (9.0)	3.4 (16.2)	0.0 (0.2)	1.0 (4.7)	0.1 (0.2)	10.7 (52.6)								
China, Lianyungang	3.5 (14.6)	0.4 (1.6)	0.2 (0.9)	1.0 (4.3)	-	-	0.0 (0.1)	18.5 (78.4)								
China, Linzhou County	73.1 (64.8)	3.6 (3.2)	11.4 (10.4)	4.3 (4.1)	0.0 (0.0)	0.6 (0.6)	0.1 (0.1)	19.9 (16.9)								
China, Liuzhou	0.6 (3.6)	0.5 (3.0)	0.6 (3.9)	3.7 (20.7)	0.2 (1.4)	0.3 (1.8)	0.1 (0.2)	11.0 (65.4)								
China, Maanshan	10.5 (18.8)	0.3 (0.6)	4.1 (7.6)	6.7 (12.5)	0.2 (0.4)	4.3 (7.9)	0.2 (0.4)	28.5 (51.8)								
China, Qidong County	1.2 (4.4)	0.9 (3.4)	0.8 (3.0)	2.6 (9.5)	0.2 (0.7)	2.6 (9.7)	0.6 (2.1)	18.4 (67.2)								
China, Shanghai City	2.2 (9.9)	0.4 (1.6)	2.0 (8.7)	5.2 (22.2)	0.1 (0.5)	2.0 (8.2)	0.1 (0.2)	11.0 (48.7)								
China, Shenyang	1.3 (7.4)	0.1 (0.8)	0.3 (1.5)	0.6 (3.5)	0.0 (0.0)	0.0 (0.2)	0.0 (0.1)	16.2 (86.5)								
*China, Shexian County	72.2 (47.8)	2.8 (2.0)	20.1 (13.2)	6.8 (4.6)	5.8 (3.9)	0.7 (0.5)	0.2 (0.1)	43.3 (27.8)								
China, Sheyang	21.4 (43.0)	-	0.0 (0.1)	0.1 (0.3)	0.1 (0.1)	-	-	28.3 (56.6)								
China, Tongling City	15.6 (23.6)	0.7 (1.1)	3.1 (4.7)	5.8 (9.2)	-	2.7 (4.2)	-	38.7 (57.2)								
China, Wuhan City	2.3 (11.2)	0.9 (4.7)	2.2 (10.2)	4.4 (20.8)	0.2 (1.2)	0.4 (2.0)	0.1									

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Stomach (C16) - Male (contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9		
	Cardia	Fundus	Body	Pyloric	Pylorus	Le. curv.	Gr. curv.	Other	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	ASR (%)	
Asia (contd)																	
*India, Ahmedabad	0.1	(8.0)	-	-	-	-	-	-	0.0	(4.0)	-	-	-	-	-	0.8	(88.0)
*India, Bangalore	0.8	(9.2)	0.0	(0.2)	0.0	(0.1)	0.2	(2.0)	0.1	(1.3)	0.0	(0.2)	0.0	(0.2)	7.2	(86.7)	
*India; Barshi, Paranda, and Bhum	0.2	(9.7)	-	-	-	-	-	-	-	-	-	-	-	-	2.1	(90.3)	
*India, Bhopal	0.3	(11.7)	-	-	-	-	0.0	(1.1)	0.1	(2.1)	-	-	-	-	2.2	(85.1)	
*India, Cachar	0.4	(9.6)	0.0	(0.6)	0.0	(0.6)	0.2	(4.5)	0.1	(2.5)	-	-	0.0	(0.6)	4.1	(81.5)	
*India, Chennai	0.9	(7.9)	0.1	(0.8)	0.2	(1.9)	1.1	(10.2)	0.2	(2.2)	0.1	(1.0)	0.0	(0.2)	8.5	(75.8)	
*India, Dindigul, Ambilikikai	0.5	(8.1)	0.0	(0.3)	0.1	(1.0)	0.2	(3.6)	0.0	(0.6)	0.0	(0.3)	-	-	4.9	(86.0)	
*India, Kamrup Urban District	1.2	(11.4)	-	-	-	-	0.3	(3.2)	0.1	(0.5)	-	-	-	-	9.5	(85.0)	
*India, Kollam	1.1	(17.0)	-	-	0.0	(0.4)	0.2	(2.8)	0.0	(0.6)	0.0	(0.2)	0.0	(0.2)	5.2	(78.7)	
*India, Mizoram	2.6	(5.3)	0.6	(1.3)	1.9	(3.8)	10.4	(22.3)	1.3	(2.7)	1.5	(3.2)	0.1	(0.2)	28.8	(61.1)	
*India, Mumbai	0.9	(19.7)	0.0	(0.2)	-	(0.1)	0.1	(2.3)	0.0	(0.6)	-	(0.1)	-	-	3.4	(77.0)	
*India, Poona	0.5	(17.4)	-	-	-	-	0.0	(0.4)	0.0	(0.4)	-	-	-	-	2.5	(81.8)	
*India, Sikkim State	0.7	(4.8)	0.3	(1.8)	0.2	(1.8)	2.2	(14.5)	0.4	(3.0)	0.1	(0.6)	0.1	(0.6)	10.5	(72.9)	
*India, Tripura	0.2	(4.4)	0.1	(1.3)	0.2	(3.5)	0.8	(14.8)	0.1	(2.6)	-	-	-	-	3.7	(73.4)	
*India, Trivandrum	0.8	(16.8)	0.1	(1.9)	0.0	(0.6)	0.1	(1.9)	0.1	(1.3)	-	-	-	-	3.8	(77.4)	
*India, Wardha	0.1	(8.3)	-	-	0.0	(4.2)	-	-	-	-	-	-	-	-	1.0	(87.5)	
Iran (Islamic Republic of), Golestan Province	5.0	(19.3)	0.1	(0.3)	0.5	(2.0)	1.0	(4.0)	0.0	(0.2)	0.1	(0.5)	0.0	(0.2)	18.8	(73.6)	
Israel	2.1	(21.6)	0.2	(2.0)	0.9	(8.8)	1.4	(14.0)	0.2	(2.6)	0.2	(2.1)	0.1	(1.2)	4.6	(47.6)	
*Israel: Jews	2.1	(22.6)	0.2	(2.0)	0.8	(9.1)	1.3	(13.8)	0.2	(2.5)	0.2	(2.2)	0.1	(1.2)	4.3	(46.6)	
*Israel: Non-Jews, Arab	1.3	(15.9)	0.2	(2.1)	0.6	(7.2)	1.6	(17.9)	0.3	(3.6)	0.1	(1.5)	0.1	(1.0)	4.1	(50.8)	
*Israel: Non-Jews, Other	3.5	(16.2)	0.3	(2.0)	1.5	(7.4)	2.4	(12.2)	0.7	(3.4)	0.4	(1.4)	0.4	(2.0)	11.5	(55.4)	
Japan, Aichi Prefecture	3.5	(7.4)	0.8	(1.7)	19.4	(39.7)	10.6	(23.1)	1.3	(2.9)	1.1	(2.3)	0.1	(0.3)	10.1	(22.6)	
Japan, Fukui Prefecture	4.7	(7.3)	0.8	(1.1)	28.6	(43.2)	19.6	(31.5)	1.7	(2.7)	1.4	(2.0)	0.1	(0.2)	6.0	(11.9)	
Japan, Hiroshima Prefecture	4.9	(8.0)	1.6	(2.7)	30.3	(47.3)	16.7	(28.2)	0.8	(1.5)	1.2	(1.9)	0.2	(0.2)	5.5	(10.2)	
Japan, Miyagi Prefecture	6.3	(9.9)	2.3	(3.7)	26.2	(39.7)	18.1	(29.1)	1.3	(2.2)	1.4	(2.3)	0.0	(0.0)	7.3	(12.9)	
Japan, Nagasaki Prefecture	5.3	(10.1)	0.4	(0.9)	23.2	(40.7)	14.1	(26.7)	2.0	(3.7)	3.0	(5.7)	0.1	(0.2)	6.0	(12.0)	
Japan, Niigata Prefecture	0.0	(0.0)	9.6	(12.5)	30.9	(38.2)	25.1	(32.7)	0.0	(0.0)	0.2	(0.2)	0.0	(0.0)	10.5	(16.2)	
Japan, Osaka Prefecture	5.1	(9.1)	0.4	(0.8)	23.0	(40.4)	13.3	(24.6)	1.6	(3.0)	1.3	(2.3)	0.1	(0.2)	10.3	(19.6)	
Japan, Tochigi Prefecture	4.8	(8.6)	1.2	(2.2)	21.2	(37.7)	13.0	(24.5)	1.0	(1.8)	0.4	(0.9)	0.1	(0.1)	11.4	(24.2)	
Japan, Yamagata Prefecture	6.0	(7.9)	3.7	(4.8)	33.6	(40.4)	24.7	(32.2)	2.0	(2.7)	1.0	(1.3)	0.1	(0.1)	6.3	(10.6)	
*Jordan: Jordanians	0.8	(16.0)	0.1	(2.4)	0.2	(3.1)	0.4	(7.2)	0.2	(3.8)	0.2	(3.3)	0.0	(0.5)	3.2	(63.6)	
Republic of Korea	3.0	(4.6)	0.5	(0.8)	19.6	(31.3)	26.7	(42.3)	0.8	(1.2)	1.8	(2.8)	0.2	(0.3)	10.7	(16.7)	
Republic of Korea, Busan	2.8	(4.2)	0.5	(0.8)	20.9	(32.1)	28.4	(43.7)	1.1	(1.7)	0.9	(1.5)	0.1	(0.2)	10.8	(15.8)	
Republic of Korea, Daegu	2.6	(4.0)	0.6	(0.8)	21.8	(34.2)	25.7	(40.1)	1.1	(1.7)	3.4	(5.4)	0.2	(0.4)	8.7	(13.3)	
Republic of Korea, Daejeon	2.6	(3.6)	0.6	(0.9)	20.3	(29.9)	27.0	(39.8)	0.7	(1.1)	2.8	(4.1)	0.4	(0.6)	14.3	(20.1)	
Republic of Korea, Gwangju	3.0	(5.0)	0.6	(0.9)	22.4	(37.4)	25.5	(42.5)	0.8	(1.3)	0.8	(1.4)	0.1	(0.2)	6.9	(11.2)	
Republic of Korea, Incheon	2.6	(4.2)	0.9	(1.5)	19.1	(31.5)	28.3	(45.9)	0.7	(1.2)	1.5	(2.5)	0.1	(0.1)	8.2	(13.1)	
Republic of Korea, Jeju-do	2.7	(5.7)	0.4	(0.8)	12.7	(25.9)	14.9	(30.9)	0.4	(0.7)	1.7	(3.6)	0.1	(0.2)	15.5	(32.2)	
Republic of Korea, Seoul	2.7	(4.7)	0.4	(0.7)	18.5	(32.4)	24.3	(42.4)	0.7	(1.1)	1.7	(3.0)	0.1	(0.2)	9.2	(15.6)	
Republic of Korea, Ulsan	3.7	(5.4)	0.6	(0.8)	20.6	(31.8)	29.9	(45.3)	0.6	(1.0)	0.5	(1.0)	0.1	(0.1)	10.7	(14.7)	
Kuwait	0.4	(19.0)	0.0	(0.8)	-	-	0.1	(1.7)	-	(0.8)	0.0	(0.8)	-	-	2.1	(76.9)	
Kuwait: Kuwaitis	0.7	(20.9)	-	-	-	-	-	-	-	-	-	-	-	-	2.4	(79.1)	
Kuwait: Non-Kuwaitis	0.2	(17.9)	0.0	(1.3)	-	-	0.1	(2.6)	-	(1.3)	0.0	(1.3)	-	-	1.8	(75.6)	
*Malaysia, Penang	0.3	(4.5)	-	-	-	-	0.0	(0.8)	0.1	(1.5)	-	-	-	-	6.0	(93.2)	
*Malaysia, Penang: Chinese	0.3	(3.9)	-	-	-	-	-	-	0.2	(2.0)	-	-	-	-	7.7	(94.1)	
*Malaysia, Penang: Malay	0.4	(10.5)	-	-	-	-	-	-	-	-	-	-	-	-	2.5	(89.5)	
*Malaysia, Penang: Indian	-	-	-	-	-	-	0.4	(9.1)	-	-	-	-	-	-	5.4	(90.9)	
*Philippines, Manila	0.3	(7.0)	-	-	0.0	(0.5)	0.1	(2.1)	0.0	(0.9)	0.0	(0.5)	0.0	(0.5)	4.5	(88.6)	
*Philippines, Rizal	0.2	(5.4)	0.0	(0.7)	0.0	(0.4)	0.1	(1.3)	0.0	(0.4)	-	-	-	-	3.9	(91.7)	
Qatar: Qatari	1.2	(15.8)	-	-	-	-	-	-	-	-	-	-	-	-	5.4	(84.2)	
*Saudi Arabia, Riyadh: Saudi	1.0	(26.5)	0.1	(3.6)	0.1	(4.4)	0.5	(15.7)	0.2	(6.4)	0.2	(4.8)	0.1	(2.0)	1.3	(36.5)	
Thailand, Bangkok	0.4	(9.8)	0.0	(1.0)	0.1	(2.7)	0.1	(2.9)	0.0	(0.7)	0.0	(1.0)	-	-	3.1	(81.8)	
Thailand, Chiang Mai	0.7	(11.3)	0.0	(0.7)	0.3	(5.8)	1.3	(21.9)	0.1	(2.1)	0.1	(1.7)	0.0	(0.3)	3.4	(56.2)	
Thailand, Chonburi	0.6	(14.3)	0.1	(1.9)	0.1	(2.9)	0.1	(1.9)	0.2	(4.8)	-	-	-	-	3.4	(74.3)	
Thailand, Khon Kaen	0.1	(4.3)	-	-	-	-	0.2	(6.8)	0.1	(2.5)	-	-	-	-	2.6	(86.3)	
Thailand, Lampang	0.1	(1.4)	-	-	0.0	(0.7)	0.4	(8.3)	0.0	(0.7)	-	-	-	-	4.2	(88.9)	
*Thailand, Lopburi Province	0.4	(7.1)	0.1	(2.0)	0.3	(6.1)	0.5	(9.1)	-	-	-	-	-	-	3.9	(75.8)	
Thailand, Songkhla	0.4	(18.8)	0.0	(1.2)	0.2	(8.2)	0.2	(8.2)	0.0	(1.2)	0.1	(2.4)	-	-	1.3	(60.0)	
Turkey, Antalya	2.1	(20.2)	0.3	(2.8)	1.3	(12.2)	2.0	(20.4)	0.4	(3.6)	0.9	(8.6)	0.1	(1.4)	3.2	(30.9)	
Turkey, Bursa	3.4	(18.0)	0.1	(0.6)	2.6	(14.1)	3.4	(18.3)	0.5	(2.9)	2.1	(11.0)	0.5	(2.5)	6.1	(32.6)	
Turkey, Edirne	1.6	(9.9)	-	-	2.6	(18.8)	2.6	(18.3)	0.5	(3.3)	0.9	(5.2)	0.4	(2.3)	6.3	(42.3)	
Turkey, Erzurum	17.3	(43.6)	0.5	(1.2)	3.9	(9.9)	4.0	(10.3)	0.4	(1.0)	2.8	(7.4)	0.7	(1.7)	10.0	(24.9)	
Turkey, Eskisehir	2.7	(17.9)	0.3	(2.3)	1.8	(11.5)	2.7	(17.3)	0.2	(1.7)	1.2	(8.1)	0.4	(2.9)	5.7	(38.3)	
Turkey, Izmir	2.4	(17.1)	0.2	(1.2)	2.1	(15.6)	2.6	(19.3)	0.3	(2.4)	1.0	(7.5)	0.4	(2.6)	4.8	(34.3)	
Turkey, Samsun	4.0	(20.7)	0.2	(0.9)	3.9	(19.9)	4.1	(21.8)	0.3	(1.3)	1.5	(8.2)	0.3	(1.8)	5.1	(25.4)	
Turkey, Trabzon	6.1	(23.0)	0.1	(0.5)	4.1	(15.0)	8.7	(32.5)	1.5	(5.5)	0.8	(3.4)	0.1	(0.5)	5.0	(19.6)	
*Viet Nam, Ho Chi Minh City	0.7	(7.8)	0.0	(0.2)	0.5	(4.8)	1.7	(18.9)	0.2	(1.9)	0.5	(4.5)	0.1	(0.6)	5.6	(61.2)	
Europe																	
Austria	2.0	(19.3)	0.1	(0.5)	0.4	(4.0)	0.6	(6.5)	0.0	(0.4)	0.1	(0.7)	0.0	(0.2)	6.5	(68.5)	
Austria, Carinthia	2.5	(20.1)	0.1	(0.8)	1.1	(8.5)	1.4	(11.8)	0.1	(0.5)	0.1	(1.1)	0.1	(0.8)	6.9	(56.3)	
Austria, Tyrol	3.1	(27.2)	0.2	(1.7)	0.5	(5.3)	1.5	(14.8)	0.0	(0.3)	0.3	(2.5)	0.0	(0.3)	5.0	(47.9)	
Austria, Vorarlberg	3.7	(35.0)	0.1	(0.6)	1.3	(13.8)	1.1	(11.2)	0.1	(0.6)	0.0	(0.6)	-	-	3.6	(38.1)	
*Belarus	2.1	(6.7)	0.2	(0.6)	10.4	(34.3)	5.9	(19.5)	0.5	(1.5)	0.0	(0.1)	0.0	(0.1)	11.2	(37.1)	
*Belgium	3.2	(34.4)	0.3	(4.0)	0.4	(5.1)	1.0	(12.0)	0.1	(1.3)	0.2	(2.6)	0.1	(1.4)	3.3	(39.4)	
Bulgaria	2.0	(13.4)	0.2	(1.5)	2.7	(19.2)	2.2	(15.7)	0.6	(3.8)	1.2	(8.0)	0.7	(4.6)	4.7	(33.8)	
Croatia	1.4	(8.5)	0.1	(0.9)	1.0	(6.6)	0.5	(3.6)	0.2	(1.5)	0.3	(1.8)	0.1	(0.5)	11.8	(76.6)	
Cyprus	1.3	(16.3)	0.6	(6.9)	0.2	(1.6)											

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Stomach (C16) - Male (contd)**

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia		Fundus		Body		Pyloric		Pylorus		Le. curv.		Gr. curv.		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Europe (contd)																
*France, Bas-Rhin	2.0	(28.7)	0.5	(6.8)	0.1	(1.1)	1.4	(18.3)	0.0	(0.7)	0.7	(10.0)	0.2	(2.9)	2.2	(31.5)
*France, Calvados	2.5	(32.3)	0.8	(8.7)	0.2	(3.5)	1.7	(24.5)	0.1	(1.3)	1.4	(19.2)	0.2	(2.2)	0.6	(8.3)
*France, Doubs	2.9	(40.1)	0.4	(5.4)	0.2	(1.8)	1.0	(18.0)	0.3	(4.8)	0.6	(9.0)	0.1	(1.2)	1.2	(19.8)
*France, Gironde	2.8	(39.5)	0.5	(7.7)	0.5	(6.7)	1.3	(18.5)	0.1	(1.5)	0.4	(4.6)	0.1	(1.0)	1.5	(20.6)
*France, Haut-Rhin	3.0	(35.0)	1.1	(11.7)	0.3	(3.2)	1.7	(19.4)	0.1	(1.4)	0.4	(6.0)	0.2	(1.8)	1.7	(21.6)
*France, Hérault	2.3	(34.0)	0.4	(6.0)	0.2	(2.7)	1.0	(16.4)	0.1	(2.1)	0.3	(5.1)	0.2	(2.4)	2.0	(31.3)
*France, Isère	3.1	(34.6)	1.1	(12.2)	0.2	(1.7)	1.6	(18.5)	0.2	(2.2)	1.0	(10.9)	0.3	(3.0)	1.4	(17.0)
*France, Lille-Métropole	3.6	(47.0)	0.8	(9.7)	0.3	(4.9)	1.2	(16.2)	0.3	(3.8)	0.2	(2.7)	0.1	(1.6)	0.9	(14.1)
*France, Limousin	2.5	(36.6)	0.3	(5.4)	0.1	(2.7)	0.8	(16.1)	0.1	(0.9)	1.1	(18.8)	0.4	(5.4)	1.0	(14.3)
*France, Loire-Atlantique	3.0	(39.7)	0.8	(10.1)	0.3	(3.8)	1.2	(17.1)	0.1	(1.9)	0.4	(5.5)	0.1	(1.7)	1.4	(20.2)
*France, Manche	3.7	(32.9)	1.2	(12.2)	0.5	(6.3)	2.7	(31.1)	0.0	(0.5)	0.3	(4.1)	0.2	(1.8)	0.9	(11.3)
*France, Somme	2.8	(35.1)	0.5	(6.4)	0.1	(1.6)	1.5	(20.7)	0.4	(6.4)	0.5	(6.4)	0.2	(2.1)	1.6	(21.3)
*France, Tarn	2.5	(37.5)	1.1	(15.8)	0.6	(9.2)	1.1	(18.4)	0.1	(2.0)	0.2	(3.3)	0.2	(3.3)	0.5	(10.5)
*France, Territoire de Belfort	2.5	(35.6)	0.5	(6.7)	0.7	(8.9)	1.1	(17.8)	0.1	(2.2)	0.3	(4.4)	0.2	(2.2)	1.4	(22.2)
*France, Vendée	2.7	(31.9)	0.5	(6.5)	0.4	(4.3)	1.0	(15.2)	0.1	(1.8)	0.5	(5.8)	0.1	(1.4)	2.4	(33.0)
Germany, Bavaria	3.1	(25.6)	0.3	(2.4)	1.7	(15.5)	2.0	(18.1)	0.2	(1.5)	0.1	(0.8)	0.0	(0.3)	3.8	(35.8)
Germany, Bremen	2.9	(28.7)	0.1	(0.8)	1.1	(12.4)	2.2	(22.5)	0.1	(1.1)	0.3	(2.8)	0.1	(0.8)	2.9	(30.7)
Germany, Hamburg	3.3	(32.9)	0.2	(1.5)	1.2	(11.5)	1.1	(11.0)	0.1	(0.5)	0.1	(0.9)	0.1	(0.8)	4.0	(40.8)
Germany, Lower Saxony	4.3	(34.5)	0.3	(2.4)	1.4	(11.9)	1.4	(12.8)	0.1	(1.3)	0.1	(1.1)	0.1	(0.5)	3.9	(35.4)
Germany, Munich	3.0	(27.1)	0.2	(2.5)	1.7	(15.8)	1.8	(17.7)	0.1	(1.1)	0.2	(1.6)	0.1	(0.6)	3.5	(33.6)
*Germany, North Rhine-Westphalia	3.7	(29.9)	0.2	(2.0)	1.6	(13.9)	1.8	(16.2)	0.2	(1.6)	0.1	(1.2)	0.1	(0.6)	3.7	(34.6)
Germany, Rhineland-Palatinate	3.1	(29.5)	0.1	(1.1)	1.4	(14.6)	1.5	(15.2)	0.1	(1.1)	0.1	(1.3)	0.0	(0.3)	3.4	(36.9)
Germany, Saarland	3.5	(31.0)	0.2	(1.7)	1.4	(12.5)	1.7	(17.0)	0.2	(2.2)	0.3	(3.6)	0.1	(1.2)	3.0	(30.7)
*Germany, Schleswig-Holstein	4.2	(34.1)	0.3	(2.7)	1.7	(15.7)	1.5	(14.8)	0.2	(2.0)	0.1	(1.3)	0.1	(0.5)	3.0	(28.9)
Iceland	1.2	(19.3)	-	-	0.2	(2.4)	0.8	(12.0)	0.2	(3.6)	-	-	-	-	3.6	(62.7)
Ireland	4.3	(39.5)	0.5	(5.0)	0.6	(5.2)	0.9	(8.9)	0.5	(4.9)	1.0	(10.0)	0.2	(1.8)	2.5	(24.8)
*Italy, Aosta Valley	1.0	(7.5)	1.2	(12.5)	1.5	(13.8)	1.7	(15.0)	0.3	(2.5)	0.3	(3.8)	0.9	(6.2)	4.1	(38.8)
Italy, Barletta	1.6	(13.5)	0.2	(1.8)	0.8	(6.7)	3.2	(27.6)	0.5	(3.7)	0.8	(5.5)	0.2	(2.5)	4.0	(38.7)
Italy, Bergamo	2.8	(14.4)	0.8	(4.2)	3.2	(16.8)	4.7	(25.8)	0.3	(1.8)	0.9	(5.0)	0.3	(1.5)	5.7	(30.5)
Italy, Biella	1.5	(15.5)	0.3	(4.3)	1.9	(19.8)	2.3	(25.9)	0.2	(1.7)	0.9	(7.8)	-	-	2.1	(25.0)
Italy, Caserta	1.6	(11.5)	0.9	(6.1)	1.2	(9.5)	2.3	(17.6)	0.4	(3.0)	1.6	(12.2)	0.4	(2.4)	4.8	(37.8)
Italy, Catania, Messina, and Enna	1.4	(13.8)	0.4	(3.5)	1.3	(12.7)	2.0	(19.1)	0.2	(1.6)	0.6	(5.6)	0.4	(3.0)	4.2	(40.8)
Italy, Como	2.5	(16.3)	1.4	(9.2)	2.6	(16.5)	4.3	(27.7)	0.4	(2.8)	1.3	(8.4)	0.3	(1.8)	2.7	(17.3)
Italy, Cremona	3.4	(13.6)	1.0	(5.6)	7.1	(31.1)	4.6	(21.7)	0.9	(3.8)	1.3	(5.6)	0.1	(0.7)	4.1	(17.8)
Italy, Ferrara	1.7	(14.1)	0.7	(7.3)	2.2	(21.5)	1.2	(13.2)	0.5	(4.4)	0.4	(3.4)	0.1	(1.5)	3.5	(34.6)
Italy, Florence and Prato	1.9	(10.9)	0.4	(3.3)	0.8	(5.1)	3.0	(18.5)	0.1	(1.0)	1.0	(6.2)	0.3	(2.1)	7.5	(53.0)
Italy, Friuli-Venezia Giulia	1.8	(11.3)	0.3	(1.5)	1.4	(9.2)	1.2	(9.8)	0.1	(1.2)	0.2	(1.1)	-	-	9.4	(65.8)
Italy, Latina	1.5	(12.7)	1.1	(10.2)	1.2	(10.2)	2.0	(17.7)	0.2	(1.9)	1.0	(8.4)	0.2	(2.2)	3.7	(36.6)
Italy, Lecco	3.1	(18.4)	0.9	(5.4)	2.8	(17.8)	3.0	(17.8)	0.3	(1.6)	2.2	(11.4)	0.6	(3.2)	4.0	(24.3)
Italy, Lombardy, South, Pavia	2.4	(15.5)	0.4	(3.0)	3.0	(20.8)	3.2	(24.2)	0.3	(1.5)	0.5	(2.7)	0.1	(1.5)	4.2	(30.7)
Italy, Mantua	1.1	(6.1)	0.9	(5.2)	1.4	(9.0)	1.4	(10.8)	0.2	(0.9)	0.1	(0.9)	-	-	9.6	(67.0)
Italy, Milan	2.1	(15.3)	0.7	(5.2)	2.8	(21.0)	2.7	(21.2)	0.2	(1.7)	0.8	(6.0)	0.3	(2.1)	3.5	(27.4)
Italy, Modena	1.9	(14.4)	1.2	(8.6)	2.0	(17.7)	4.1	(33.7)	0.2	(1.2)	1.3	(11.1)	0.2	(1.6)	1.3	(11.5)
Italy, Monza	2.5	(15.3)	0.6	(4.4)	2.3	(16.1)	4.5	(28.5)	0.5	(3.1)	1.1	(7.9)	0.3	(2.0)	3.4	(22.8)
Italy, Naples	2.1	(15.8)	0.5	(3.5)	1.5	(10.9)	2.8	(19.6)	0.3	(2.1)	1.0	(7.4)	0.6	(4.2)	4.8	(36.5)
Italy, Nuoro	2.5	(21.6)	0.3	(2.9)	1.0	(7.2)	3.0	(28.8)	0.4	(4.3)	0.9	(7.9)	0.2	(2.2)	2.8	(25.2)
Italy, Palermo	1.7	(19.8)	0.6	(6.4)	0.9	(10.1)	1.7	(20.0)	0.1	(1.4)	0.6	(7.4)	0.1	(1.2)	2.9	(33.9)
Italy, Parma	2.8	(15.1)	0.9	(5.7)	2.0	(14.4)	3.0	(20.6)	0.8	(5.0)	2.6	(18.3)	0.5	(3.7)	2.3	(17.2)
Italy, Piacenza	2.5	(12.9)	1.2	(6.4)	4.4	(24.5)	5.3	(32.5)	0.2	(1.6)	0.9	(5.6)	0.3	(2.0)	2.2	(14.5)
Italy, Ragusa and Caltanissetta	1.7	(19.1)	0.5	(6.4)	0.7	(8.6)	2.0	(21.0)	0.3	(2.6)	0.5	(4.9)	0.1	(1.1)	3.0	(36.3)
Italy, Reggio Emilia	2.0	(15.2)	0.7	(5.2)	2.2	(17.3)	2.5	(19.8)	0.4	(2.8)	0.7	(5.9)	0.9	(6.7)	3.2	(27.1)
Italy, Romagna	1.9	(10.6)	1.8	(10.6)	4.1	(25.8)	4.0	(24.3)	0.2	(1.0)	0.4	(2.3)	0.1	(0.9)	3.6	(24.6)
Italy, Sassari	1.5	(17.1)	0.4	(4.9)	1.4	(15.9)	2.2	(25.6)	0.3	(3.0)	0.4	(4.9)	0.1	(0.6)	2.1	(28.0)
Italy, Sondrio	3.3	(17.9)	0.2	(1.2)	2.9	(15.4)	2.4	(15.4)	1.0	(6.2)	2.2	(12.3)	0.8	(4.3)	4.3	(27.2)
Italy, South Tyrol	2.5	(16.2)	0.2	(1.4)	4.1	(28.6)	5.0	(37.6)	0.4	(2.9)	0.1	(1.0)	-	-	1.5	(12.4)
Italy, Syracuse	0.7	(7.8)	0.2	(2.4)	0.5	(6.6)	0.8	(10.2)	0.1	(1.2)	0.3	(3.0)	0.3	(3.0)	5.4	(65.9)
Italy, Taranto	1.6	(15.6)	0.5	(6.3)	0.7	(6.8)	1.5	(15.2)	0.2	(2.1)	0.4	(4.6)	0.1	(1.3)	4.8	(48.1)
Italy, Trento	2.0	(16.1)	1.0	(7.8)	2.5	(21.4)	3.8	(30.7)	0.2	(2.1)	0.6	(4.7)	0.3	(2.1)	1.8	(15.1)
Italy, Turin	1.1	(10.6)	0.4	(4.0)	0.5	(4.9)	1.0	(9.6)	0.1	(0.4)	0.4	(3.8)	0.3	(2.7)	6.8	(63.9)
Italy, Umbria	2.1	(11.6)	0.5	(3.0)	2.9	(17.0)	3.8	(21.7)	0.3	(1.8)	1.0	(5.9)	0.4	(2.1)	6.0	(36.8)
Italy, Varese	2.3	(16.1)	0.8	(5.6)	2.2	(17.8)	3.2	(23.7)	0.2	(1.3)	0.8	(6.1)	0.1	(0.6)	3.8	(28.8)
Italy, Veneto	1.3	(11.8)	0.2	(1.8)	0.8	(7.9)	1.0	(9.9)	0.1	(0.8)	0.4	(3.6)	0.1	(0.6)	6.3	(63.6)
Latvia	1.0	(5.0)	0.1	(0.8)	2.3	(11.9)	1.2	(6.3)	0.5	(2.6)	0.1	(0.4)	0.1	(0.5)	13.9	(72.4)
Lithuania	1.4	(6.2)	0.2	(0.8)	4.6	(20.0)	2.4	(10.4)	0.4	(1.8)	0.2	(0.6)	0.0	(0.1)	13.5	(60.2)
Malta	1.9	(19.9)	0.2	(2.8)	0.0	(0.6)	1.1	(11.9)	0.4	(3.4)	0.1	(1.1)	0.1	(0.6)	5.4	(59.7)
*The Netherlands	2.8	(32.6)	0.3	(3.3)	1.1	(13.1)	1.4	(17.3)	0.4	(4.4)	0.3	(3.5)	0.1	(1.4)	2.0	(24.4)
Norway	2.1	(29.5)	0.1	(1.8)	0.8	(11.8)	0.9	(14.4)	0.2	(3.6)	0.1	(2.2)	0.1	(1.3)	2.3	(35.5)
Poland, Greater Poland	2.0	(13.8)	0.0	(0.2)	0.5	(3.3)	0.1	(0.5)	0.3	(2.1)	0.1	(0.5)	0.0	(0.2)	11.1	(79.5)
Poland, Kielce	2.9	(21.5)	0.0	(0.2)	1.1	(8.2)	0.2	(1.2)	0.4	(3.4)	0.1	(0.9)	0.0	(0.3)	8.1	(64.3)
Poland, Lower Silesia	1.7	(12.5)	0.1	(0.9)	0.7	(5.3)	0.1	(1.1)	0.3	(2.0)	0.2	(1.0)	0.1	(0.4)	10.2	(76.8)
*Poland, Lublin	2.3	(21.0)	0.3	(3.1)	1.5	(13.6)	0.2	(1.4)	0.6	(5.4)	0.3	(3.2)	0.2	(1.7)	5.5	(50.6)
Poland, Podkarpackie	2.8	(19.5)	0.2	(1.4)	1.7	(11.9)	0.4	(2.6)	0.6	(4.0)	0.2	(1.2)	0.2	(1.4)	8.1	(58.1)
Portugal, Azores	2.6	(12.4)														

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Stomach (C16) - Male (contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Europe (contd)																
Spain, Albacete	1.4	(13.8)	-	-	0.9	(10.1)	2.3	(23.9)	-	-	1.3	(11.0)	0.4	(4.6)	3.9	(36.7)
Spain, Asturias	1.6	(12.1)	0.4	(2.6)	1.2	(8.5)	2.4	(18.7)	0.2	(1.7)	0.7	(4.8)	0.1	(0.9)	6.0	(50.8)
Spain, Basque Country	2.5	(17.3)	0.3	(2.2)	1.3	(9.0)	3.2	(24.0)	0.4	(2.5)	1.4	(9.0)	0.3	(2.3)	4.8	(33.7)
Spain, Canary Islands	2.1	(24.5)	0.2	(2.2)	0.5	(5.3)	1.7	(20.8)	0.1	(0.9)	0.5	(6.0)	0.2	(2.2)	3.0	(38.2)
Spain, Castellón	2.0	(17.4)	0.3	(3.2)	0.6	(6.3)	1.9	(17.4)	0.0	(0.3)	0.3	(3.2)	-	-	6.0	(52.2)
Spain, Ciudad Real	2.0	(12.9)	0.1	(1.2)	0.4	(3.5)	0.9	(9.8)	0.1	(1.2)	0.1	(1.2)	0.1	(0.4)	8.3	(69.8)
Spain, Cuenca	1.6	(12.0)	0.1	(1.5)	3.7	(29.3)	2.7	(23.3)	0.5	(4.5)	0.2	(1.5)	0.2	(0.8)	3.8	(27.1)
Spain, Girona	1.4	(13.1)	0.0	(0.3)	0.7	(6.7)	1.3	(12.5)	0.0	(0.3)	0.2	(2.3)	0.1	(0.9)	6.3	(63.8)
Spain, Granada	2.5	(22.0)	0.7	(8.2)	2.1	(21.5)	2.5	(26.0)	0.3	(3.0)	0.4	(4.8)	0.2	(1.8)	1.1	(12.8)
Spain, La Rioja	1.9	(16.2)	1.0	(6.8)	1.3	(10.4)	3.0	(22.1)	0.2	(1.4)	1.1	(7.2)	0.5	(3.6)	4.6	(32.4)
Spain, Mallorca	1.4	(15.3)	0.1	(0.8)	0.7	(6.5)	1.5	(18.5)	0.1	(1.6)	0.3	(3.6)	0.2	(1.6)	4.7	(52.0)
Spain, Murcia	1.8	(15.3)	0.3	(2.5)	0.6	(6.1)	1.8	(17.5)	0.1	(0.8)	0.4	(3.6)	0.2	(2.8)	5.3	(51.4)
Spain, Navarra	1.9	(15.1)	0.6	(3.9)	2.7	(20.7)	2.8	(24.6)	0.3	(2.2)	0.4	(3.0)	0.2	(1.3)	3.8	(29.3)
Spain, Tarragona	2.2	(22.9)	0.4	(4.6)	1.1	(11.0)	1.8	(19.7)	0.1	(0.9)	0.4	(4.1)	0.2	(2.0)	3.3	(34.8)
Switzerland, Fribourg	3.4	(42.0)	0.2	(2.3)	0.1	(2.3)	1.4	(18.2)	0.1	(1.1)	0.9	(11.4)	0.4	(4.5)	1.4	(18.2)
Switzerland, Geneva	2.4	(33.8)	0.4	(6.0)	0.5	(6.8)	0.8	(12.8)	0.3	(4.5)	1.0	(13.5)	0.3	(4.5)	1.3	(18.0)
Switzerland, Graubünden and Glarus	2.7	(31.5)	0.5	(7.9)	1.2	(13.5)	2.2	(28.1)	0.2	(3.4)	-	-	-	-	1.1	(15.7)
Switzerland, Neuchâtel	4.0	(48.4)	-	-	0.6	(6.5)	0.9	(12.9)	0.2	(3.2)	0.6	(6.5)	0.2	(1.6)	1.7	(21.0)
Switzerland, St Gall–Appenzell	2.8	(36.6)	0.1	(1.1)	1.0	(13.1)	1.7	(23.5)	0.2	(2.2)	0.3	(4.9)	0.2	(2.7)	1.2	(15.8)
Switzerland, Ticino	1.8	(18.7)	0.5	(5.4)	1.5	(16.9)	2.8	(30.7)	0.2	(1.8)	-	-	0.1	(0.6)	2.1	(25.9)
Switzerland, Valais	3.1	(33.9)	0.2	(3.1)	0.6	(6.3)	1.9	(22.8)	0.1	(1.6)	0.5	(6.3)	0.0	(0.8)	1.9	(25.2)
Switzerland, Vaud	2.5	(37.3)	0.2	(3.8)	0.4	(4.8)	1.3	(16.7)	0.2	(2.9)	0.3	(3.8)	0.2	(2.4)	2.0	(28.2)
Switzerland, Zurich	2.2	(31.7)	0.1	(1.2)	0.3	(3.9)	0.6	(8.4)	0.1	(2.2)	0.2	(2.5)	0.1	(1.5)	3.2	(48.6)
Ukraine	2.8	(12.4)	0.2	(0.7)	6.2	(27.7)	3.9	(17.6)	0.8	(3.8)	0.2	(0.7)	0.1	(0.4)	8.1	(36.8)
UK	2.8	(33.8)	0.2	(2.3)	0.4	(5.7)	0.5	(6.5)	0.2	(3.4)	0.4	(5.8)	0.2	(2.0)	3.0	(40.5)
UK, England	2.7	(33.5)	0.2	(2.2)	0.4	(5.7)	0.5	(6.5)	0.2	(3.2)	0.4	(5.6)	0.2	(2.0)	2.9	(41.2)
UK, England, East	3.2	(43.7)	0.2	(2.9)	0.4	(5.9)	0.5	(7.3)	0.2	(3.5)	0.4	(6.3)	0.2	(2.4)	1.8	(28.1)
UK, England, East Midlands	3.5	(40.3)	0.2	(2.7)	0.6	(7.7)	0.5	(6.4)	0.3	(4.2)	0.5	(6.2)	0.2	(2.6)	2.2	(30.0)
UK, England, London	1.7	(22.6)	0.1	(1.1)	0.1	(1.3)	0.3	(3.8)	0.1	(1.3)	0.2	(3.1)	0.1	(1.3)	4.7	(65.4)
UK, England, North East	2.7	(27.3)	0.2	(1.9)	0.4	(5.3)	0.5	(5.7)	0.2	(1.8)	0.6	(6.9)	0.3	(2.4)	4.4	(48.7)
UK, England, North West	2.3	(27.6)	0.2	(3.1)	0.8	(10.2)	0.7	(8.8)	0.4	(5.0)	0.5	(6.1)	0.2	(1.8)	2.8	(37.3)
UK, England, South West	3.2	(43.6)	0.1	(2.1)	0.4	(6.3)	0.5	(6.9)	0.3	(4.8)	0.4	(6.7)	0.2	(2.4)	1.7	(27.1)
UK, England, South East	2.4	(36.0)	0.1	(1.5)	0.2	(3.1)	0.2	(4.0)	0.2	(2.8)	0.2	(3.8)	0.1	(1.2)	2.7	(47.6)
UK, England, West Midlands	2.8	(30.8)	0.2	(2.2)	0.3	(3.8)	0.5	(6.3)	0.2	(2.0)	0.5	(5.8)	0.2	(2.0)	3.7	(47.1)
UK, England, Yorkshire and The Humber	2.8	(29.9)	0.2	(2.2)	0.6	(7.3)	0.7	(8.8)	0.2	(2.9)	0.6	(6.6)	0.2	(2.1)	3.2	(40.3)
UK, Northern Ireland	2.4	(25.7)	0.2	(2.2)	0.3	(3.1)	0.4	(5.0)	0.3	(3.2)	0.4	(4.8)	0.1	(1.0)	4.8	(55.0)
UK, Scotland	3.2	(34.2)	0.2	(2.8)	0.4	(4.7)	0.6	(6.8)	0.3	(4.1)	0.5	(5.9)	0.2	(2.1)	3.4	(39.5)
UK, Wales	3.8	(41.0)	0.2	(2.2)	0.6	(7.7)	0.6	(7.1)	0.4	(4.4)	0.7	(8.6)	0.3	(3.0)	2.1	(25.9)
Oceania																
Australia	2.8	(36.8)	0.2	(3.2)	0.5	(6.7)	0.8	(11.6)	0.3	(3.6)	0.6	(7.9)	0.2	(2.8)	1.9	(27.3)
Australia, Australian Capital Territory	2.9	(43.4)	0.4	(4.8)	0.6	(8.4)	0.5	(8.4)	0.2	(2.4)	0.6	(8.4)	0.1	(1.2)	1.4	(22.9)
Australia, New South Wales	2.7	(36.3)	0.3	(3.6)	0.5	(6.7)	0.9	(13.5)	0.3	(4.3)	0.6	(8.5)	0.2	(3.0)	1.6	(24.0)
Australia, Northern Territory	1.4	(25.0)	-	-	-	-	-	-	1.5	(25.0)	-	-	-	-	4.2	(50.0)
Australia, Northern Territory: Non-Indigenous	0.9	(19.2)	-	-	-	-	-	-	1.1	(19.2)	-	-	-	-	4.8	(61.5)
Australia, Northern Territory: Indigenous	4.7	(40.0)	-	-	-	-	-	-	4.9	(40.0)	-	-	-	-	1.4	(20.0)
Australia, Queensland	2.9	(42.5)	0.2	(2.8)	0.7	(10.5)	0.8	(12.9)	0.2	(2.6)	0.5	(7.7)	0.1	(2.2)	1.2	(18.8)
Australia, South Australia	2.7	(38.0)	0.2	(2.3)	0.4	(6.0)	0.6	(10.1)	0.4	(5.8)	0.4	(7.0)	0.1	(2.5)	1.9	(28.3)
Australia, Tasmania	2.6	(35.3)	0.1	(0.6)	0.2	(2.9)	0.4	(6.4)	0.3	(4.0)	0.6	(8.1)	0.2	(2.3)	2.7	(40.5)
Australia, Victoria	2.9	(34.8)	0.2	(2.7)	0.4	(5.0)	0.8	(10.5)	0.3	(3.4)	0.8	(9.5)	0.3	(3.5)	2.3	(30.6)
Australia, Western Australia	2.4	(33.0)	0.4	(5.1)	0.4	(6.2)	0.7	(10.0)	0.1	(1.1)	0.2	(2.8)	0.2	(2.0)	2.7	(39.8)
*France, New Caledonia	1.4	(13.6)	1.9	(16.9)	-	-	3.8	(35.6)	0.2	(1.7)	0.9	(8.5)	0.3	(3.4)	2.2	(20.3)
New Zealand	2.7	(37.2)	0.2	(2.6)	0.3	(5.3)	0.7	(10.2)	0.2	(3.1)	0.6	(8.2)	0.1	(1.8)	2.2	(31.6)
*New Zealand: Maori	2.4	(14.6)	0.5	(3.0)	0.9	(5.5)	2.0	(12.6)	0.8	(4.0)	2.6	(15.6)	0.5	(3.0)	6.8	(41.7)
*New Zealand: Pacific Islander	2.8	(11.8)	0.8	(3.6)	0.9	(4.5)	5.4	(23.6)	0.9	(5.5)	3.1	(15.5)	1.2	(5.5)	6.9	(30.0)
USA, Hawaii	1.8	(22.6)	0.3	(3.7)	0.9	(11.7)	1.2	(18.2)	0.2	(2.4)	0.6	(8.9)	0.1	(2.2)	2.3	(30.4)
*USA, Hawaii: White	1.8	(38.6)	0.4	(7.2)	0.5	(9.6)	0.2	(4.8)	-	-	0.3	(8.4)	0.0	(1.2)	1.4	(30.1)
*USA, Hawaii: Japanese	1.9	(18.3)	0.2	(2.9)	1.5	(14.3)	1.6	(21.1)	0.1	(1.1)	0.6	(9.7)	0.2	(2.3)	2.8	(30.3)
*USA, Hawaii: Chinese	0.9	(13.8)	0.2	(3.4)	0.6	(10.3)	1.1	(20.7)	-	-	0.6	(6.9)	0.2	(6.9)	2.2	(37.9)
*USA, Hawaii: Hawaiian	1.6	(18.5)	0.3	(3.1)	1.3	(13.8)	2.1	(21.5)	0.4	(4.6)	0.4	(4.6)	0.3	(3.1)	2.7	(30.8)
*USA, Hawaii: Filipino	1.2	(23.4)	0.2	(2.1)	0.4	(6.4)	0.8	(19.1)	0.4	(6.4)	1.0	(19.1)	-	-	1.2	(23.4)
*USA, Pacific Islands	0.4	(8.1)	0.2	(2.7)	0.1	(2.7)	1.0	(18.9)	-	-	0.4	(8.1)	-	-	3.4	(59.5)

Rates based on less than 10 cases are in italics.

*Important. See note on population page.

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Stomach (C16) - Female (contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia		Fundus		Body		Pyloric		Pylorus		Le. curv.		Gr. curv.		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
North America (contd)																
USA, California	0.5	(14.6)	0.2	(5.4)	0.5	(13.3)	0.8	(22.4)	0.1	(3.0)	0.3	(8.6)	0.2	(4.6)	1.0	(28.1)
USA, California: White	0.5	(17.6)	0.2	(5.5)	0.4	(13.4)	0.6	(19.1)	0.1	(2.7)	0.2	(7.6)	0.2	(4.5)	0.9	(29.6)
USA, California: Black	0.4	(8.8)	0.3	(6.8)	0.7	(15.2)	1.1	(25.9)	0.2	(4.5)	0.3	(7.7)	0.2	(3.4)	1.3	(29.8)
USA, California: American Indian	<i>0.1</i>	<i>(4.2)</i>	<i>0.1</i>	<i>(8.3)</i>	<i>0.1</i>	<i>(8.3)</i>	<i>0.3</i>	<i>(25.0)</i>	<i>0.1</i>	<i>(4.2)</i>	<i>0.3</i>	<i>(16.7)</i>	<i>0.1</i>	<i>(8.3)</i>	<i>0.3</i>	<i>(25.0)</i>
USA, California, Los Angeles County	0.6	(11.7)	0.3	(6.1)	0.7	(15.2)	1.0	(23.5)	0.1	(3.3)	0.4	(9.0)	0.2	(3.6)	1.3	(27.6)
*USA, California, Los Angeles County: White	0.6	(13.9)	0.3	(6.4)	0.7	(15.9)	0.8	(19.8)	0.1	(3.0)	0.4	(8.0)	0.2	(3.3)	1.4	(29.7)
*USA, California, Los Angeles County: Non-Hispanic White	0.6	(22.0)	0.1	(5.7)	0.4	(13.9)	0.4	(18.2)	0.0	(2.0)	0.2	(6.3)	0.1	(3.6)	0.8	(28.3)
*USA, California, Los Angeles County: Hispanic White	0.5	(8.4)	0.4	(6.9)	1.1	(17.3)	1.2	(20.8)	0.2	(3.6)	0.6	(9.2)	0.2	(3.1)	1.9	(30.7)
*USA, California, Los Angeles County: Black	0.5	(10.1)	0.4	(8.2)	0.9	(18.4)	1.1	(26.6)	0.2	(5.3)	0.3	(5.8)	0.1	(2.4)	1.1	(23.2)
*USA, California, Los Angeles County: Chinese	<i>0.4</i>	<i>(7.7)</i>	<i>0.2</i>	<i>(4.3)</i>	<i>0.6</i>	<i>(12.0)</i>	<i>1.5</i>	<i>(33.3)</i>	<i>0.1</i>	<i>(2.6)</i>	<i>0.6</i>	<i>(12.0)</i>	<i>0.2</i>	<i>(3.4)</i>	<i>1.3</i>	<i>(24.8)</i>
*USA, California, Los Angeles County: Filipino	<i>0.2</i>	<i>(11.4)</i>	<i>0.4</i>	<i>(13.6)</i>	<i>0.4</i>	<i>(8.2)</i>	<i>0.4</i>	<i>(15.9)</i>	<i>0.1</i>	<i>(2.3)</i>	<i>0.0</i>	<i>(2.3)</i>	<i>0.2</i>	<i>(6.8)</i>	<i>0.6</i>	<i>(29.5)</i>
*USA, California, Los Angeles County: Korean	<i>0.5</i>	<i>(3.4)</i>	<i>0.8</i>	<i>(4.7)</i>	<i>1.7</i>	<i>(12.1)</i>	<i>4.9</i>	<i>(39.6)</i>	<i>0.4</i>	<i>(4.0)</i>	<i>2.2</i>	<i>(14.1)</i>	<i>0.6</i>	<i>(4.7)</i>	<i>2.3</i>	<i>(17.4)</i>
USA, California, San Francisco Bay Area	0.6	(15.6)	0.3	(6.9)	0.4	(10.2)	0.9	(24.6)	0.1	(2.9)	0.3	(9.0)	0.2	(4.8)	1.0	(26.0)
*USA, California, San Francisco Bay Area: White	0.6	(21.2)	0.2	(7.1)	0.4	(11.6)	0.5	(19.1)	0.1	(2.3)	0.2	(7.1)	0.2	(5.3)	0.8	(26.4)
*USA, California, San Francisco Bay Area: Non-Hispanic White	0.6	(25.4)	0.2	(7.3)	0.2	(8.1)	0.2	(16.2)	0.1	(2.7)	0.1	(6.5)	0.1	(4.2)	0.7	(29.6)
*USA, California, San Francisco Bay Area: Hispanic White	0.8	(13.1)	0.5	(6.6)	1.2	(18.2)	1.6	(24.8)	0.1	(1.5)	0.5	(8.0)	0.5	(7.3)	1.2	(20.4)
*USA, California, San Francisco Bay Area: Black	0.3	(6.4)	0.5	(7.3)	0.4	(6.4)	1.5	(26.4)	0.3	(4.5)	0.6	(10.0)	0.4	(5.5)	2.1	(33.6)
*USA, California, San Francisco Bay Area: Chinese	0.6	(10.9)	0.4	(7.8)	0.6	(10.9)	1.5	(33.3)	0.2	(3.1)	0.7	(14.0)	0.1	(1.6)	0.9	(18.6)
*USA, California, San Francisco Bay Area: Filipino	<i>0.2</i>	<i>(5.7)</i>	<i>0.4</i>	<i>(14.3)</i>	<i>0.1</i>	<i>(5.7)</i>	<i>0.7</i>	<i>(28.6)</i>	<i>0.1</i>	<i>(2.9)</i>	<i>0.1</i>	<i>(5.7)</i>	<i>0.4</i>	<i>(11.4)</i>	<i>0.7</i>	<i>(25.7)</i>
*USA, California, San Francisco Bay Area: Japanese	<i>0.5</i>	<i>(10.5)</i>	<i>0.4</i>	<i>(5.3)</i>	-	-	<i>2.0</i>	<i>(42.1)</i>	-	-	<i>0.5</i>	<i>(10.5)</i>	<i>0.1</i>	<i>(5.3)</i>	<i>1.1</i>	<i>(26.3)</i>
USA, Colorado	0.5	(22.7)	0.2	(6.2)	0.2	(10.3)	0.3	(15.9)	0.1	(3.9)	0.1	(5.4)	0.1	(3.7)	0.8	(32.0)
USA, Colorado: White	0.6	(24.2)	0.1	(5.7)	0.2	(10.0)	0.3	(15.1)	0.1	(3.9)	0.1	(5.7)	0.1	(3.9)	0.7	(31.5)
USA, Colorado: Black	<i>0.2</i>	<i>(5.3)</i>	<i>0.3</i>	<i>(10.5)</i>	<i>0.5</i>	<i>(15.8)</i>	<i>0.7</i>	<i>(26.3)</i>	<i>0.2</i>	<i>(5.3)</i>	-	-	<i>0.1</i>	<i>(5.3)</i>	<i>0.9</i>	<i>(31.6)</i>
USA, Connecticut	0.7	(19.7)	0.3	(8.2)	0.4	(10.4)	0.6	(20.1)	0.0	(1.7)	0.2	(7.3)	0.2	(5.2)	1.0	(27.4)
*USA, Connecticut: White	0.7	(21.8)	0.3	(8.3)	0.3	(9.4)	0.5	(20.1)	0.0	(1.5)	0.2	(6.7)	0.1	(4.4)	0.9	(27.7)
*USA, Connecticut: Black	0.6	(11.1)	0.5	(7.8)	0.9	(14.4)	1.3	(18.9)	0.2	(3.3)	0.6	(8.9)	0.5	(6.7)	1.8	(28.9)
USA, Delaware	0.4	(18.9)	0.2	(5.4)	0.3	(10.8)	0.5	(17.1)	0.0	(0.9)	0.4	(13.5)	0.1	(2.7)	0.7	(30.6)
USA, Delaware: White	0.4	(21.3)	0.1	(4.0)	0.3	(12.0)	0.4	(17.3)	-	-	0.3	(13.3)	0.1	(2.7)	0.6	(29.3)
USA, Delaware: Black	<i>0.7</i>	<i>(16.1)</i>	<i>0.5</i>	<i>(9.7)</i>	<i>0.4</i>	<i>(9.7)</i>	<i>0.9</i>	<i>(19.4)</i>	<i>0.1</i>	<i>(3.2)</i>	<i>0.6</i>	<i>(12.9)</i>	<i>0.1</i>	<i>(3.2)</i>	<i>1.1</i>	<i>(25.8)</i>
USA, Florida	0.4	(17.3)	0.2	(6.6)	0.3	(11.5)	0.5	(18.5)	0.1	(2.4)	0.2	(6.9)	0.1	(5.1)	0.9	(31.8)
USA, Florida: White	0.4	(19.9)	0.2	(7.1)	0.3	(11.0)	0.4	(17.0)	0.0	(2.0)	0.2	(6.6)	0.1	(5.0)	0.7	(31.4)
USA, Florida: Black	0.4	(8.5)	0.2	(4.9)	0.6	(12.2)	1.1	(23.5)	0.2	(4.3)	0.3	(6.9)	0.3	(5.5)	1.6	(34.1)
USA, Georgia	0.4	(14.4)	0.2	(7.6)	0.4	(12.3)	0.6	(19.3)	0.1	(2.9)	0.2	(6.3)	0.1	(3.8)	1.0	(33.4)
USA, Georgia: White	0.4	(17.8)	0.2	(8.7)	0.3	(12.6)	0.4	(17.4)	0.1	(2.3)	0.1	(4.9)	0.1	(3.3)	0.7	(33.0)
USA, Georgia: Black	0.5	(10.9)	0.3	(6.9)	0.5	(10.5)	1.0	(21.2)	0.2	(3.8)	0.3	(7.3)	0.2	(4.8)	1.6	(34.7)
USA, Georgia, Atlanta	0.6	(16.6)	0.2	(5.5)	0.5	(14.0)	0.7	(18.8)	0.1	(3.1)	0.2	(7.4)	0.1	(2.9)	1.0	(31.8)
*USA, Georgia, Atlanta: White	0.6	(23.1)	0.1	(4.3)	0.4	(15.6)	0.4	(16.7)	0.0	(1.1)	0.1	(6.5)	0.0	(1.1)	0.7	(31.7)
*USA, Georgia, Atlanta: Black	0.6	(12.9)	0.4	(7.4)	0.5	(11.9)	0.9	(18.3)	0.2	(5.0)	0.3	(5.9)	0.2	(5.0)	1.6	(33.7)
USA, Idaho	0.3	(18.0)	0.2	(9.8)	0.2	(8.3)	0.2	(12.8)	0.0	(1.5)	0.1	(3.0)	0.1	(5.3)	0.8	(41.4)
USA, Illinois	0.5	(18.0)	0.1	(4.9)	0.3	(10.9)	0.5	(19.7)	0.1	(1.9)	0.2	(5.4)	0.2	(5.1)	1.0	(34.2)
USA, Illinois: White	0.5	(20.4)	0.1	(5.2)	0.3	(10.9)	0.4	(18.2)	0.0	(1.3)	0.1	(5.3)	0.1	(5.6)	0.9	(33.0)
USA, Illinois: Black	0.5	(11.5)	0.2	(4.5)	0.5	(9.4)	1.1	(23.1)	0.2	(3.4)	0.3	(5.8)	0.2	(3.1)	2.0	(39.1)
USA, Indiana	0.6	(27.7)	0.1	(6.5)	0.2	(9.4)	0.3	(14.5)	0.1	(2.5)	0.1	(5.5)	0.1	(4.5)	0.6	(29.3)
USA, Indiana: White	0.6	(31.2)	0.1	(5.9)	0.2	(9.2)	0.3	(13.5)	0.0	(2.0)	0.1	(4.6)	0.1	(4.4)	0.6	(29.3)
USA, Indiana: Black	0.6	(11.8)	0.6	(10.9)	0.4	(10.0)	0.9	(18.2)	0.2	(4.5)	0.5	(9.1)	0.3	(5.5)	1.5	(30.0)
USA, Iowa	0.6	(28.2)	0.1	(5.3)	0.2	(8.8)	0.3	(14.7)	0.0	(1.6)	0.2	(9.1)	0.1	(3.4)	0.6	(28.8)
USA, Kentucky	0.5	(19.6)	0.2	(6.8)	0.3	(11.4)	0.4	(16.7)	0.1	(2.5)	0.2	(6.1)	0.1	(4.9)	0.8	(31.9)
USA, Louisiana	0.5	(15.8)	0.2	(4.4)	0.4	(10.3)	0.7	(20.2)	0.1	(4.1)	0.3	(8.6)	0.2	(7.0)	1.0	(29.8)
USA, Louisiana: White	0.5	(23.7)	0.1	(4.4)	0.3	(11.5)	0.3	(16.0)	0.1	(3.6)	0.1	(6.2)	0.2	(6.5)	0.7	(28.1)
USA, Louisiana: Black	0.5	(8.5)	0.2	(4.0)	0.6	(9.1)	1.5	(24.6)	0.3	(4.9)	0.6	(10.0)	0.4	(7.6)	1.9	(31.3)
USA, Louisiana, New Orleans	0.6	(16.2)	0.2	(3.4)	0.5	(11.5)	0.7	(18.9)	0.1	(4.1)	0.3	(8.1)	0.4	(7.4)	1.2	(30.4)
*USA, Louisiana, New Orleans: White	0.7	(29.5)	0.1	(1.6)	0.1	(6.6)	0.3	(13.1)	0.0	(3.3)	0.2	(9.8)	0.2	(4.9)	0.8	(31.1)
*USA, Louisiana, New Orleans: Black	<i>0.5</i>	<i>(7.5)</i>	<i>0.1</i>	<i>(2.5)</i>	<i>0.9</i>	<i>(15.0)</i>	<i>1.4</i>	<i>(23.8)</i>	<i>0.3</i>	<i>(5.0)</i>	<i>0.4</i>	<i>(6.2)</i>	<i>0.7</i>	<i>(10.0)</i>	<i>1.8</i>	<i>(30.0)</i>
USA, Maine	0.5	(25.2)	0.1	(3.1)	0.3	(14.5)	0.4	(18.9)	0.0	(1.9)	0.2	(8.2)	0.1	(3.8)	0.5	(24.5)
USA, Maryland	0.5	(16.4)	0.2	(5.5)	0.4	(12.3)	0.5	(18.3)	0.1	(2.8)	0.2	(5.6)	0.1	(3.6)	1.0	(35.5)
USA, Maryland: White	0.5	(25.0)	0.1	(5.0)	0.3	(11.9)	0.4	(16.4)	0.0	(1.4)	0.1	(4.0)	0.1	(2.9)	0.7	(33.3)
USA, Maryland: Black	0.4	(7.6)	0.3	(6.6)	0.5	(12.5)	0.9	(20.8)	0.2	(3.6)	0.2	(5.3)	0.2	(4.6)	1.7	(38.9)
USA, Massachusetts	0.5	(20.1)	0.1	(5.1)	0.3	(11.2)	0.5	(20.8)	0.1	(2.5)	0.2	(8.4)	0.1	(4.2)	0.7	(27.6)
USA, Massachusetts: White	0.5	(22.1)	0.1	(5.0)	0.3	(11.3)	0.4	(19.2)	0.1	(2.2)	0.2	(8.2)	0.1	(4.4)	0.7	(27.8)
USA, Massachusetts: Black	0.5	(11.8)	0.2	(3.5)	0.6	(10.6)	1.3	(30.6)	0.2	(3.5)	0.2	(4.7)	0.2	(3.5)	1.6	(31.8)
USA, Michigan	0.6	(21.7)	0.2	(6.9)	0.3	(10.1)	0.4	(18.0)	0.1	(1.9)	0.2	(6.0)	0.1	(4.7)	0.8	(30.7)
USA, Michigan: White	0.6	(25.2)	0.2	(7.3)	0.2	(9.7)	0.3	(15.6)	0.0	(1.8)	0.1	(5.9)	0.1	(4.2)	0.7	(30.3)
USA, Michigan: Black	0.7	(11.4)	0.4	(6.5)	0.6	(11.4)	1.2	(25.8)	0.1	(1.6)	0.3	(6.2)	0.3	(6.2)	1.6	(30.7)
USA, Michigan, Detroit	0.7	(19.0)	0.2	(5.8)	0.5	(13.2)	0.8	(24.2)	0.1	(2.3)	0.2	(6.0)	0.2	(4.7)	0.9	(24.7)
*USA, Michigan, Detroit: White	0.7	(23.7)	0.2	(6.1)	0.4	(13.4)	0.6	(21.6)	0.1	(2.1)	0.2	(5.6)	0.1	(4.5)	0.6	(23.0)
*USA, Michigan, Detroit: Black	0.7	(12.2)	0.3	(5.7)	0.6	(12.6)	1.2	(27.4)	0.1	(2.2)	0.3	(6.5)	0.3	(5.2)	1.5	(28.3)
USA, Minnesota	0.5	(23.9)	0.1	(5.3)	0.3	(11.8)	0.4	(18.9)	0.1	(2.6)	0.1	(5.0)	0.1	(2.9)	0.6	(29.6)
USA, Mississippi	0.4	(13.6)	0.2	(6.5)	0.3	(9.7)	0.5	(18.2)	0.1	(2.2)	0.2	(7.3)	0.2	(4.8)	1.1	(37.8)

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Stomach (C16) - Female (contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Asia (contd)																
*India, Ahmedabad	<i>0.0</i>	<i>(5.3)</i>	-	-	-	-	-	-	<i>0.1</i>	<i>(10.5)</i>	-	-	-	-	-	0.6 (84.2)
*India, Bangalore	0.4	(7.5)	<i>0.0</i>	<i>(0.5)</i>	<i>0.0</i>	<i>(0.1)</i>	0.1	(2.2)	<i>0.0</i>	<i>(0.4)</i>	<i>0.0</i>	<i>(0.3)</i>	<i>0.1</i>	<i>(1.1)</i>	-	4.5 (87.9)
*India; Barshi, Paranda, and Bhum	<i>0.1</i>	<i>(6.2)</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2 (93.8)
*India, Bhopal	<i>0.1</i>	<i>(10.8)</i>	-	-	-	-	-	-	<i>0.0</i>	<i>(2.7)</i>	-	-	-	-	-	0.9 (86.5)
*India, Cachar	<i>0.2</i>	<i>(11.5)</i>	-	-	-	-	<i>0.1</i>	<i>(4.9)</i>	<i>0.0</i>	<i>(1.6)</i>	-	-	-	-	-	1.6 (82.0)
*India, Chennai	0.4	(6.7)	<i>0.1</i>	<i>(1.1)</i>	0.1	(2.5)	0.4	(8.1)	0.1	(1.6)	<i>0.0</i>	<i>(0.5)</i>	-	-	-	4.4 (79.7)
*India, Dindigul, Ambilikikai	0.2	(8.6)	-	-	-	-	<i>0.1</i>	<i>(2.9)</i>	<i>0.0</i>	<i>(1.4)</i>	-	-	-	-	-	2.1 (87.1)
*India, Kamrup Urban District	0.7	(9.6)	-	-	-	-	<i>0.1</i>	<i>(2.4)</i>	<i>0.1</i>	<i>(1.6)</i>	-	-	-	-	-	5.8 (86.4)
*India, Kollam	0.3	(16.5)	-	-	-	-	<i>0.1</i>	<i>(2.8)</i>	<i>0.0</i>	<i>(1.1)</i>	-	-	-	-	-	1.6 (79.5)
*India, Mizoram	1.2	(5.9)	<i>0.1</i>	<i>(0.3)</i>	0.7	(3.2)	4.3	(20.0)	<i>0.4</i>	<i>(1.6)</i>	0.9	(3.8)	<i>0.1</i>	<i>(0.5)</i>	-	13.7 (64.6)
*India, Mumbai	0.3	(13.2)	<i>0.0</i>	<i>(0.4)</i>	-	-	<i>0.0</i>	<i>(1.3)</i>	<i>0.0</i>	<i>(0.9)</i>	-	(0.1)	-	-	-	2.1 (84.0)
*India, Poona	0.2	(10.1)	-	-	-	-	<i>0.0</i>	<i>(0.8)</i>	<i>0.0</i>	<i>(1.6)</i>	-	-	-	-	-	1.3 (87.6)
*India, Sikkim State	<i>0.2</i>	<i>(2.2)</i>	<i>0.1</i>	<i>(1.1)</i>	-	-	1.7	(17.8)	<i>0.3</i>	<i>(3.3)</i>	<i>0.1</i>	<i>(1.1)</i>	-	-	-	7.1 (74.4)
*India, Tripura	<i>0.1</i>	<i>(2.3)</i>	<i>0.1</i>	<i>(2.3)</i>	<i>0.1</i>	<i>(3.1)</i>	0.3	(11.5)	<i>0.0</i>	<i>(1.5)</i>	<i>0.1</i>	<i>(2.3)</i>	-	-	-	2.1 (77.1)
*India, Trivandrum	0.2	(8.0)	-	-	-	-	-	-	<i>0.0</i>	<i>(1.3)</i>	-	-	-	-	-	1.8 (90.7)
*India, Wardha	<i>0.0</i>	<i>(2.9)</i>	-	-	-	-	-	-	<i>0.2</i>	<i>(11.8)</i>	-	-	-	-	-	1.4 (85.3)
Iran (Islamic Republic of), Golestan Province	1.9	(13.7)	-	-	<i>0.1</i>	<i>(1.1)</i>	<i>0.4</i>	<i>(3.2)</i>	-	-	-	-	-	-	-	9.9 (82.1)
Israel	0.6	(12.6)	0.2	(2.8)	0.6	(10.9)	0.8	(14.9)	0.1	(2.7)	0.1	(1.4)	0.1	(1.4)	-	2.9 (53.4)
*Israel: Jews	0.6	(13.4)	0.2	(2.9)	0.6	(11.3)	0.6	(14.1)	0.1	(2.3)	0.1	(1.6)	0.1	(1.4)	-	2.6 (52.9)
*Israel: Non-Jews, Arab	0.4	(7.9)	0.2	(2.6)	0.3	(6.0)	0.9	(16.6)	0.2	(4.0)	<i>0.0</i>	<i>(0.7)</i>	<i>0.1</i>	<i>(2.6)</i>	-	3.2 (59.6)
*Israel: Non-Jews, Other	1.2	(10.1)	<i>0.3</i>	<i>(2.2)</i>	1.5	(12.9)	2.2	(19.4)	<i>0.5</i>	<i>(4.3)</i>	-	-	-	-	-	6.2 (51.1)
Japan, Aichi Prefecture	0.9	(5.5)	0.3	(1.8)	7.8	(38.6)	3.5	(22.6)	0.5	(2.9)	0.3	(2.0)	0.0	(0.2)	-	3.7 (26.4)
Japan, Fukui Prefecture	1.6	(7.1)	0.4	(1.4)	11.6	(40.6)	6.4	(29.3)	0.6	(3.1)	0.7	(2.3)	<i>0.1</i>	<i>(0.3)</i>	-	2.4 (16.0)
Japan, Hiroshima Prefecture	1.2	(5.9)	0.4	(1.6)	11.5	(45.5)	5.8	(30.7)	0.3	(1.7)	0.4	(1.8)	0.1	(0.2)	-	1.8 (12.7)
Japan, Miyagi Prefecture	1.0	(5.0)	0.7	(2.6)	10.8	(40.1)	6.2	(30.0)	0.5	(2.7)	0.4	(1.7)	-	-	-	3.0 (17.8)
Japan, Nagasaki Prefecture	1.2	(6.7)	0.1	(0.5)	9.8	(42.2)	4.5	(27.9)	0.5	(3.2)	1.0	(5.4)	<i>0.0</i>	<i>(0.1)</i>	-	2.0 (14.0)
Japan, Niigata Prefecture	<i>0.0</i>	<i>(0.0)</i>	2.5	(7.9)	11.4	(35.2)	8.5	(34.2)	<i>0.0</i>	<i>(0.0)</i>	0.1	(0.2)	-	-	-	3.9 (22.5)
Japan, Osaka Prefecture	1.3	(6.2)	0.2	(0.8)	9.2	(39.8)	4.8	(25.0)	0.5	(2.9)	0.4	(2.1)	0.0	(0.2)	-	3.6 (23.2)
Japan, Tochigi Prefecture	1.1	(5.6)	0.4	(1.9)	8.5	(34.3)	4.7	(25.3)	0.4	(2.1)	0.2	(1.0)	<i>0.0</i>	<i>(0.2)</i>	-	4.3 (29.7)
Japan, Yamagata Prefecture	1.2	(4.6)	1.3	(4.0)	12.6	(37.5)	8.7	(34.5)	0.7	(3.0)	0.3	(1.2)	<i>0.0</i>	<i>(0.1)</i>	-	2.2 (15.0)
*Jordan: Jordanians	0.3	(9.3)	<i>0.1</i>	<i>(1.3)</i>	0.2	(4.8)	0.2	(5.8)	0.2	(4.5)	0.2	(5.5)	<i>0.1</i>	<i>(1.9)</i>	-	2.4 (66.9)
Republic of Korea	0.8	(3.1)	0.2	(0.8)	9.3	(35.0)	9.7	(39.6)	0.3	(1.2)	0.6	(2.4)	0.1	(0.3)	-	4.1 (17.7)
Republic of Korea, Busan	0.7	(2.7)	0.2	(0.8)	10.1	(37.2)	10.2	(39.9)	0.4	(1.8)	0.3	(1.0)	<i>0.1</i>	<i>(0.2)</i>	-	4.0 (16.4)
Republic of Korea, Daegu	0.8	(2.9)	0.2	(0.9)	11.1	(39.1)	9.9	(36.4)	0.3	(1.4)	1.5	(5.3)	0.3	(1.0)	-	3.4 (13.1)
Republic of Korea, Daejeon	0.7	(2.4)	0.2	(0.9)	9.4	(34.8)	9.8	(35.9)	0.4	(1.4)	1.0	(3.4)	0.3	(1.2)	-	5.2 (20.0)
Republic of Korea, Gwangju	0.8	(2.9)	0.2	(0.8)	10.7	(41.0)	10.6	(41.6)	0.2	(0.7)	0.3	(1.3)	<i>0.0</i>	<i>(0.2)</i>	-	2.7 (11.5)
Republic of Korea, Incheon	0.9	(3.7)	0.2	(1.1)	8.8	(38.0)	8.9	(39.1)	0.3	(1.3)	0.7	(2.8)	<i>0.0</i>	<i>(0.2)</i>	-	3.1 (13.8)
Republic of Korea, Jeju-do	<i>0.3</i>	<i>(2.1)</i>	<i>0.2</i>	<i>(0.9)</i>	5.8	(29.4)	5.8	(32.6)	<i>0.1</i>	<i>(0.9)</i>	<i>0.3</i>	<i>(1.4)</i>	<i>0.2</i>	<i>(0.9)</i>	-	4.8 (31.9)
Republic of Korea, Seoul	0.8	(3.3)	0.2	(0.9)	9.0	(37.5)	9.0	(38.6)	0.2	(1.0)	0.6	(2.5)	0.0	(0.1)	-	3.7 (16.1)
Republic of Korea, Ulsan	0.5	(2.0)	<i>0.1</i>	<i>(0.4)</i>	10.4	(38.4)	12.4	(44.5)	<i>0.2</i>	<i>(0.9)</i>	<i>0.2</i>	<i>(0.5)</i>	-	-	-	3.6 (13.3)
Kuwait	<i>0.1</i>	<i>(3.7)</i>	<i>0.1</i>	<i>(3.7)</i>	-	-	<i>0.1</i>	<i>(3.7)</i>	-	-	-	-	-	-	-	1.9 (88.9)
Kuwait: Kuwaitis	<i>0.2</i>	<i>(6.8)</i>	<i>0.2</i>	<i>(6.8)</i>	-	-	<i>0.1</i>	<i>(4.5)</i>	-	-	-	-	-	-	-	2.0 (81.8)
Kuwait: Non-Kuwaitis	-	-	-	-	-	-	<i>0.0</i>	<i>(2.7)</i>	-	-	-	-	-	-	-	2.0 (97.3)
*Malaysia, Penang	<i>0.1</i>	<i>(2.4)</i>	-	-	<i>0.1</i>	<i>(1.6)</i>	<i>0.1</i>	<i>(2.4)</i>	-	-	-	-	-	-	-	4.9 (93.5)
*Malaysia, Penang: Chinese	<i>0.1</i>	<i>(2.0)</i>	-	-	<i>0.1</i>	<i>(1.0)</i>	<i>0.2</i>	<i>(3.1)</i>	-	-	-	-	-	-	-	6.7 (93.9)
*Malaysia, Penang: Malay	<i>0.1</i>	<i>(5.9)</i>	-	-	<i>0.1</i>	<i>(5.9)</i>	-	-	-	-	-	-	-	-	-	2.0 (88.2)
*Malaysia, Penang: Indian	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.1 (100.0)
*Philippines, Manila	0.1	(4.1)	<i>0.0</i>	<i>(0.5)</i>	<i>0.0</i>	<i>(1.1)</i>	0.2	(4.9)	<i>0.0</i>	<i>(0.3)</i>	<i>0.0</i>	<i>(0.3)</i>	-	-	-	2.6 (88.9)
*Philippines, Rizal	<i>0.0</i>	<i>(2.0)</i>	<i>0.0</i>	<i>(1.4)</i>	-	-	0.1	(4.6)	-	-	-	-	-	-	-	2.4 (92.0)
Qatar: Qatari	0.2	(5.6)	-	-	-	-	<i>0.3</i>	<i>(5.6)</i>	-	-	-	-	-	-	-	4.4 (88.9)
*Saudi Arabia, Riyadh: Saudi	0.2	(11.0)	<i>0.1</i>	<i>(3.4)</i>	<i>0.1</i>	<i>(3.4)</i>	0.6	(22.8)	0.2	(7.6)	<i>0.1</i>	<i>(2.8)</i>	<i>0.0</i>	<i>(2.8)</i>	-	0.9 (46.2)
Thailand, Bangkok	0.1	(4.3)	<i>0.0</i>	<i>(0.5)</i>	0.1	(2.5)	0.1	(3.3)	<i>0.0</i>	<i>(0.8)</i>	-	-	<i>0.0</i>	<i>(0.8)</i>	-	2.5 (87.9)
Thailand, Chiang Mai	0.3	(7.2)	<i>0.0</i>	<i>(0.5)</i>	0.3	(7.2)	0.8	(17.6)	<i>0.1</i>	<i>(1.8)</i>	<i>0.1</i>	<i>(2.7)</i>	-	-	-	2.4 (62.8)
Thailand, Chonburi	<i>0.2</i>	<i>(8.0)</i>	-	-	-	-	<i>0.1</i>	<i>(3.4)</i>	<i>0.1</i>	<i>(2.3)</i>	<i>0.0</i>	<i>(1.1)</i>	-	-	-	2.5 (85.2)
Thailand, Khon Kaen	<i>0.1</i>	<i>(3.5)</i>	<i>0.0</i>	<i>(0.7)</i>	<i>0.0</i>	<i>(1.4)</i>	0.2	(8.5)	<i>0.0</i>	<i>(0.7)</i>	-	-	-	-	-	2.0 (85.1)
Thailand, Lampang	<i>0.2</i>	<i>(5.5)</i>	-	-	<i>0.1</i>	<i>(2.3)</i>	0.3	(7.8)	<i>0.0</i>	<i>(0.8)</i>	<i>0.0</i>	<i>(0.8)</i>	-	-	-	3.2 (82.8)
*Thailand, Lopburi Province	<i>0.2</i>	<i>(7.5)</i>	<i>0.1</i>	<i>(1.9)</i>	<i>0.1</i>	<i>(5.7)</i>	<i>0.2</i>	<i>(7.5)</i>	-	-	-	-	-	-	-	1.9 (77.4)
Thailand, Songkhla	<i>0.2</i>	<i>(15.0)</i>	<i>0.1</i>	<i>(5.0)</i>	<i>0.1</i>	<i>(8.3)</i>	<i>0.1</i>	<i>(3.3)</i>	<i>0.0</i>	<i>(1.7)</i>	-	-	-	-	-	0.8 (66.7)
Turkey, Antalya	0.7	(12.6)	<i>0.2</i>	<i>(3.1)</i>	0.8	(13.6)	1.2	(21.8)	<i>0.2</i>	<i>(2.7)</i>	0.6	(11.6)	<i>0.1</i>	<i>(2.0)</i>	-	1.9 (32.7)
Turkey, Bursa	1.2	(13.6)	<i>0.1</i>	<i>(0.9)</i>	1.0	(12.3)	1.7	(21.5)	0.2	(2.1)	1.0	(12.2)	0.2	(1.9)	-	2.9 (35.5)
Turkey, Edirne	0.7	(10.7)	<i>0.1</i>	<i>(0.8)</i>	1.0	(13.2)	0.9	(11.6)	<i>0.3</i>	<i>(4.1)</i>	<i>0.2</i>	<i>(3.3)</i>	-	-	-	4.2 (56.2)
Turkey, Erzurum	8.1	(42.3)	-	-	1.6	(8.1)	2.7	(14.0)	<i>0.5</i>	<i>(2.3)</i>	0.9	(4.5)	<i>0.2</i>	<i>(0.9)</i>	-	5.5 (27.9)
Turkey, Eskisehir	0.9	(13.9)	<i>0.1</i>	<i>(1.1)</i>	0.7	(9.6)	1.2	(18.2)	<i>0.2</i>	<i>(3.7)</i>	0.6	(8.0)	<i>0.1</i>	<i>(1.1)</i>	-	3.1 (44.4)
Turkey, Izmir	1.0	(15.4)	<i>0.1</i>	<i>(0.8)</i>	1.0	(16.0)	1.4	(21.7)	0.2	(2.4)	0.4	(6.6)	0.2	(2.2)	-	2.2 (34.8)
Turkey, Samsun	1.3	(14.6)	<i>0.2</i>	<i>(2.0)</i>	1.3	(14.3)	1.9	(24.2)	<i>0.1</i>	<i>(1.7)</i>	0.7	(7.9)	<i>0.2</i>	<i>(2.3)</i>	-	2.8 (32.9)
Turkey, Trabzon	1.5	(14.4)	<i>0.2</i>	<i>(2.0)</i>	1.5	(13.4)	4.3	(42.1)	0.5	(5.7)	0.2	(2.3)	-	-	-	1.9 (20.1)
*Viet Nam, Ho Chi Minh City	0.2	(4.3)	-	-	0.3	(7.9)	0.7	(16.5)	0.1	(3.6)	0.2	(4.1)	<i>0.0</i>	<i>(0.4)</i>	-	2.5 (63.3)
Europe																
Austria	0.5	(9.1)	0.0	(0.6)	0.2	(3.2)	0.4	(7.6)	0.0	(0.7)	0.0	(0.7)	0.0	(0.4)	-	3.9 (77.8)
Austria, Carinthia	0.5	(9.2)	-	-	0.5	(7.3)	0.6	(10.3)	<i>0.1</i>	<i>(1.9)</i>	<i>0.1</i>	<i>(1.1)</i>	-	-	-	4.7 (70.1)

**Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Stomach (C16) - Female (contd)**

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	Cardia		Fundus		Body		Pyloric		Pylorus		Le. curv.		Gr. curv.		Other	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Europe (contd)																
*France, Bas-Rhin	0.6	(12.5)	0.3	(8.5)	0.1	(2.0)	1.0	(28.5)	0.0	(0.5)	0.4	(9.5)	0.2	(4.5)	1.5	(34.0)
*France, Calvados	0.5	(16.8)	0.2	(11.5)	0.1	(2.7)	0.6	(31.0)	0.1	(5.3)	0.4	(17.7)	0.2	(5.3)	0.3	(9.7)
*France, Doubs	0.6	(23.0)	0.2	(7.0)	0.1	(2.0)	0.4	(20.0)	0.1	(5.0)	0.3	(6.0)	0.1	(6.0)	0.8	(31.0)
*France, Gironde	0.4	(17.7)	0.3	(9.3)	0.2	(8.4)	0.6	(27.4)	0.0	(2.7)	0.2	(7.1)	0.0	(1.8)	0.7	(25.7)
*France, Haut-Rhin	0.8	(18.4)	0.3	(8.6)	0.1	(2.2)	0.7	(23.8)	0.1	(3.8)	0.3	(10.8)	0.2	(3.8)	1.1	(28.6)
*France, Hérault	0.5	(15.8)	0.3	(9.7)	0.1	(4.6)	0.5	(22.4)	0.0	(2.6)	0.2	(6.1)	0.1	(4.1)	1.0	(34.7)
*France, Isère	0.4	(14.0)	0.4	(12.1)	0.1	(2.4)	0.8	(31.4)	0.2	(5.8)	0.3	(10.6)	0.2	(6.3)	0.5	(17.4)
*France, Lille-Métropole	0.5	(15.3)	0.4	(13.6)	0.1	(4.2)	1.0	(30.5)	0.2	(7.6)	0.1	(4.2)	0.1	(2.5)	0.6	(22.0)
*France, Limousin	0.4	(17.1)	0.2	(10.0)	0.1	(2.9)	0.6	(28.6)	0.4	(11.4)	0.3	(8.6)	0.3	(8.6)	0.3	(12.9)
*France, Loire-Atlantique	0.5	(15.5)	0.2	(9.8)	0.2	(6.9)	0.9	(33.9)	0.1	(2.4)	0.2	(6.9)	0.1	(2.0)	0.8	(22.4)
*France, Manche	0.4	(6.9)	0.7	(16.4)	0.2	(3.1)	1.4	(34.6)	0.4	(8.2)	0.4	(6.9)	0.1	(3.1)	1.1	(20.8)
*France, Somme	0.6	(17.3)	0.3	(10.2)	0.1	(2.4)	1.0	(27.6)	0.1	(4.7)	0.4	(10.2)	0.1	(1.6)	0.8	(26.0)
*France, Tarn	0.5	(15.2)	0.2	(10.1)	0.2	(7.6)	0.9	(32.9)	0.0	(1.3)	0.4	(10.1)	0.1	(5.1)	0.7	(17.7)
*France, Territoire de Belfort	0.4	(14.8)	0.6	(18.5)	-	-	0.9	(33.3)	0.2	(3.7)	-	-	-	-	1.4	(29.6)
*France, Vendée	0.4	(16.3)	0.3	(8.1)	0.1	(5.9)	0.7	(27.4)	0.1	(3.7)	0.2	(6.7)	0.0	(2.2)	0.7	(29.6)
Germany, Bavaria	0.7	(11.1)	0.1	(1.9)	1.2	(18.2)	1.3	(22.5)	0.1	(1.5)	0.1	(0.7)	0.0	(0.4)	2.4	(43.6)
Germany, Bremen	1.1	(17.4)	0.2	(2.4)	1.1	(16.0)	1.5	(24.3)	0.1	(3.1)	0.0	(1.0)	0.0	(1.0)	1.7	(34.7)
Germany, Hamburg	1.0	(16.2)	0.1	(1.3)	1.0	(14.6)	0.9	(15.9)	0.0	(0.4)	0.1	(1.7)	0.1	(0.6)	2.8	(49.1)
Germany, Lower Saxony	0.9	(13.3)	0.1	(2.2)	1.0	(15.3)	1.0	(18.5)	0.1	(1.7)	0.1	(1.2)	0.0	(0.4)	2.6	(47.4)
Germany, Munich	0.7	(12.2)	0.1	(1.8)	1.2	(19.0)	1.3	(23.9)	0.1	(1.1)	0.1	(1.9)	0.1	(0.7)	2.0	(39.5)
*Germany, North Rhine-Westphalia	0.8	(13.4)	0.2	(2.3)	1.1	(17.5)	1.1	(20.3)	0.1	(2.1)	0.1	(1.2)	0.1	(0.7)	2.3	(42.4)
Germany, Rhineland-Palatinate	0.7	(12.2)	0.1	(2.1)	1.0	(16.6)	1.1	(19.8)	0.1	(1.5)	0.1	(1.0)	0.0	(0.3)	2.2	(46.5)
Germany, Saarland	0.8	(16.5)	0.1	(1.8)	1.0	(16.5)	1.2	(24.9)	0.1	(2.0)	0.1	(2.0)	0.0	(0.3)	1.7	(36.0)
*Germany, Schleswig-Holstein	1.0	(16.7)	0.2	(2.5)	1.4	(22.7)	1.0	(17.9)	0.1	(2.1)	0.1	(0.9)	0.1	(1.3)	1.9	(36.0)
Iceland	0.3	(8.2)	-	-	0.3	(8.2)	0.2	(4.9)	0.3	(4.9)	-	-	-	-	3.3	(73.8)
Ireland	1.4	(28.4)	0.2	(4.6)	0.3	(6.4)	0.6	(12.7)	0.2	(5.0)	0.4	(8.8)	0.2	(3.8)	1.5	(30.3)
*Italy, Aosta Valley	0.3	(5.4)	0.9	(14.3)	1.1	(17.9)	1.7	(19.6)	0.1	(1.8)	0.1	(1.8)	0.3	(5.4)	2.1	(33.9)
Italy, Barletta	0.4	(5.1)	0.3	(4.1)	0.6	(12.2)	1.7	(31.6)	0.0	(1.0)	0.3	(4.1)	0.0	(1.0)	2.6	(40.8)
Italy, Bergamo	0.5	(5.3)	0.1	(1.3)	1.5	(14.6)	3.3	(36.4)	0.2	(1.8)	0.5	(5.1)	0.1	(1.3)	3.0	(34.3)
Italy, Biella	0.4	(11.9)	0.3	(6.0)	0.6	(13.1)	1.7	(38.1)	0.0	(2.4)	0.8	(10.7)	0.2	(2.4)	0.6	(15.5)
Italy, Caserta	0.3	(3.9)	0.2	(3.0)	0.9	(10.8)	1.8	(25.6)	0.3	(4.9)	0.4	(5.4)	0.3	(3.9)	2.9	(42.4)
Italy, Catania, Messina, and Enna	0.3	(6.1)	0.2	(3.4)	0.8	(13.2)	1.1	(19.3)	0.1	(2.0)	0.4	(5.7)	0.2	(3.3)	2.6	(47.0)
Italy, Como	0.4	(6.8)	0.5	(6.5)	1.9	(20.8)	2.2	(29.0)	0.3	(3.9)	1.1	(15.4)	0.1	(1.1)	1.0	(16.5)
Italy, Cremona	0.6	(4.1)	0.4	(4.1)	3.4	(31.1)	2.3	(29.5)	0.3	(3.6)	0.7	(6.7)	0.1	(1.0)	2.0	(19.7)
Italy, Ferrara	0.6	(8.8)	0.4	(6.1)	1.0	(17.6)	1.6	(26.4)	0.1	(2.0)	0.1	(3.4)	0.0	(1.4)	1.9	(34.5)
Italy, Florence and Prato	0.4	(5.3)	0.1	(1.1)	0.6	(7.8)	1.6	(22.3)	0.0	(0.2)	0.7	(8.0)	0.1	(1.5)	3.5	(54.0)
Italy, Friuli-Venezia Giulia	0.3	(5.2)	0.1	(2.6)	0.6	(7.3)	0.8	(12.3)	0.1	(2.2)	0.1	(0.6)	0.0	(0.2)	5.2	(69.6)
Italy, Latina	0.2	(3.1)	0.7	(11.0)	0.8	(11.4)	1.0	(16.2)	0.1	(1.8)	1.0	(10.5)	0.3	(3.5)	2.5	(42.5)
Italy, Lecco	1.0	(10.1)	0.3	(3.1)	1.9	(19.5)	2.7	(25.2)	0.1	(1.3)	0.8	(8.8)	0.1	(1.3)	3.8	(30.8)
Italy, Lombardy, South, Pavia	0.3	(4.5)	0.2	(2.5)	1.1	(14.9)	2.0	(28.9)	0.1	(1.0)	0.2	(3.5)	0.2	(1.5)	3.1	(43.3)
Italy, Mantua	0.4	(5.0)	0.0	(1.4)	0.9	(9.3)	0.9	(19.3)	-	-	0.0	(1.4)	-	-	4.5	(63.6)
Italy, Milan	0.5	(7.7)	0.3	(3.7)	1.3	(17.8)	1.7	(29.8)	0.2	(2.6)	0.4	(6.3)	0.2	(2.3)	1.8	(29.8)
Italy, Modena	0.7	(9.2)	0.6	(6.6)	1.2	(18.9)	2.4	(35.4)	0.1	(2.9)	0.9	(11.8)	0.2	(2.9)	0.8	(12.3)
Italy, Monza	0.6	(7.0)	0.3	(3.9)	1.2	(15.8)	2.2	(29.8)	0.2	(3.3)	0.7	(8.1)	0.2	(2.2)	2.2	(30.0)
Italy, Naples	0.5	(6.6)	0.4	(5.0)	0.6	(8.8)	1.3	(18.8)	0.3	(5.0)	0.7	(9.4)	0.1	(2.2)	2.7	(44.2)
Italy, Nuoro	0.6	(10.9)	0.3	(3.3)	0.5	(10.9)	2.0	(34.8)	0.2	(4.3)	0.2	(3.3)	0.3	(3.3)	1.5	(29.3)
Italy, Palermo	0.3	(6.3)	0.2	(5.1)	0.6	(11.1)	1.2	(27.0)	0.2	(3.0)	0.3	(7.2)	0.1	(2.4)	1.5	(37.8)
Italy, Parma	0.7	(6.9)	0.3	(3.0)	1.4	(19.8)	2.8	(35.0)	0.4	(5.1)	1.4	(15.3)	0.2	(2.4)	0.7	(12.6)
Italy, Piacenza	0.3	(2.7)	0.3	(4.8)	2.1	(20.3)	3.4	(38.0)	0.3	(4.3)	0.7	(8.0)	0.1	(1.1)	1.7	(20.9)
Italy, Ragusa and Caltanissetta	0.3	(5.5)	0.0	(1.2)	0.5	(9.2)	0.8	(20.9)	0.1	(1.8)	0.2	(6.7)	0.1	(1.2)	2.2	(53.4)
Italy, Reggio Emilia	0.3	(4.0)	0.3	(4.8)	1.0	(14.3)	1.9	(29.0)	0.1	(1.5)	0.4	(4.8)	0.5	(5.5)	2.2	(36.0)
Italy, Romagna	0.6	(5.6)	0.9	(10.1)	2.1	(21.2)	2.9	(32.9)	0.2	(1.6)	0.3	(3.2)	0.1	(0.6)	2.2	(24.8)
Italy, Sassari	0.4	(9.5)	0.1	(5.3)	0.9	(23.2)	1.1	(30.5)	0.1	(2.1)	0.5	(10.5)	0.1	(2.1)	0.6	(16.8)
Italy, Sondrio	0.7	(10.2)	0.4	(3.7)	0.9	(11.1)	1.8	(23.1)	0.4	(7.4)	1.0	(13.0)	0.4	(3.7)	1.5	(27.8)
Italy, South Tyrol	0.4	(7.7)	0.3	(4.2)	2.1	(27.3)	3.3	(45.5)	0.3	(2.8)	0.2	(2.8)	-	-	0.7	(9.8)
Italy, Syracuse	0.1	(1.8)	0.1	(2.6)	0.3	(7.0)	0.7	(13.2)	0.1	(0.9)	0.3	(4.4)	0.3	(5.3)	3.2	(64.9)
Italy, Taranto	0.2	(4.9)	0.2	(3.5)	0.5	(8.4)	0.9	(23.1)	0.1	(2.1)	0.4	(7.7)	0.1	(1.4)	2.2	(49.0)
Italy, Trento	0.2	(4.8)	0.4	(6.2)	1.4	(17.1)	2.7	(42.5)	0.1	(2.1)	0.6	(8.9)	0.0	(0.7)	1.1	(17.8)
Italy, Turin	0.3	(4.6)	0.2	(3.9)	0.3	(6.1)	0.5	(10.5)	0.0	(0.8)	0.2	(2.8)	0.2	(1.9)	3.8	(69.4)
Italy, Umbria	0.8	(8.0)	0.2	(2.6)	1.7	(16.6)	2.2	(23.0)	0.1	(1.6)	0.6	(6.3)	0.1	(0.7)	3.8	(41.3)
Italy, Varese	0.4	(6.2)	0.4	(5.7)	1.1	(14.6)	2.2	(35.8)	0.0	(0.2)	0.4	(4.4)	0.0	(0.4)	2.2	(32.7)
Italy, Veneto	0.3	(4.7)	0.1	(1.6)	0.5	(8.6)	0.7	(11.9)	0.1	(2.5)	0.3	(3.9)	-	-	3.6	(66.7)
Latvia	0.3	(3.6)	0.1	(0.7)	0.9	(10.1)	0.7	(8.8)	0.2	(2.5)	0.0	(0.8)	0.1	(0.4)	6.7	(73.2)
Lithuania	0.3	(3.0)	0.0	(0.5)	1.9	(18.6)	1.2	(11.8)	0.2	(2.6)	0.0	(0.4)	0.0	(0.4)	6.4	(62.7)
Malta	0.3	(7.5)	0.1	(3.2)	0.1	(1.1)	0.5	(12.9)	0.1	(3.2)	0.2	(5.4)	0.0	(1.1)	2.6	(65.6)
*The Netherlands	0.7	(18.2)	0.1	(3.0)	0.7	(15.8)	0.9	(22.7)	0.2	(5.3)	0.1	(3.5)	0.1	(2.3)	1.2	(29.4)
Norway	0.5	(14.9)	0.1	(2.1)	0.5	(14.4)	0.6	(17.8)	0.1	(3.8)	0.1	(3.2)	0.1	(1.1)	1.4	(42.7)
Poland, Greater Poland	0.4	(7.2)	0.0	(0.3)	0.2	(3.9)	0.0	(0.2)	0.1	(1.4)	0.0	(0.6)	0.0	(0.2)	4.5	(86.1)
Poland, Kielce	0.6	(11.0)	-	-	0.6	(11.0)	0.1	(2.5)	0.2	(3.6)	0.1	(1.4)	0.1	(0.8)	3.7	(69.9)
Poland, Lower Silesia	0.3	(5.9)	0.0	(0.6)	0.4	(6.5)	0.0	(0.7)	0.1	(2.3)	0.0	(0.8)	0.0	(0.5)	4.6	(82.7)
*Poland, Lublin	0.4	(10.3)	0.1	(1.3)	0.7	(15.4)	0.1	(3.2)	0.3	(8.0)	0.2	(3.6)	0.1	(2.1)	2.3	(56.2)
Poland, Podkarpackie	0.5	(9.6)	0.1	(2.7)	0.7	(12.9)	0.1	(2.5)	0.3	(7.4)	0.1	(1.4)	0.0	(0.5)	3.1	(62.9)
Portugal, Azores	0.1	(2.7)	-	-	0.7	(8.0)	1.4	(17.3)	0							

Age-standardized (world) incidence rates (per 100,000)
Percentage distribution of the number of cases
Stomach (C16) - Female (contd)

	C16.0		C16.1		C16.2		C16.3		C16.4		C16.5		C16.6		C16.8-9	
	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)	ASR	(%)
Europe (contd)																
Spain, Albacete	0.5	(7.4)	0.1	(1.5)	0.7	(11.8)	1.4	(23.5)	0.1	(1.5)	0.3	(5.9)	0.3	(4.4)	2.3	(44.1)
Spain, Asturias	0.3	(5.3)	0.2	(2.3)	0.6	(9.6)	1.2	(29.0)	0.0	(0.3)	0.3	(3.6)	0.1	(1.0)	2.5	(48.8)
Spain, Basque Country	0.5	(7.9)	0.2	(3.0)	0.8	(12.0)	1.8	(29.4)	0.1	(1.4)	0.6	(9.0)	0.2	(2.8)	2.0	(34.6)
Spain, Canary Islands	0.4	(11.5)	0.2	(3.6)	0.3	(7.1)	0.9	(25.8)	0.0	(0.4)	0.3	(7.9)	0.2	(4.4)	1.4	(39.3)
Spain, Castellón	0.3	(5.7)	0.2	(5.1)	0.3	(6.3)	0.8	(22.8)	-	-	0.2	(6.3)	0.1	(0.6)	2.4	(53.2)
Spain, Ciudad Real	0.3	(4.0)	0.2	(2.0)	0.3	(4.7)	0.7	(11.4)	-	-	0.2	(2.7)	-	-	4.2	(75.2)
Spain, Cuenca	0.4	(10.1)	0.1	(2.2)	1.2	(14.6)	2.4	(29.2)	0.1	(2.2)	0.3	(3.4)	0.0	(1.1)	2.8	(37.1)
Spain, Girona	0.3	(4.3)	0.1	(0.9)	0.7	(9.0)	0.9	(17.6)	0.0	(0.4)	0.1	(2.1)	0.1	(1.7)	3.2	(63.9)
Spain, Granada	0.4	(6.9)	0.3	(6.0)	1.3	(23.4)	1.8	(35.9)	0.0	(2.0)	0.3	(5.2)	0.1	(1.6)	0.9	(19.0)
Spain, La Rioja	0.3	(5.3)	0.4	(4.5)	0.6	(11.3)	1.7	(32.3)	0.0	(0.8)	0.3	(6.8)	0.4	(5.3)	2.1	(33.8)
Spain, Mallorca	0.1	(3.2)	0.1	(3.2)	0.5	(10.9)	0.8	(20.5)	0.1	(1.3)	0.1	(4.5)	-	-	2.5	(56.4)
Spain, Murcia	0.3	(8.4)	0.2	(3.7)	0.2	(5.2)	0.8	(18.8)	0.1	(1.6)	0.1	(2.1)	0.1	(2.6)	2.6	(57.6)
Spain, Navarra	0.4	(8.3)	0.0	(0.6)	1.9	(21.0)	1.6	(29.9)	0.1	(1.9)	0.2	(2.5)	0.0	(0.6)	2.1	(35.0)
Spain, Tarragona	0.4	(10.1)	0.1	(2.8)	0.6	(12.8)	1.0	(26.8)	0.1	(1.7)	0.2	(3.9)	0.1	(3.4)	1.6	(38.5)
Switzerland, Fribourg	0.3	(7.1)	0.1	(4.8)	0.2	(4.8)	0.9	(31.0)	0.1	(2.4)	0.5	(14.3)	0.2	(7.1)	0.7	(28.6)
Switzerland, Geneva	0.5	(16.3)	0.1	(3.3)	0.2	(4.3)	1.0	(26.1)	-	-	0.7	(16.3)	0.2	(7.6)	1.1	(26.1)
Switzerland, Graubünden and Glarus	0.6	(13.0)	0.2	(5.6)	1.1	(24.1)	1.3	(33.3)	-	-	-	-	-	-	1.0	(24.1)
Switzerland, Neuchâtel	0.8	(20.0)	-	-	0.5	(10.0)	0.6	(23.3)	-	-	0.3	(10.0)	0.4	(10.0)	1.2	(26.7)
Switzerland, St Gall–Appenzell	0.9	(22.7)	0.1	(0.9)	0.4	(12.7)	1.2	(29.1)	0.1	(2.7)	0.3	(10.0)	0.1	(1.8)	0.5	(20.0)
Switzerland, Ticino	0.5	(9.6)	0.1	(1.5)	1.0	(14.0)	2.5	(42.6)	0.1	(3.7)	0.1	(1.5)	-	-	1.3	(27.2)
Switzerland, Valais	0.7	(16.7)	0.1	(1.4)	0.5	(12.5)	0.7	(18.1)	0.2	(2.8)	0.8	(16.7)	0.2	(2.8)	1.2	(29.2)
Switzerland, Vaud	0.5	(18.3)	0.1	(3.7)	0.4	(14.7)	0.6	(22.9)	-	-	0.2	(9.2)	0.0	(0.9)	0.8	(30.3)
Switzerland, Zurich	0.6	(15.5)	0.0	(0.8)	0.2	(6.5)	0.3	(10.2)	0.0	(1.2)	0.1	(1.6)	0.0	(0.4)	2.2	(63.7)
Ukraine	0.8	(8.4)	0.1	(0.6)	2.8	(29.7)	1.7	(18.7)	0.3	(4.0)	0.1	(0.6)	0.0	(0.5)	3.4	(37.5)
UK	0.7	(19.5)	0.1	(2.3)	0.2	(6.3)	0.3	(9.1)	0.1	(4.4)	0.2	(5.6)	0.1	(2.4)	1.6	(50.4)
UK, England	0.6	(18.8)	0.1	(2.3)	0.2	(6.3)	0.3	(9.2)	0.1	(4.1)	0.2	(5.6)	0.1	(2.3)	1.5	(51.3)
UK, England, East	0.7	(24.8)	0.1	(3.5)	0.2	(7.1)	0.3	(11.1)	0.2	(7.4)	0.1	(5.7)	0.1	(3.8)	0.9	(36.5)
UK, England, East Midlands	0.8	(22.7)	0.1	(3.2)	0.2	(7.3)	0.3	(9.7)	0.2	(5.1)	0.3	(8.6)	0.1	(2.8)	1.3	(40.6)
UK, England, London	0.4	(13.0)	0.1	(2.0)	0.1	(2.0)	0.1	(4.5)	0.1	(2.1)	0.1	(2.5)	0.0	(1.3)	2.3	(72.5)
UK, England, North East	0.6	(14.4)	0.1	(2.1)	0.3	(6.4)	0.3	(7.9)	0.1	(3.2)	0.3	(6.6)	0.1	(1.5)	2.4	(57.9)
UK, England, North West	0.7	(16.9)	0.1	(2.4)	0.4	(9.7)	0.4	(12.0)	0.2	(4.2)	0.2	(6.3)	0.1	(2.2)	1.7	(46.4)
UK, England, South West	0.7	(25.3)	0.1	(2.5)	0.2	(6.5)	0.2	(10.5)	0.2	(5.8)	0.1	(5.8)	0.1	(2.9)	0.9	(40.7)
UK, England, South East	0.6	(21.5)	0.1	(1.8)	0.1	(3.6)	0.1	(5.6)	0.1	(3.2)	0.1	(3.8)	0.0	(0.8)	1.4	(59.7)
UK, England, West Midlands	0.6	(16.4)	0.1	(1.6)	0.2	(4.7)	0.3	(9.8)	0.1	(3.2)	0.2	(5.3)	0.1	(2.5)	1.7	(56.5)
UK, England, Yorkshire and The Humber	0.6	(15.8)	0.1	(2.2)	0.3	(8.5)	0.4	(11.1)	0.2	(3.7)	0.2	(7.0)	0.1	(3.3)	1.7	(48.3)
UK, Northern Ireland	0.8	(16.3)	0.1	(2.8)	0.2	(3.5)	0.2	(5.1)	0.1	(3.7)	0.2	(3.5)	0.1	(2.1)	2.7	(62.9)
UK, Scotland	0.9	(23.0)	0.1	(2.7)	0.2	(5.5)	0.4	(8.9)	0.2	(5.0)	0.2	(4.9)	0.1	(2.4)	1.9	(47.7)
UK, Wales	0.9	(23.7)	0.1	(1.6)	0.4	(9.3)	0.4	(10.5)	0.2	(6.3)	0.2	(6.7)	0.2	(4.4)	1.3	(37.3)
Oceania																
Australia	0.7	(21.5)	0.1	(3.4)	0.3	(8.5)	0.5	(15.0)	0.2	(4.8)	0.2	(6.8)	0.1	(3.6)	1.1	(36.3)
Australia, Australian Capital Territory	0.5	(25.8)	0.1	(3.2)	0.1	(3.2)	0.4	(16.1)	0.1	(6.5)	0.2	(6.5)	-	-	0.9	(38.7)
Australia, New South Wales	0.7	(19.8)	0.1	(2.9)	0.3	(9.0)	0.5	(16.6)	0.2	(5.4)	0.2	(7.1)	0.1	(3.6)	1.2	(35.5)
Australia, Northern Territory	0.6	(25.0)	-	-	-	-	-	-	0.6	(25.0)	-	-	-	-	1.2	(50.0)
Australia, Northern Territory: Non-Indigenous	0.7	(42.9)	-	-	-	-	-	-	0.2	(14.3)	-	-	-	-	0.8	(42.9)
Australia, Northern Territory: Indigenous	-	-	-	-	-	-	-	-	1.2	(25.0)	-	-	-	-	3.0	(75.0)
Australia, Queensland	0.6	(20.5)	0.2	(5.1)	0.4	(12.3)	0.4	(17.0)	0.1	(4.4)	0.2	(8.1)	0.1	(4.7)	0.7	(28.0)
Australia, South Australia	0.6	(19.9)	0.1	(2.9)	0.2	(8.8)	0.4	(12.7)	0.2	(6.5)	0.2	(5.9)	0.1	(2.6)	1.2	(40.5)
Australia, Tasmania	0.9	(25.0)	0.0	(1.1)	0.2	(4.3)	0.1	(4.3)	0.1	(4.3)	0.1	(3.3)	0.1	(2.2)	1.6	(55.4)
Australia, Victoria	0.9	(24.5)	0.1	(2.5)	0.3	(6.9)	0.5	(14.1)	0.2	(4.3)	0.3	(7.5)	0.2	(4.2)	1.3	(35.9)
Australia, Western Australia	0.6	(19.7)	0.2	(6.7)	0.2	(6.7)	0.4	(14.0)	0.1	(2.7)	0.1	(3.3)	0.1	(1.7)	1.4	(45.3)
*France, New Caledonia	0.2	(2.9)	2.0	(34.3)	0.2	(2.9)	2.4	(40.0)	0.4	(8.6)	-	-	-	-	0.6	(11.4)
New Zealand	0.7	(20.1)	0.1	(2.1)	0.2	(5.7)	0.5	(14.3)	0.2	(4.3)	0.2	(6.2)	0.1	(3.5)	1.5	(43.8)
*New Zealand: Maori	0.8	(6.1)	0.2	(1.8)	1.0	(7.9)	2.0	(17.0)	0.7	(6.7)	1.2	(9.7)	0.4	(3.0)	5.4	(47.9)
*New Zealand: Pacific Islander	0.9	(7.8)	0.3	(3.1)	0.5	(4.7)	1.9	(18.8)	0.6	(4.7)	1.8	(17.2)	0.6	(4.7)	4.0	(39.1)
USA, Hawaii	0.2	(5.8)	0.1	(1.3)	0.5	(11.5)	1.2	(28.5)	0.1	(2.2)	0.6	(12.8)	0.1	(3.2)	1.4	(34.6)
*USA, Hawaii: White	0.1	(4.2)	-	-	0.3	(20.8)	0.1	(8.3)	-	-	0.3	(16.7)	-	-	0.6	(50.0)
*USA, Hawaii: Japanese	0.3	(5.6)	0.1	(0.7)	0.4	(9.1)	1.8	(34.3)	0.1	(2.8)	1.2	(17.5)	0.2	(3.5)	1.2	(26.6)
*USA, Hawaii: Chinese	0.3	(7.7)	0.2	(3.8)	0.7	(11.5)	1.1	(26.9)	0.1	(3.8)	1.1	(15.4)	0.2	(3.8)	2.4	(26.9)
*USA, Hawaii: Hawaiian	0.2	(4.5)	0.2	(4.5)	0.2	(4.5)	1.0	(20.5)	0.1	(2.3)	0.4	(6.8)	-	-	2.9	(56.8)
*USA, Hawaii: Filipino	0.4	(9.8)	-	-	0.5	(17.1)	1.1	(24.4)	-	-	0.2	(4.9)	0.3	(7.3)	1.3	(36.6)
*USA, Pacific Islands	0.2	(3.8)	-	-	-	-	0.9	(23.1)	0.1	(3.8)	0.2	(3.8)	-	-	2.4	(65.4)

Rates based on less than 10 cases are in italics.

*Important. See note on population page.